

SHINANO

SHINANO®

QUALITY JAPANESE TOOLS

April 2026 - February 2027 Prices include GST.

Impact Wrench Combo Deal!

Buy a 1/2" & 3/4" Impact Wrench and receive a 3/8" Mini Ratchet Wrench FREE!*



PN: SI1550
See page 2

PN: SI1490B
See below

FREE!

3/8" Mini Ratchet Wrench
Valued at \$299!
PN: SI1218EX
See page 2

\$1298

PN: SICOMBO

*Combo deal only applies to SI1490B and SI1550 impact wrenches.

3/8" Butterfly Wrench

Max Torque: 66 Ft/lbs
Length: 158 MM
Weight: 0.94 Kg

\$299

PN: SI1305



1/2" Compact Impact Wrench

Max Torque: 369 Ft/lbs
Free Speed: 6,000 RPM
Weight: 2.55 Kg

- Higher powered impact wrench, great for tyre shops
- The twin hammer clutch delivers higher torque and faster power delivery

Standard

\$369

PN: SI1420T

2" Extended Anvil

\$389

PN: SI1422T



1/2" Compact Impact Wrench

- Forward/Reverse toggle switch
- 3 Position forward torque selector dial beneath trigger
- Responsive 8 vane motor, reaches max torque faster
- Feather touch trigger
- Full-time maximum torque in reverse

112 MM HEAD LENGTH!
(Including Anvil)

\$369

PN: SI1455SR



Max Torque: 550 Ft/lbs
Free Speed: 9,000 RPM
Bolt Cap: 16 MM
Weight: 1.17 Kg

3/8" Impact Wrench

- Feather touch trigger
 - Twin Hammer
- Max Torque: 258 Ft/lbs
Bolt Cap: 16 MM
Weight: 1.03 Kg
Length: 148 MM

\$399

PN: SI1605



1/2" Impact Wrench

- Responsive 8 vane motor, reaches max torque faster
- Forward/Reverse selector
- 4 position speed selector
- Feather touch trigger
- Twin Hammer

Max Torque: 627 Ft/lbs
Free Speed: 8,500 RPM
Bolt Cap: 20 MM
Weight: 1.9 Kg

Responsive 8 vane motor!
Reaches max torque faster.

Standard

\$399

PN: SI1490B

2" Anvil

\$440

PN: SI1492B



Pistol Grip Air Hammer

Includes 4 Chisels!

Length: 208 MM
Impact Rate: 2,600 BPM
Weight: 1.60 Kg

\$299

PN: SI4120A

Huge Range of Chisels & Drivers Inside!
See page 7.



SHINANO INDUSTRIAL TOOLS

Compact Beveler

- Easy to use precision adjustable beveler
- Features direct tip air cooling: Reducing heat soak by up to 50%, resulting in extended insert service life
- Rotate inserts to reuse up to 3 times

Size: 113 x 95 MM
Free Speed: 23,000 RPM
Bevel Range: 0.1 - 2.0 MM
Weight: 380 g
Av Air Cons.: 1.2 CFM

See it in Action!



\$589

PN: SI-4000

Specifically designed for reliable operation and long service life in the harshest working environments.

Full range of Shinano Industrial Tools on page 3.

HEAVY DUTY IMPACT WRENCHES

3/4" Impact Wrenches

- Forward/Reverse selector
 - 4 position speed selector
 - Twin Hammer
- Max Torque: 1,217 Ft/lbs
Bolt Cap: 24 MM
Length: 218 MM
Weight: 3.25 Kg



Standard Anvil

\$899

PN: SI1550

6" Extended Anvil

\$989

PN: SI1556

1" SR Series Impact Wrench

- Forward/Reverse selector
- 4 position speed selector
- Twin Hammer



Max Torque: 1,217 Ft/lbs
Bolt Cap: 24 MM
Length: 220 MM
Weight: 3.5 Kg

**Full-Time
Max. Torque in
Reverse!**

\$1,259

PN: SI1555SR

1" Heavy Duty D-Handle Impact Wrench

Max Torque: 1,770 Ft/lbs
Bolt Cap: 41 MM
Length: 350 MM
Weight: 10.6 Kg



Standard Anvil

\$1599

PN: SI1870

6" Extended Anvil

\$1679

PN: SI1876



8" Extended Anvil

\$1729

PN: SI1878

3 Handle Positions

For all SI1800 series models.

1" Heavy Duty Pistol Grip Impact Wrenches

- Clutch design features pinless hammer for increased durability.
- Heavy duty protective rubber guards
- Removable support handle included
- Forward/Reverse switch with 2 power levels in both forward and reverse
- Engineered for easy maintenance with its 3-piece body construction.



Max Torque: 1,840 Ft/lbs
Bolt Cap: 41 MM
Length: 285 MM
Weight: 10.9 Kg

Standard Anvil

\$1599

PN: SI1860

6" Extended Anvil

\$1679

PN: SI1866

Also available with 8" anvil (SI1868).

1" Heavy Duty Impact Wrench

Max Torque: 2430 Ft/lbs
Bolt Cap: 46 MM
Length: 420 MM
Weight: 15.4 Kg



Standard Anvil

\$2049

PN: SI1880

8" Extended Anvil

\$2379

PN: SI1888

1-1/2" Heavy Duty Impact Wrench



- 3-piece body for ease of maintenance

Max Torque: 4,060 Ft/lbs
Bolt Cap: 55 MM
Length: 510 MM
Weight: 18.0 Kg

\$3199

PN: SI1900

RATCHET WRENCHES



1/4" Super Mini Ratchet

Max Torque: 22 Ft/lbs
Length: 125 MM
Weight: 0.39 Kg

\$289

PN: SI1107B



1/4" Super Mini Ratchet

Max Torque: 22 Ft/lbs
Length: 168 MM
Weight: 0.39 Kg

\$279

PN: SI1200B

3/8" Super Mini Ratchet

Max Torque: 22 Ft/lbs
Length: 125 MM
Weight: 0.40 Kg

\$289

PN: SI1108B

3/8" Mini Ratchet Wrench

Max Torque: 30 Ft/lbs
Length: 168 MM
Weight: 0.51 Kg

\$279

PN: SI1205B



1/4" Mini Ratchet Wrench

Max Torque: 31 Ft/lbs
Length: 168 MM
Weight: 0.54 Kg

\$299

PN: SI1217EX



3/8" Ratchet Wrench

Max Torque: 59 Ft/lbs
Length: 265 MM
Weight: 1.16 Kg

\$249

PN: SI1320A

3/8" Mini Ratchet Wrench

Max Torque: 35 Ft/lbs
Length: 168 MM
Weight: 0.54 Kg

\$299

PN: SI1218EX

1/2" Ratchet Wrench

Max Torque: 66 Ft/lbs
Length: 265 MM
Weight: 1.17 Kg

\$249

PN: SI1325A

3/8" Through Ratchet

Includes 8, 10, 11, 12, 13 & 14 MM sockets, 3/8" square drive.
Max Torque: 33 Ft/lbs
Length: 211 MM
Weight: 0.54 Kg



\$589

PN: SI1288S

**Ideal For
Hard to Access
Nuts & Bolts**

3/8" Ratchet Wrench

Max Torque: 85 Ft/lbs
Length: 263 MM
Weight: 1.15 Kg

\$299

PN: SI1340EX

1/2" Ratchet Wrench

Max Torque: 85 Ft/lbs
Length: 263 MM
Weight: 1.15 Kg

\$299

PN: SI1345EX



1/2" Heavy Duty Ratchet

Max Torque: 118 Ft/lbs
Length: 368 MM
Weight: 1.95 Kg

\$539

PN: SI1435



Deep Impact Socket Sets



13 Piece 1/2" Metric
Sizes: 10, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24, 27 & 30 mm

\$99

PN: GX1312SSM

8 Piece 3/4" Metric
Sizes: 26, 27, 29, 30, 32, 35, 36 & 38 mm

\$189

PN: GX834SSM

Also available in imperial sizes.

AIR TOOL OIL

Add only a couple of drops daily to greatly reduce internal wear and maintain the integrity of the gaskets and seals

250 ml **\$13**

PN: SI250

1 Litre **\$27**

PN: SI1000

5 Litre **\$98**

PN: SI5000

20 Litre **\$299**

PN: SI20LT



SHINANO INDUSTRIAL TOOLS

Specifically designed for reliable operation and long service life in the harshest working environments.

Compact Beveler

- Easy to use precision adjustable beveler
- Features direct tip air cooling: Reducing heat soak by up to 50%, resulting in extended insert service life
- Rotate inserts to reuse up to 3 times

Size: 113 x 95 MM
Free Speed: 23,000 RPM
Bevel Range: 0.1 - 2.0 MM
Weight: 380 g
Av Air Cons.: 1.2 CFM



See it in Action!



\$589
PN: SI-4000

Weld Bead Cutter

- Achieves a uniform finish regardless of the operator's skill level
- Removes beads with less force and vibration compared to most grinders
- Produces no grinding dust, thereby reducing health risks
- Height adjustable router head with three cutting tips for high stock removal
- Flip & rotate inserts to reuse up to 8 times



Free Speed: 10,000 RPM
Bead Capacity: 10 MM wide x 6 MM high
Weight: 4.43 Kg

\$2499

PN: SI-4080L



See it in Action!



Edge Profilers

- Quickly & easily machine consistent radiused or Chamfered edges (meets and exceeds IMO's PSCP regs.)
- 3 Carbide tips, each with 8 cutting edges for cost-effective operation.
- Suitable for use on aluminium, structural grade steel and most types of stainless steel.

Profile Chamfer or Radius: 3 MM
Fitted with 3 x radiused inserts
Min. Corner Radius: 17 MM

Guide Plate: 100 MM
Head Height: 113 MM
Free Speed: 10,000 RPM
Output: 600 Watts



See it in Action!



\$1445
PN: SI-4011L

Replacement chamfered and radiused inserts also available.

Guide Plate: 150 MM
Head Height: 142 MM
Free Speed: 10,000 RPM
Output: 900 Watts

\$1495
PN: SI-4010L

Industrial Barrel Grinders

Output: 520 Watts Length: 316 MM
Spindle: 9.35 MM Weight: 1.53 Kg



2.5" Barrel Grinder
Wheel Size: 65x13 MM

\$689
PN: SI-SG3-2L

3" Barrel Grinder
Wheel Size: 75x13 MM

\$689
SI-SG3-3L

Industrial 6" Dual Action Sander

- Powerful 485 Watt motor with adjustable power setting
- Handle exhaust

Free Speed: 11,200 RPM
Pad/Disc Size: 150 MM (6")
Spindle Size: 5/16-24 UNF
Orbit Dia: 6 MM



\$499
SI-DS6-6L



4" Industrial Angle Grinder

Free Speed: 13,500 RPM
Output: 600 Watts
Spindle: M8 x 15.8 MM
Length: 276 MM
Weight: 1.89 Kg

\$679
PN: SI-AG4-A2L

5" Industrial Angle Grinder

Free Speed: 12,000 RPM
Output: 800 Watts
Spindle: M14 x 22.2 MM
Length: 285 MM
Weight: 2.08 Kg

\$759
PN: SI-AG5-E3L

7" Industrial Angle Grinder

Free Speed: 7,600 RPM
Output: 1000 Watts
Spindle: 5/8" UNC x 22.2 MM
Length: 285 MM
Weight: 3.3 Kg

\$889
PN: SI-AG7-E5L

5" Industrial Wet Angle Grinder

- Adjustable disc RPM & water feed

Free Speed: 12,000 RPM
Output: 800 Watts
Spindle: M14 x 22.2 MM
Weight: 2.25 Kg

Water injection through guard



\$995

PN: SI-AG5-E3LWS

7" Version Available

Mini Industrial Die Grinder

Free Speed: 28,000 RPM
Output: 180 Watts
Collet Size: 1/4"
Length: 150 MM
Weight: 0.38 Kg

\$349

PN: SI-SG20E-6L

Industrial Die Grinder

Free Speed: 25,000 RPM
Output: 650 Watts
Collet Size: 1/4"
Length: 187 MM
Weight: 0.71 Kg

\$389

PN: SI-SG60E-6L

Extended Mini Industrial Die Grinder

Free Speed: 28,000 RPM
Output: 180 Watts
Collet Size: 1/4"
Length: 284 MM
Weight: 0.68 Kg

\$449

PN: SI-SG20E-6LL

Extended Industrial Die Grinder

Free Speed: 25,000 RPM
Output: 650 Watts
Collet Size: 1/4"
Length: 322 MM
Weight: 1.19 Kg

\$499

PN: SI-SG60E-6LL



Industrial Angle Die Grinder

Free Speed: 15,000 RPM
Output: 240 Watts
Collet Size: 1/4"
Length: 170 MM
Weight: 0.64 Kg

\$495

PN: SI-AG2-C2P

- Spindle lock button for easy burr replacement

Mini Industrial Angle Die Grinder

Free Speed: 20,000 RPM
Output: 200 Watts
Collet Size: 1/4"
Length: 166 MM
Weight: 0.57 Kg

\$429

PN: SI-AG20E-6L

1/4" Industrial Straight Die Grinder

• Front exhaust port to clear swarf from work area
• Oversized motor for higher power
Free Speed: 14,000 RPM
Length: 346 MM
Output: 520 Watts
Weight: 1.53 Kg

\$689

PN: SI-SG3-CL



CUTTING TOOLS

Multifunction Mini Saw & File

Stroke Length: 5 MM
Free Speed: 10,500 RPM
Length: 148 MM
Weight: 0.52 Kg

SUPER COMPACT!

Swivel Connector!

5 MM Stroke

Uses Files & Saw Blades!

\$485

PN: SI4740

Multifunction Body Saw

Stroke Length: 10 MM
Free Speed: 10,000 RPM
Output: 135 Watts
Length: 259 MM
Weight: 0.58 Kg



10 MM Stroke

\$399

SI4700B

105 MM Air Saw Files

- 5 MM shank
- Made in Japan

Triangular PN: 506P-56T

Round PN: 506P-56R

Flat PN: 506P-56S

\$32 EA

Quality Bi-metal Blades

- Sold in Pack of 5

18 TPI PN: PT301A18

24 TPI PN: PT301A24

32 TPI PN: PT301A32

\$30 EA

3" Cut Off Grinder



Length: 196 MM
Free Speed: 20,000 RPM
Weight: 1.00 Kg

\$269

PN: SI2033

Metal Cutting Shears

Free Speed: 2,000 RPM
Cutting Width: 5.4 MM
Cut Cap.: 1.6 MM
Weight: 1.26 Kg



\$539

PN: SI4500

75 MM Cut Off Discs

- Packs of 5
- Disc Size: 75 x 0.8 mm
- Max Speed: 25,000 RPM

\$25

PN: C0007K



Heavy Duty Oscillation Cutter & Sander

- Oscillation cutting tool designed for automotive body panel repair
 - Includes large & small saws and depth guard with 2.4 & 6 MM stops
 - Replacement blades & sanding pads available
 - Accepts 90 MM sealant blade (sold separately)
- Free Speed: 20,000 RPM
Weight: 0.89 Kg



\$679

PN: SI4300

Mini Saw

Cutting Depth Guard

Oscillation Cutter & Sander

- Ideal for precise or delicate sanding in confined spaces
 - Includes 75 MM trigon pad & 90 MM sealant blade
 - Replacement blades & sanding pads available
- Free Speed: 21,000 RPM
Weight: 0.65 Kg



\$489

PN: SI3200A

Perfect for Automotive Windscreens!

DIE GRINDERS

1/4" Heavy Duty Angle Head Die Grinder

Free Speed: 22,000 RPM
Length: 185 MM
Weight: 0.81 Kg

NEW MODEL!

\$389

PN: SI2025

1/4" Medium Die Grinder

Free Speed: 25,000 RPM
Length: 170 MM
Weight: 0.60 Kg

\$259

PN: SI2011S

1/4" High Torque Die Grinder

Free Speed: 5,500 RPM
Length: 170 MM
Weight: 0.60 Kg

\$349

PN: SI2015A

1/4" Extended Die Grinder

Free Speed: 6,000 RPM
Length: 344 MM
Weight: 1.70 Kg

\$539

PN: SI2023

1/4" Small Die Grinder

Free Speed: 27,000 RPM
Length: 151 MM
Weight: 0.37 Kg

\$269

PN: SI2002EX

1/4" Medium Die Grinder

Free Speed: 25,000 RPM
Length: 170 MM
Weight: 0.37 Kg

\$269

PN: SI2012EX

1/4" Extended Die Grinder

Free Speed: 24,000 RPM
Length: 326 MM
Weight: 1.34 Kg

\$469

PN: SI2022S

Low RPM High Torque!

Ideal for large diameter burrs.

morrisflex



3/8" Head 3 Piece Set

\$175

PN: CBSET3



Made in Europe

1/4" & 3/8" Head 8 Piece Set

\$355

PN: CBSET8

WET GRINDERS & SANDERS

5" Wet Grinder

- Stainless steel motor & gearbox bearings
- Water & air regulators
- Guard mounted nozzles

\$869

PN: SI2515LAWS



Spindle Size: M14x2
Free Speed: 12,000 RPM
Weight: 1.65 Kg

3-5" Wet Sander

- Waterproofed mechanism
- Water exits through spindle
- Water & air regulators

\$899

PN: SI2322WRLE



Spindle Size: M14x2
Free Speed: 5,500 RPM
Weight: 1.32 Kg

5" Wet Angle Grinder

- Extend service life of diamond cup wheels & grinding discs on tile, stone, and glass
- Spindle: M14
Free Speed: 12,000 RPM
Weight: 1.65 Kg

\$799

PN: SI2515WE



Water Exits Spindle

7" Heavy Duty Wet Angle Sander

- Integrated water feed through the spindle
 - Water and air regulators
- Spindle: 5/8 x 11 UNC
Length: 358 MM
Free Speed: 4,500 RPM
Weight: 2.13 Kg

\$1259

PN: SI2351WS



Water Exits Spindle

AUTOMOTIVE PANEL WORKING

Air Nibbler

- Excellent tool for cutting tight curves aluminium, metal and plastic

Free Speed: 2,600 SPM
Cutting Width: 4.5 MM
Cut Cap.: 1.6 MM
Weight: 1.00 Kg



\$485

PN: SI4600

8 MM Inline Grip Spot Mill

- Easy depth of cut adjustment
- Includes 8 MM Mill

Free Speed: 1,600 RPM
Punch dia.: 5 MM
Length: 303 MM
Weight: 1.26 Kg

\$899

PN: SI5800



Punch & Flange Tool

- Head position adjustable 360 degree

Cut Cap.: 1.2 MM
Hole Punch dia.: 5 MM
Weight: 1.26 Kg



\$575

PN: SI4800

8 MM Pistol Grip Spot Mill

- Easy depth of cut adjustment
- Includes 8 MM Mill

Free Speed: 1,600 RPM
Punch dia.: 5 MM
Length: 303 MM
Weight: 1.26 Kg



\$679

PN: SI5850

NEEDLE SCALERS

Replacement needle sets
PN: 820-11SET \$46

Straight Grip Needle Scaler

Stroke: 4.5 MM
Impact Rate: 3,500 BPM
Length: 333 MM
Weight: 2.06 Kg



\$649

PN: SI4150EX

Pistol Grip Needle Scaler

Stroke: 4.5 MM
Impact Rate: 3,300 BPM
Length: 355 MM
Weight: 2.19 Kg



\$699

PN: SI4160

SCREWDRIVERS

All screwdrivers feature forward & reverse.

1/4" Screwdriver

Adjustable External Clutch!

Max Torque: 14.8 Ft/lbs (20 Nm)
Capacity: 8 MM
Weight: 0.85 Kg



\$499

PN: SI1170

1/4" Straight Screwdriver

Max Torque: 1.10 Ft/lbs
Capacity: 6 MM
Weight: 0.98 Kg



\$459

PN: SI1140

1/4" Screwdriver

- Adjustable clutch

Max Torque: 3.70 Ft/lbs
Free Speed: 2,000 RPM
Bolt Cap: 1/4"
Length: 207 MM
Weight: 1.18 Kg



\$499

PN: SI1166A

1/4" Pistol Impact Driver

Max Torque: 48 Ft/lbs (65 Nm)
Capacity: 6 MM
Weight: 0.98 Kg



\$529

PN: SI1065

1/4" Pistol Impact Driver

Max Torque: 52 Ft/lbs
Capacity: 8 MM
Weight: 1.32 Kg



\$599

PN: SI1365D

1/4" Screwdriver

- Adjustable clutch

Max Torque: 6.60 Ft/lbs
Free Speed: 800 RPM
Bolt Cap: 5/16"
Length: 229 MM
Weight: 1.35 Kg



\$599

PN: SI1166-8A

DRILLS

3/8" Compact Drill

• Non-reversible
Free Speed: 2,600 RPM
Chuck Size: 10 MM
Weight: 0.79 Kg



Great Value!

\$279

PN: SI5500

3/8" Reversible Angle Drill

Free Speed: 1,200 RPM
Chuck Size: 10 MM
Weight: 0.94 Kg



\$479

PN: SI5355

3/8" Heavy Duty Drill

Free Speed: 2,000 RPM
Chuck Size: 10 MM
Weight: 1.02 Kg



\$399

SI5305A

3/8" Heavy Duty Drill

• Non-reversible
Free Speed: 2,000 RPM
Chuck Size: 10 MM
Weight: 0.91 Kg



\$369

SI5300A

1/2 Capacity Keyed Drill

Free Speed: 800 RPM
Chuck Size: 13 MM
Weight: 1.45 Kg



HIGH TORQUE!

\$565

PN: SI5305-8A

1/2 Capacity Keyed Drill

• Non-reversible
Free Speed: 600 RPM
Chuck Size: 13 MM
Weight: 1.42 Kg



HUGE TORQUE!

\$598

PN: SI5200A

3/8" Compact Variable Speed Drill

Free Speed: 2,400 RPM
Chuck Size: 10 MM
Weight: 0.60 Kg



Excellent Power to Weight!

\$325

SI5501

3/8" Straight Drill

Free Speed: 6,000 RPM
Chuck Size: 10 MM
Weight: 1.06 Kg



\$399

PN: SI2015AD

3/8" High Speed Drill

• Non-reversible
Free Speed: 5,000 RPM
Chuck Size: 10 MM
Weight: 0.90 Kg



\$398

SI5100A

3/8" Keyless Reversible Drill

Free Speed: 1,500 RPM
Chuck Size: 10 MM
Weight: 1.08 Kg



\$399

PN: SI5405

1/2" Keyless Reversible Drill

Free Speed: 600 RPM
Chuck Size: 13 MM
Weight: 1.41 Kg



\$569

PN: SI5405-6

3/8" Keyless Drill

Free Speed: 1,900 RPM
Chuck Size: 10 MM
Weight: 0.75 Kg



\$385

PN: SI5505

3/8" Compact Variable Speed Keyed Drill

Free Speed: 1,700 RPM
Chuck Size: 10 MM
Weight: 0.60 Kg



\$359

SI5506

DISC SANDERS

Mini Dual Action Sander

- Velcro Pad
- 2 Speed
- Free Speed: 15,000 RPM
- Pad Size: 75 MM
- Orbit Dia.: 3 MM
- Weight: 0.52 Kg

\$299
PN: SI2110



4" High Speed Disc Sander

- Inbuilt regulator
- Free Speed: 19,000 RPM
- Weight: 0.99 Kg

\$245
PN: SI2210



6" Dual Action Sander

- Free Speed: 10,000 RPM
- Orbit Dia.: 7 MM
- Weight: 1.82 Kg

\$299
PN: SI3100

- Hook & Loop Pad

2" Disc Sander Kit

- Free Speed: 17,000 RPM
- Length: 144 MM
- Weight: 0.50 Kg

Includes 2 Abrasive Discs

\$239
PN: SI2201

7" Vertical Sander

- Free Speed: 4,000 RPM
- Output: 409 Watts
- Height: 258 MM
- Weight: 2.27 Kg

\$579
PN: SI2300



BELT SANDERS

10 mm Belt Sander

- 160° adjustable sanding arm
- Includes 6, 10 MM sanding belts
- Includes in-line air regulator for quick speed adjustments

- Belt Size: 330 x 10 or 12 MM
- Free Speed: 15,000 RPM
- Weight: 0.73 Kg

\$469
PN: SI2740

SWIVEL INLET WITH REGULATOR!



20 MM Belt Sander

- Belt Size: 520 x 20 MM
- Free Speed: 15,000 RPM
- Weight: 1.43 Kg

\$599
SI2800



30 MM Belt Sander

- Belt Size: 540 x 30 MM
- Free Speed: 10,000 RPM
- Weight: 2.02 Kg

\$899
PN: SI2830

13 MM Belt Sander

- Belt Size: 460 x 13 MM
- Free Speed: 15,000 RPM
- Weight: 0.9 Kg

\$539
PN: SI2700LS



10 MM Ceramic Sanding Belts

40 Grit 10 MM x 330 MM Pkt 10

PN: AB2700-40CP

60 Grit 10 MM x 330 MM Pkt 10

PN: AB2700-60CP

80 Grit 10 MM x 330 MM Pkt 10

PN: AB2700-80CP

120 Grit 10 MM x 330 MM Pkt 10

PN: AB2700-120CP

Packs of 10
\$27 EA

20 MM Ceramic Sanding Belts

40 Grit 20 MM x 330 MM Pkt 10

PN: AB2800-40CP

60 Grit 20 MM x 330 MM Pkt 10

PN: AB2800-60CP

80 Grit 20 MM x 330 MM Pkt 10

PN: AB2800-80CP

120 Grit 20 MM x 330 MM Pkt 10

PN: AB2800-120CP

Packs of 10
\$35 EA

30 MM Ceramic sanding belts also available.

Quick Change Sanding & Stripping Kits

- Kits include:
- 2" Disc Sander
- Free Speed: 17,000 RPM
- Weight: 0.49 Kg
- (PN: SI2201)

Ceramic Sanding Abrasives

\$399
PN: SI2201KIT1

Quick Change Sanding & Abrasive Kit

- 54 piece kit includes
- 1 x 2" Disc Sander (PN: SI2201)
- 1 x 50 & 75 MM Quick-Lock Backing Pads (2 total)

- 5 x Fine (Blue) & Coarse (Brown) 50 MM Abrasive Disc (10 total)
- 5 x 36, 60, 80, 120 Grit Quick-Lock 50 MM Ceramic Sanding Disc (20 total)

- 2 x 60 & 80 Grit Quick-Lock 50 MM Ceramic Mini Flap Disc (4 total)

- 2 x Coarse (Brown) & Fine (Blue) 75 MM Abrasive Disc (4 total)

- 5 x 36 & 80 Quick-Lock 75 MM Ceramic Sanding Disc (10 total)

- 2 x 40, 80 Quick-Lock 75 MM Ceramic Mini Flap Disc (4 total)

Quick Change Sanding & Stripping Kit

\$369
PN: SI2201KIT3

- 46 piece kit includes
- 1 x Disc Sander (PN: SI2201)
- 1 x Quick-Lock 50 & 75 MM Backing Pads

- 2 x 40, 60, 80, 120 Grit Quick-Lock 50 MM Ceramic Mini Flap Disc (8 total)
- 2 x 40, 60, 80 Grit Quick-Lock 75 MM Ceramic Mini Flap Discs (6 total)

- 5 x 36, 60, 80 Grit Quick-Lock 50 MM Ceramic Sanding Disc (15 total)

- 5 x 36 & 80 Grit Quick-Lock 75 MM Ceramic Sanding Discs (10 total)

- 2 x 75 & 50 MM Clean & Strip Discs (4 total)

POLISHERS

50 MM Mini Dual Action Sander

- 2" velcro pad great for sanding/polishing in confined spaces

\$499
PN: SI2107A



- Free Speed: 8,500 RPM
- Length: 170 MM
- Weight: 0.55 Kg

75 MM Pistol Grip Polisher

- Includes velcro pad, wool & sponge buffs and 3 sanding pads

- Free Speed: 4,500 RPM
- Length: 147 MM
- Weight: 0.64 Kg

\$389
PN: SI2221



3" Single Action Polisher



- Includes Optional Side handle, Foam & Wool Polishing Pads

- Free Speed: 2,600 RPM
- Output: 180 Watts
- Length: 180 MM
- Weight: 0.68 Kg

\$499
PN: SI2009EX

3" High Speed Single Action Polisher



- Includes Optional Side handle, Foam & Wool Polishing Pads

- Free Speed: 5,000 RPM
- Output: 190 Watts
- Length: 180 MM
- Weight: 0.68 Kg

\$499
PN: SI2009H

7" Heavy Duty Angle Polisher

- Spindle: 5/8 x 11 UNC
- Length: 358 MM
- Free Speed: 2,300 RPM
- Weight: 2.13 Kg



\$499
PN: SI2451

7" Vertical Polisher

- Free Speed: 2,000 RPM
- Output: 511 Watts
- Height: 258 MM
- Weight: 2.27 Kg



\$579
PN: SI2400

Pistol Grip Air Hammer

\$299
PN: SI420A



Length: 208 MM
Impact Rate: 2,600 BPM
Weight: 1.60 Kg

geiger Air Hammer Accessories



Spring Retainer

Quick Change Spring Retainer

\$19
PN: GPA70X2

\$39
PN: GPA2311

General Purpose Air Hammer Attachments

20 MM Compact Flat Chisel
Width: 20 MM
Length: 150 MM
\$29
PN: SI813

20 MM Flat Chisel
Width: 20 MM
Length: 178 MM
\$39
PN: SI810

20 MM Flat Extended Chisel
Width: 20 MM
Length: 227 MM
\$39
PN: SI811

180 MM Tapered Punch
Width: 36 MM
Length: 176 MM
\$35
PN: SI812

Moil Point Chisel
Width: 13 MM
Length: 150 MM
\$32
PN: SI825

20 MM Bent Flat Chisel
Width: 20 MM
Length: 180 MM
\$35
PN: SI818

32 MM Bent Flat Chisel
Width: 32 MM
Length: 170 MM
\$39
PN: SI805

60 MM Scraper Chisel
Width: 60 MM
Length: 180 MM
\$69
PN: SI823

Metal Working Air Hammer Attachments

Sheet Metal Cutter
Cutting Width: 3 MM
Length: 150 MM
\$49
PN: SI807

Sheet Metal B Chisel
Width: 13 MM
Length: 140 MM
\$52
PN: SI816

Panel Cutter
Cutting Width: 3 MM
Length: 170 MM
\$46
PN: SI808

6 MM Sheet Metal Hole Punch
Length: 150 MM
Min Pin Dia.: 6 MM
\$35
PN: SI819

Double Edge Panel Cutter
Cutting Width: 3 MM
Length: 170 MM
\$46
PN: SI809

Smoothing Hammer
Width: 30 MM
Length: 102 MM
\$69
PN: SI821

Spot Weld Breaker Chisel
Width: 18 MM
Length: 145 MM
\$35
PN: SI815

Panel Crimper
Max. Crimp Width: 12 MM
Length: 185 MM
\$129
PN: SI820

Automotive Air Hammer Attachments

32 MM Bushing Driver
Width: 34 MM
Length: 140 MM
Min Pin Dia.: 13 MM
\$65
PN: SI817

9 MM Pin Punch
Width: 13 MM
Min Pin Dia.: 9 MM
Length: 150 MM
\$35
PN: SI822

Tie Rod Tool
Width: 30 MM
Max Tie Rod Dia.: 20 MM
Length: 115 MM
\$39
PN: SI801

13 MM Pin Punch
Width: 13 MM
Length: 180 MM
\$29
PN: SI814

Shock Absorber Chisel
Width: 20 MM
Length: 145 MM
\$32
PN: SI824

Bushing Splitter
Cutting Width: 3 MM
Length: 170 MM
\$35
PN: SI806

33 MM Forked Splitter
Width: 33 MM
Max Pin Dia.: 15 MM
Length: 155 MM
\$89
PN: SI803

Bushing Remover
Width: 36 MM
Length: 150 MM
\$39
PN: SI804

42 MM Forked Splitter
Width: 42 MM
Max Pin Dia.: 24 MM
Length: 170 MM
\$89
PN: SI803J

32 MM Pipe Cutter
Width: 32 MM
Length: 170 MM
\$39
PN: SI802

PALM GRIP SANDERS

All sanders supplied Hook & Loop backing Pads

3" Mini Orbital Sander

Free Speed: 12,000 RPM
Orbit Dia.: 3 MM
Weight: 0.54 Kg



\$475

PN: SI3102

6" Dual Action Sander

Alloy shroud palm grip sander
Free Speed: 9,000 RPM
Orbit Dia.: 5 MM
Weight: 0.80 Kg



\$599

PN: SI3103-6A

100 x 75 MM Orbital Mini Palm Grip Pad Sander

Incorporates Triple Pillar Stud (TPS) system for low power lose and extended tool life
Inbuilt regulator

Free Speed: 10,000 RPM
Orbit Dia.: 4 MM
Weight: 0.80 Kg



\$469

PN: SI3001A

100 x 75 MM Orbital Mini Palm Grip Dust-Free Pad Sander

Incorporates Triple Pillar Stud (TPS) system for low power lose and extended tool life
Inbuilt regulator

Free Speed: 10,000 RPM
Orbit Dia.: 4 MM
Weight: 1.15 Kg



\$469

PN: SI3011A

ANGLE HEAD SANDERS

7" Heavy Duty Angle Sander

Spindle: 5/8 x 11 UNC
Length: 358 MM
Free Speed: 4,500 RPM
Weight: 2.13 Kg

\$499

PN: SI2351



5" Angle Head Disc Sander

Spindle: 5/8 x 11 UNC
Length: 285 MM
Free Speed: 5,500 RPM
Weight: 1.50 Kg

\$499

PN: SI2026S



1/8" High Speed Micro Die Grinder

\$589

PN: SI2051SG



- Low vibration and noise allows extended use
- Optional 3 MM collet

Collet Size: 1/8"
Free Speed: 50,000 RPM
Weight: 0.19 Kg

1/8" Rotary Tool Kit

276 Piece kit consists of grinding drums & discs, precision HSS drills, cutting discs, diamond burs, sanding pads, abrasive wheels, flap wheels, rotary brushes, felt polishing discs, backing pads, polishing mediums & stones



Fritzfurt

\$59

PN: RTK276

ANGLE GRINDERS

30 MM High Speed Angle Grinder



Delicate & exact grinding work
Spindle Size: M7 x 0.75
Weight: 0.23 Kg

\$489

PN: SI2050AG

4" Angle Grinder

Governed for optimal disc RPM

Spindle Size: M10 x 1.5
Free Speed: 12,700 RPM
Weight: 1.82 Kg

\$585

PN: SI2500L



5" Angle Grinder

Governed for optimal disc RPM
Spindle Lock

Spindle Size: M14x2
Free Speed: 12,000 RPM
Weight: 1.65 Kg



\$599


PN: SI2515LA

geiger™ 5" Clean & Strip Disc

Removes paint & light rust
Designed not to damage the original surface
Max Speed: 16,500 RPM
Bore: 22 MM

\$17

PN: ABCH2205



5" Angle Grinder

Governed for optimal disc RPM
Spindle Lock
Spindle Size: M14x2
Free Speed: 12,000 RPM
Weight: 1.85 Kg



\$589

PN: SI2520L

Low Profile Angled Head

7" Angle Grinder

Spline disc receiver & nut
Speed governed for optimal disc RPM

Free Speed: 7,500 RPM
Length: 337 MM
Weight: 3.24 Kg



\$799

SI2600L