

The WORKSHOP Catalogue

April - September 2026 All prices quoted include GST.

Fritzfurt Rotary Tool Kit

New!
276 Piece Kit

276 Piece kit consists of:

- Grinding Drums & Discs
- Precision HSS Drills
- Cutting Discs
- Diamond Burrs
- Sanding Pads
- Abrasive Wheels
- Flap Wheels
- Rotary Brushes
- Felt Polishing Discs
- Backing Pads
- Polishing Mediums & Stones



\$59
PN: RTK276

NICRON Focusable Rechargeable Head Lamp

New!

Brightness: 500 Lm
Intensity: 4000 Cd

- Focusable Beam
- Rear facing (red) hazard light with flashing or constant modes
- SOS and Strobe modes

Primary Beam:
LOW (20Lm)
MED (110Lm)
HIGH (500Lm)

Ingress Rating: IPX4
Battery Indicator: 10% 100%
Charge Port: USB TYPE C

\$99
PN: H301

More on page 22!



geiger Drill, Tap & Deburring Bit Twin Packs

Drill

- M4 x 0.7 mm PN: GDTDM4 **\$24**
- M5 x 0.8 mm PN: GDTDM5 **\$24**

Tap

- M6 x 1.0 mm PN: GDTDM6 **\$24**
- M8 x 1.25 mm PN: GDTDM8 **\$29**

Deburr

- M10 x 1.5 mm PN: GDTDM10 **\$32**
- M12 x 1.75 mm PN: GDTDM12 **\$39**

Drive: 1/4" Hex
Max. Workpiece Thickness: 5 mm

TWIN PACKS!

CAN BE USED WITH IMPACT DRIVERS



geiger 1/4" Medium Die Grinder

FREE!
Radiused Cylinder Burr Valued over \$40

Free Speed: 22,000 RPM
Weight: 0.675 Kg

\$129
PN: GP2202RK

More on page 36!



RED HOT RUNOUT SPECIALS

Quick Release Ratchet Set

3-Piece Set

Was \$89
\$59

PN: MP006009

Made in Taiwan.

Set includes:
1/4", 3/8", and 1/2" drive ratchets.
Ratcheting mechanism:
90 teeth (4° swing)

Four Page Special on page 24!



HARLINGEN Bulk-Buy HSS-Cobalt Jobber Drill Packs

See page 17!

Tin Coated HSS-Cobalt Spiral Flute Step Drill Set

- Cobalt 5% (M35)
- Faceted shanks

Set of 3 includes:
4-12, 4-20, 4-30 mm
Steps: 2 mm

\$169
PN: H-11-001B-S03

More on page 15!






150 mm Fractional Digital Plastic Caliper



- Fractional, Metric & Imperial display
- Resolution: 0.01 mm / 005"
Accuracy: ±0.1 mm

PN: AC-117-006-12F
\$49

Dual Scale Vernier Calipers



Graduation: 0.02 mm / 01"
Accuracy: ±0.03/01"

150 mm Dual Scale Vernier Caliper

PN: AC-120-006-12
\$89

200 mm Dual Scale Vernier Caliper

PN: AC-120-008-12
\$119

300 mm Dual Scale Vernier Caliper

PN: AC-120-012-12
\$229

Dual Scale Digital Calipers

New Model!



Resolution: 0.01 mm
Accuracy: ±0.03 mm

150 mm Caliper

PN: AC-111-006-10
\$139

200 mm Caliper

PN: AC-111-008-10
\$159

300 mm Caliper

PN: AC-111-012-10
\$269

Splash Proof IP54 Dual Scale Digital Calipers



Resolution: 0.01 mm
Accuracy: ±0.03 mm



- Highly accurate glass scale
- USB data output

150 mm Dual Scale Splash Proof IP54 Digital Caliper

PN: AC-111-006-11
\$149


200 mm Dual Scale Splash Proof IP54 Digital Caliper

PN: AC-111-008-11
\$199

300 mm Dual Scale Splash Proof IP54 Digital Caliper

PN: AC-111-012-11
\$289

Fractional Metric & Imperial Digital Calipers



Resolution: 0.01 mm, 05", 1/128"
Accuracy: ±0.03 mm

- IP54 splash proof
- Auto On/Off

150 mm Fractional Imperial Digital Caliper

PN: AC-113-006-11
\$159


200 mm Fractional Imperial Digital Caliper

PN: AC-113-008-11
\$219

300 mm Fractional Imperial Digital Caliper

PN: AC-113-012-11
\$299

Fractional Digital IP54 Calipers



New Model! Rechargeable!



Resolution: 0.01 mm
Accuracy: ±0.03 mm

- Fractional, Metric & Imperial display
- IP54 Ingress Rating
- USB rechargeable with up to 3 months of continuous use between charges

150 mm Caliper

PN: AC-106-006-11F
\$149

200 mm Caliper

PN: AC-106-008-11F
\$199

300 mm Caliper

PN: AC-106-012-11F
\$279

Metric Dial Calipers



150 mm Metric Dial Caliper

Graduation: 0.01 mm
Accuracy: ±0.03 mm

PN: AC-101-006-11
\$179

200 mm Metric Dial Caliper

Graduation: 0.01 mm
Accuracy: ±0.03 mm

PN: AC-101-008-11
\$209

300 mm Metric Dial Caliper

Graduation: 0.01 mm
Accuracy: ±0.04 mm

PN: AC-101-012-11
\$319

Coolant Proof IP67 Dual Scale Digital Calipers



HOT PRICES!
ONLY WHILE STOCKS LAST!

150 mm Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm / 005"
Accuracy: ±0.03 mm / 01"

PN: AC-112-006-12
\$259

200 mm Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm / 005"
Accuracy: ±0.03 mm / 01"


PN: AC-112-008-12
\$279

300 mm Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm / 005"
Accuracy: ±0.03 mm / 01"

PN: AC-112-012-12
\$429

Dual Scale Long Series Digital Calipers



- Functions: zero point, mm / inch, ABS, data preset
- Measures: Inside, Outside

Analogue Versions Available!

600 mm Dual Scale Digital Caliper

Resolution: 0.01 mm / 05"
Accuracy: ±0.05 mm / 02"
Range: Outside 0-620 mm / 0-24.5"
Inside 20-600 mm / 0-24"
Jaw Reach: 100 mm

PN: AC-118-024-11
\$799

1000 mm Dual Scale Digital Caliper

Resolution: 0.01 mm / 05"
Accuracy: ±0.08 mm / 03"
Range: Outside 0-1020 mm / 0-40.2"
Inside 20-1000 mm / 0-40"
Jaw Reach: 150 mm

PN: AC-118-040-11
\$1529

Dial Indicators

10 mm Jeweled Bearing Dial Indicator

Graduations: 0.01 mm
Accuracy: 20 µm

- Jeweled Bearing
- Limit hands
- Lug back



PN: AC-222-010-11
\$99

25mm Dial Indicator

Graduations: 0.01 mm
Accuracy: 20 µm

PN: AC-229-025-11
\$129

1" Dial Indicator

Graduation: 0.001"
Accuracy: 0.004"

PN: AC-225-025-11
\$89

25 MM Dual Scale Digital Indicator

Resolution: 0.01 mm / 005"
Accuracy: 20 µm

- Functions: zero point, Invert measuring, inch/mm direction, data preset, ABS
- USB data output
 - Supplied with flat & lug back



PN: AC-212-025-13
\$229

Caliper Attachments

Caliper Point Extension Kit

Measure slotted, stepped or grooved surfaces in hard to access spaces with four different point configurations. Max Jaw Thickness: 4 mm Probe length: 20 mm



PN: GCAK
\$49

Caliper not included.

75 mm Caliper Base Attachment

Beam Width: 16 mm

PN: AC-179-000-00
\$49

100 mm Caliper Base Attachment

Beam Width: 16 mm

PN: AC-179-000-01
\$89



Indicator Accessories

Metric Indicator Point Extensions

Thread: M2.5x0.45 mm

25 mm - PN: AC-270-000-04

\$19

50 mm - PN: AC-270-000-09

\$19

75 mm - PN: AC-270-000-14

\$19

100 mm - PN: AC-270-000-17

\$26

IMPERIAL SIZES AVAILABLE

Dial Indicators

30 mm Dial Indicator

Graduations: 0.01 mm
Accuracy: ±35 µm

PN: AC-229-030-11
\$159

- 1 mm range per revolution
- Lug and flat back

50 mm Dial Indicator

Graduations: 0.01 mm
Accuracy: ±35 µm

PN: AC-229-050-21
\$339

2" Imperial Dial Indicator

Graduations: 0.001"
Accuracy: 0.008"

PN: AC-225-050-11
\$149



Dial Test Indicators

- Anti-magnetic metal body
- Jeweled bearing
- Carbide stylus
- Includes 4 & 8 mm clamps

0.14 mm Dial Test Indicator

Graduation: 0.001 mm
Accuracy: ±4 µm

PN: AC-261-014-01
\$399

0.80 mm Dial Test Indicator

Graduation: 0.01 mm
Accuracy: ±13 µm

PN: AC-261-008-11
\$139



Dial Bore Gauges



18-35 mm Dial Bore Gauge

Graduations: 0.01 mm
Accuracy: ±0.015 mm

PN: AC-251-035-11
\$269

35-60 mm Dial Bore Gauge

Graduations: 0.01 mm
Accuracy: ±0.018 mm

PN: AC-251-060-11
\$269

50-160 mm Dial Bore Gauge

Graduations: 0.01 mm
Accuracy: ±0.018 mm

PN: AC-251-160-11
\$269

2-6" Dial Bore Gauge

Graduations: 0.0005"
Accuracy: 0.0009"

PN: AC-252-060-11
\$299

18-160 mm Dial Bore Gauge Set

Range: 18-160mm
Indicating range: 10 mm
Graduations: 0.01 mm
Accuracy:
18-35mm / ±0.015 mm
35-60mm / ±0.018 mm
50-160mm / ±0.018 mm

PN: AC-251-346-13
\$789



Cylinder Liner Height Gauge

Range: -5 to +5 mm
Graduations: 0.01
Accuracy: ±20 µm

- Jeweled Bearing
- Limit hands
- Sturdy metal base



PN: AC-438-010-11
\$279

Dial Indicator & Magnetic Stand Kits

10 mm Dial Indicator with Fine Adjustment Magnetic Stand

Stem hole: Ø4 mm, Ø8 mm, 3/8"
Magnetic Force: 60 kgf
Graduation: 0.01 mm
Accuracy: ±20 µm

PN: AC-280-000-02
\$189



1" Dial Indicator with Fine Adjustment Magnetic Stand

Stem hole: Ø4 mm, Ø8 mm, 3/8"
Magnetic Force: 60 kgf
Graduation: 0.001"
Accuracy: ±20 µm

PN: AC-280-001-02
\$189

Universal Magnetic Stands

Fine Adjustment Magnetic Stand

Stem holes: 8 mm
Magnetic Force: 60 kgf

PN: AC-281-060-01
\$89

Magnetic Stand

Stem holes: 8 mm
Magnetic Force: 60 kgf

PN: AC-281-060-02
\$79

Mini Universal Magnetic Stand

Magnetic Force: 40 kgf
Stem holes: 8 mm
Height: 231 mm
Arm length: 192 mm



PN: AC-286-040-01
\$209

Universal Magnetic Stand

Stem hole: 8 mm
Height: 395 mm
Arm Lengths: 340 mm
Magnetic Force: 80 kgf



PN: AC-282-080-02
\$239

Indicator Centering Mount

Mounts Indicator to chuck to indicate alignment between chuck and cylinders or holes.

PN: AC-269-060-01
\$49





Dual Scale Stainless Rulers



HOT PRICE!
On 600 & 1000 mm Rulers!

150 mm Dual Scale Stainless Ruler

Graduation: PN: AC-990-006-11
0.5 mm, 1 mm, 1/64",
1/32", 1/16" **\$13**

300 mm Dual Scale Stainless Ruler

Graduation: PN: AC-990-012-11
0.5 mm, 1 mm, 1/64",
1/32", 1/16" **\$19**

600 mm Dual Scale Stainless Ruler

Graduation: PN: AC-990-024-11
0.5 mm, 1 mm, 1/64",
1/32", 1/16" **\$36**

1000 mm Dual Scale Stainless Ruler

Graduation: PN: AC-990-040-11
0.5 mm, 1 mm, 1/64",
1/32", 1/16" **\$56**

Straight Edge Rulers



500 mm Straight Edge Ruler

Graduations: 1 mm PN: AC-991-020-01
Beam Width: 40 mm
Length: 500 mm **\$239**

300 mm Straight Edge Ruler

Graduations: 1 mm PN: AC-991-012-01
Beam Width: 40 mm
Length: 300 mm **\$149**

1000 mm Straight Edge Ruler

Graduations: 1 mm PN: AC-991-040-01
Beam Width: 50 mm
Length: 1000 mm **\$499**

Double Ended Scriber

- Nickel plated with Hardened tips
- Knurled handle



PN: AC-995-009-01
\$19

Radius Gauge Sets



- Includes concave & convex gauge for each size

1-7 mm Radius Gauge Set

Range: 1, 1.25, 1.5, 1.75, 2, 2.25, 2.5, 2.75, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7 mm

PN: AC-941-007-34
\$39

7.5-15 mm Radius Gauge Set

Range: 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13, 13.5, 14, 14.5, 15 mm

PN: AC-941-015-32
\$39

15.5-25 mm Radius Gauge Set

Range: 15.5, 16, 16.5, 17, 17.5, 18, 18.5, 19, 19.5, 20, 21, 22, 23, 24, 25 mm

PN: AC-941-025-30
\$39

Wide Base Machinist Squares (Grade 2)

100 mm Wide Base Machinist Square

Squareness: (α) 28 μm (β) 30 μm
Base size: 19H x 12W x 70L mm
Blade Thickness: 3 mm

PN: AC-845-004-02
\$39

200 mm Wide Base Machinist Square

Squareness: (α) 37 μm (β) 40 μm
Base size: 32H x 16W x 130L mm
Blade Thickness: 4 mm

PN: AC-845-008-02
\$69

600 mm Wide Base Machinist Square

Squareness: (α) 75 μm (β) 80 μm
Base size: 50H x 30W x 350L mm
Blade Thickness: 6 mm

PN: AC-845-024-02
\$389

150 mm Wide Base Machinist Square

Squareness: (α) 33 μm (β) 35 μm
Base size: 25H x 16W x 100L mm
Blade Thickness: 3 mm

PN: AC-845-006-02
\$59

300 mm Wide Base Machinist Square

Squareness: (α) 47 μm (β) 50 μm
Base size: 32H x 19W x 200L mm
Blade Thickness: 4 mm

PN: AC-845-012-02
\$99



Thread Gauge Sets



Metric & Whitworth Thread Gauge

Metric 60° Range: 0.25-6.0 mm
Whitworth 55° Range: 4-62 TPI

PN: AC-925-062-52
\$39

Metric Thread Gauge

Metric 60° Range: 0.25 - 6.0 mm

PN: AC-922-006-24
\$29

Whitworth Thread Gauge

Whitworth 55° Range: 4-42 TPI

PN: AC-924-042-30
\$29

Circumference Tape



60-950 mm Circumference Tape

Range: Dia. 20-300 mm / Cir. 60-950 mm
Graduation: 0.1 mm

PN: AC-956-012-11
\$45

940-2200 mm Circumference Tape

Range: Dia. 300-700 mm / Cir. 940-2200 mm
Graduation: 0.1 mm

PN: AC-956-028-11
\$59

2190-3460 mm Circumference Tape

Range: Dia. 700-1100 mm / Cir. 2190-3460 mm
Graduation: 0.1 mm

PN: AC-956-044-11
\$79

Dividers & Calipers

Other sizes & styles available.



200 mm Inside Spring Caliper

Range: 18-190 mm PN: AC-982-008-01
Length: 200 mm **\$39**

300 mm Inside Spring Caliper

Range: 18-290 mm PN: AC-982-012-01
Length: 300 mm **\$49**

500 mm Inside Spring Caliper

Range: 25-490 mm PN: AC-982-020-01
Length: 500 mm **\$79**



200 mm Spring Divider

Range: 0-190 mm PN: AC-985-008-01
Length: 200 mm **\$39**

300 mm Spring Divider

Range: 0-290 mm PN: AC-985-012-01
Length: 300 mm **\$49**

500 mm Spring Divider

Range: 0-490 mm PN: AC-985-020-01
Length: 500 mm **\$79**



200 mm Outside Spring Caliper

Range: 0-190 mm PN: AC-984-008-01
Length: 200 mm **\$39**

300 mm Outside Spring Caliper

Range: 0-290 mm PN: AC-984-012-01
Length: 300 mm **\$49**

500 mm Outside Spring Caliper

Range: 0-490 mm PN: AC-984-020-01
Length: 500 mm **\$79**



200 mm Dividing Caliper

Range: 0-190 mm PN: AC-986-008-01
Length: 200 mm **\$39**

300 mm Dividing Caliper

Range: 0-290 mm PN: AC-986-012-01
Length: 300 mm **\$49**

500 mm Dividing Caliper

Range: 0-490 mm PN: AC-986-020-01
Length: 500 mm **\$69**

Metric Outside Micrometers



SIZES AVAILABLE UP TO 1000 mm

- Carbide measuring faces
- Setting standard included
- Ratchet stop

25 mm Outside Micrometer

Graduation: 0.01 mm PN: AC-321-001-01
Accuracy: 4 µm
Jaw Reach: 29 mm **\$79**

50-75 mm Outside Micrometer

Graduation: 0.01 mm PN: AC-321-003-01
Accuracy: 5 µm
Jaw Reach: 53 mm **\$95**

100-125 mm Outside Micrometer

Graduation: 0.01 mm PN: AC-321-005-01
Accuracy: 6 µm
Jaw Reach: 65 mm **\$129**

25-50 mm Outside Micrometer

Graduation: 0.01 mm PN: AC-321-002-01
Accuracy: 4 µm
Jaw Reach: 39 mm **\$89**

75-100 mm Outside Micrometer

Graduation: 0.01 mm PN: AC-321-004-01
Accuracy: 5 µm
Jaw Reach: 65 mm **\$99**

Imperial Outside Micrometers



SIZES AVAILABLE UP TO 40"

- Carbide measuring faces
- Setting standard included
- Ratchet stop

1" Outside Micrometer

Graduation: 0.0001" PN: AC-324-001-01
Accuracy: ±0.00015"
Jaw Reach: 29 mm **\$79**

2-3" Outside Micrometer

Graduation: 0.0001" PN: AC-324-003-01
Accuracy: ±0.0002"
Jaw Reach: 53 mm **\$110**

1-2" Outside Micrometer

Graduation: 0.0001" PN: AC-324-002-01
Accuracy: ±0.00015"
Jaw Reach: 39 mm **\$89**

3-4" Outside Micrometer

Graduation: 0.0001" PN: AC-324-004-01
Accuracy: ±0.0002"
Jaw Reach: 53 mm **\$119**

4-5" Outside Micrometer

Graduation: 0.0001" PN: AC-324-005-01
Accuracy: ±0.00025"
Jaw Reach: 65 mm **\$149**

Micrometer Sets

- Supplied with Calibration certificate



IMPERIAL SETS AVAILABLE

150-300 mm Micrometer 6 Piece Set

Set of 6 Micrometers
Range: 150-300 mm PN: AC-321-012-06
Graduation: 0.01 mm
Accuracy: ± 4-6 µm **\$1239**

75 mm Micrometer 3 Piece Set

Set of 3 Micrometers
Range: 0-75 mm PN: AC-321-003-03
Graduation: 0.01 mm
Accuracy: 5 µm **\$229**

100 mm Micrometer 4 Piece Set

Set of 4 Micrometers
Range: 0-100 mm PN: AC-321-004-04
Graduation: 0.01 mm
Accuracy: ± 4-5 µm **\$369**

150 mm Micrometer 6 Piece Set

Set of 6 Micrometers
Range: 0-150 mm PN: AC-321-006-06
Graduation: 0.01 mm
Accuracy: ± 4-6 µm **\$599**

300 mm Micrometer 12 Piece Set

Set of 12 Micrometers
Range: 0-300 mm PN: AC-321-012-12
Graduation: 0.01 mm
Accuracy: ± 4-6 µm **\$1719**

Coolant Proof Digital Micrometers



- Functions: mm/inch, Origin, zero point, ABS, Hold
- IP65 protection level
 - Carbide measuring faces
 - Ratchet stop.

25 mm Coolant Proof IP65 Dual Scale Digital Micrometer

Graduation: 01 mm PN: AC-313-001-01
Accuracy: 3 µm
Jaw Reach: 25 mm **\$259**

25-50 mm Coolant Proof IP65 Dual Scale Digital Micrometer

Graduation: 01 mm PN: AC-313-002-01
Accuracy: 3 µm
Jaw Reach: 32 mm **\$279**

3 Piece Measuring Tool Set

150 mm Digital Caliper

Resolution: 0.01 mm
Accuracy: ±0.03 mm

25 mm Outside Micrometer

Graduation: 0.01 mm
Accuracy: 4µm

Beveled Square

Size: 100 x 70mm
DIN875 grade 0
Squareness: 7µm



PN: AC-280-000-13

\$299

Micrometer Stand



Micrometer not included.

PN: AC-381-000-00

\$59

Tubular Inside Micrometer Sets



- Carbide measuring faces

50-300 mm Metric Tubular Inside Micrometer Set

Head Range: 13 mm PN: AC-352-012-01
Graduation: 0.01 mm **\$399**

50-600 mm Metric Tubular Inside Micrometer Set

Head Range: 13 mm PN: AC-352-024-01
Graduation: 0.01 mm **\$499**

Telescopic Gauge Set

Handle lengths: 115-137 mm
Gauge sizes: 8-12.7 mm, 12.7-19 mm, 19-32 mm, 32-54 mm, 54-90 mm & 90-150 mm



PN: AC-951-006-01

\$89

1/4" Centering Indicator

- For quick and accurate centering in boring and milling set-up
- Jeweled bearing
- Includes with 7 probes



PN: AC-297-003-11

\$299

Dual Scale Digital Height Gauges

Resolution: 0.01 mm
Accuracy: ±0.05 mm

300 mm Height Gauge

PN: AC-181-012-11

\$579

600 mm Height Gauge

PN: AC-181-024-11

\$1100



Depth Caliper & Micrometers

25 mm Digital Depth Caliper

- USB data output

Resolution: 0.01 mm
Accuracy: ±0.03 mm

PN: AC-176-001-11

\$159



200 mm Digital Depth Caliper

PN: AC-171-008-11

\$199

300 mm Digital Depth Caliper

PN: AC-171-012-11

\$399

500 mm Digital Depth Caliper

PN: AC-171-020-11

\$779

Resolution: 0.01 mm
Accuracy: ±0.03 mm



0-150 mm Micrometer with Captive Anvils

Accuracy: ±3 µm
Base size: 101.5 x 17 mm

PN: AC-392-006-01

\$389



Contact Tachometer

Rotary Range: 0.5-19,999 rpm
Linear Range: 0.05-1999.9 m/min
Power Supply: 2 x AAA
Weight: 106g

- Includes various coupling attachments



PN: AC-CT900

\$139

Laser Tachometer

Range: 2.5 - 99,999 RPM
Sampling Range: 50 - 500 mm
Power Supply: 2 x AAA
Weight: 106 g

Supplied with
45 cm of 3M™
Reflective Tape.

PN: AC-LT900

\$129



Digital Sound Level Meter

- Fast & Slow display functions, Continuous & Min/Max functions
- Back-lit LCD
- Programmable Exceedence Alarm

Range: 30-130 db
Accuracy: 1.5 db
Resolution: 0.1 db
Weight: 64g



PN: AC-SLM130

\$129

Digital Anemometer

- Temperature & Wind Speed display
- Real-time/Max/Ave functions
- Back-lit LCD
- Unit: m/s, km/h, ft/min, Knots, mph

Range: 0.3-30m/s
Accuracy: ±5%
Resolution: 0.1m/s
Weight: 154g



PN: AC-AM30

\$129

Portable Hardness Tester

Resolution: 1 HLD, 1 HV, 1 HB, 0.1 HRC, 0.1 HRB, 1 HS, 1 MPa

Units: HV, HB, HRC, HRB, HS & tensile strength MPa
Accuracy: ±8 HLD / 0.8 HRC (HLD=800)
Min. sample weight: 5 kg (directly) / 2 kg (supported) / 0.1kg (coupled to plate)
Min. sample thickness: 5 mm
Min. sample diameter: 22 mm
Max. sample roughness: 1.61-Jm(Ra)
Power: 3 x AAA battery
Dimensions: 121 x 68 x 30 mm



PN: AC-HL350

\$899

Concrete Moisture Meter

Range: 0-40%
Resolution: 0.5 %
Accuracy: ±2%



PN: AC-WMM900

\$489

Wood Moisture Meter

Temp. Range: -10-60 °C
Humidity Range: 0.1 °C RH
Moisture Range: 2-40/50/60/70%



PN: AC-WMM700

\$99

FN Coating Thickness Gauge

- Measures thickness of non-magnetic coatings on both magnetic and electrically conductive substrates
- V-type probe for cylindrical work pieces

Range: 0 ~ 1500µm
Resolution: 0.1µm (0-99.9µm) / 1µm (100-1500µm)
Accuracy: 2µm (0-100µm) / 3% (100-1500µm)
Min. measuring area: 25 x 25 mm
Memory: 30 sets

PN: AC-CFN1500B

\$799



Laser Distance & Level Meters

- Functions: Distance, Area, Volume, Indirect distance,
- Maximum & Minimum Memory
 - Laser Sight
 - Built-in Spirit Level
 - IP54 Protection Level
 - Back-light LCD Display
 - Battery Power Indicator
 - 1/4"-20 UNC Tripod Mount

Accuracy: 1.5 mm
Units: Metre/Inch/Foot
Light spot: Ø8 mm @ 40 m
Memory: 20 data points
Weight: 110 g

HOT PRICE!



40m Laser Distance

Power: 3 x AAA

PN: AC-TM40

\$129

NEW MODEL!



100m Rechargeable Laser Distance

Power: USB-C Rechargeable

PN: AC-TM100R

\$186

Dual Scale Digital Temperature & Humidity Monitor



- Measuring Unit °C/°F
- Time, Date & Month display
- Records Max. & min. temperature & humidity
- 12 or 24 hr display modes
- Water proof IP67 Probe

Temperature Range: Indoor: -5 to 70°C
Humidity Range: 10% RH - 99% RH
Power supply: 1 x AAA (1.5V)
Probe length: 95 cm
Size 120H x 98W x 21T mm

PN: AC-HTC-70

\$59

Infrared Thermometers & Imaging

- Functions: Min/Max. & Average Differential indication, High & Low Temp. Alarm & 100 Sample Point Memory
- Adjustable Emission Compensation
 - Back-light LCD Display
 - 1/4"-20 UNC Tripod Mount
 - Battery Power Indicator
 - Mutable sample capture alarm
 - Laser Sight



950° Infrared Thermometer

Range: -50 to 950 °C
Accuracy: 1.5% or 1.5 °
Distance spot ratio: 12:1

PN: AC-IT700

\$189

1650°C Infrared Thermometer

Range: -50 to 1650 °C
Accuracy: 1.5% or 1.5 °
Distance spot ratio: 12:1

PN: AC-IT1650S

\$549

Refractometers

Automotive Refractometer

- Measures concentration levels of Glycol, Propylene Glycol, Battery Fluid, Windscreen Fluid, Blinker Fluid & Adblue

Range: 0-10%
Graduations: 0.2%
Weight: 0.8 Kg

PN: AC-RM50S

\$149

Engineering Refractometer

- Measures metal working coolant concentration levels

Range: 0-10%
Graduations: 0.2%
Weight: 0.8 Kg

PN: AC-RM10

\$159



Combination Squares

Combination Square

90° or 45° square
90° square accuracy: ±8',
45° square accuracy: ±10'

**Wear Resistant
Cast Iron Head**



PN: AC-817-090-12

\$139

Combination Square Set

Circle Centre Finder 90° or 45° square
Accuracy: ±0.15 mm 90° square accuracy: ±8',
Ruler range: 300 mm / 12" 45° square accuracy: ±10'

Protractor
Range: 0-180°
Accuracy: ±7'

PN: AC-817-180-02

\$269



Angle Finders



150 mm / 180° Angle Finder

Length: 150 mm
Graduation: 1°
Accuracy: ±0.3°

PN: AC-812-005-01

\$69

200 mm / 180° Angle Finder

Length: 200 mm
Graduation: 1°
Accuracy: ±0.3°

PN: AC-812-006-01

\$99

300 mm / 180° Angle Finder

Length: 300 mm
Graduation: 1°
Accuracy: ±0.3°

PN: AC-812-008-01

\$129

Combination Rulers



200 mm Digital Combination Ruler

Length: 200 mm
Range: 360°
Resolution: 0.1°

PN: AC-821-008-01

\$110

300 mm Digital Combination Ruler

Length: 300 mm
Range: 360°
Resolution: 0.1°

PN: AC-821-012-01

\$129

500 mm Digital Combination Ruler

Length: 500 mm
Range: 360°
Resolution: 0.1°

PN: AC-821-020-01

\$139

Feeler Gauges



150 mm Feeler Gauge 20 Leave Set

Range: 0.05-1 mm
Length: 150 mm

PN: AC-913-100-20

\$39

Dual Scale Angled Feeler Gauge

Metric Range: 0.005 - 0.030 mm
Imperial Range: 0.127" - 0.762"
Blade Length: 100 mm



PN: AC-919-030-26

\$49

Tapered Feeler Gauge

Metric Range: 0.03-1.00mm
Blade Length: 100 mm



PN: AC-912-100-32


\$29

- Meets DIN2275
- Accuracy: ±(3+T/80) μm,

Welding Gauges

Fillet Weld Gauge

Sizes: 3, 4, 5, 6, 8,
9, 10, 11, 12,
14, 16, 19,
22 & 25 mm
Accuracy:
0.5 mm



PN: AC-977-025-01

\$69

Welding Gauge

Range: 0-6 mm
Porosity Comparison
Range: 1.5 & 3 mm
Graduation: 0.5 mm
Accuracy: 0.5 mm



PN: AC-978-006-01

\$69

Metric Torque Wrenches

**Highly
Accurate!**
±3 Percent



- Supplied with calibration certificate
- Accuracy: ±3%
- Meets ISO6789 & ASMEB107.14

5-25 Nm Torque Wrench

Anvil Size: 3/8"
Length: 275 mm

PN: AC-TWM25Q

\$229

10-50 Nm Torque Wrench

Anvil Size: 3/8"
Length: 275 mm

PN: AC-TWM50Q

\$269

40-200 Nm Torque Wrench

Anvil Size: 1/2"
Length: 505 mm

PN: AC-TWM200Q

\$299

70-340 Nm Torque Wrench

Anvil Size: 1/2"
Length: 695 mm

PN: AC-TWM340Q

\$385

5-25 Nm Torque Wrench Set

Set includes 5-25 Nm Torque Wrench (AC-TWM25Q), 100 mm 3/8" extension bar and the following sockets: 2, 2.5, 3, 4, 5, 6, 8 mm hex, T10, T15, T20, T25, T27 & T30 Torx®

PN: AC-STWM25Q

\$369



Protractor & Levels

Bluetooth Digital Block Level

- Back-light LCD colour display
- Automatic display orientation
- Built-in Bluetooth
- Data hold function
- Automatic power off
- Colour level bars indicate tilt trends in X & Y axis
- Includes telemetry software for Apple & Android systems

Units: Degrees, Slope (mm/m)

Accuracy: ± (1 + Measured Value x 2%) x Resolution

Repeatability: 0.01 mm/m

Bluetooth Range: up to 10m

Size: 200L x 58H x 46W mm



PN: AC-718-008-01

\$999

Digital Level

- Magnetic base

Range: 0-360°
Resolution: 0.1°
Dimensions:
59 x 28 mm
Accuracy: ±0.1°
±0.2°(other directions)



PN: AC-721-180-01

\$129

Digital Level & Protractor

- Magnetic V-groove Base

Resolution: 0.05°
Accuracy: ±0.1°(at 0°/90°/180°/270°)
±0.2°(other direction)



PN: AC-722-360-01

\$229

600 mm Digital level

- Functions as level or protractor
- Absolute horizon memory
- Back-light Display
- Magnetic base

Units: Degrees, Slope %, mm/m & In/Ft Pitch.
Resolution: 0.1°



PN: AC-725-360-01

\$209

Feeler Tapes

Size: 13 mm x 5 m
Accuracy: ±4 μm



Larger Sizes Available.

0.02 mm Feeler Tape

PN: AC-916-002-01

\$49

0.04 mm Feeler Tape

PN: AC-916-004-01

\$49



1/4" Shank Double-Cut Carbide Burrs

Standard & Non-ferrous 1/4" Shank Carbide Burrs are available in three head diameters.



Stainless Carbide Burrs also available.

Oval Burrs

Size	Length	PN	Price
1	2"	CBSE1	\$47
3	2 3/8"	CBSE3	\$69
5	2 5/8"	CBSE5	\$94

Radiused Tree Burrs

Size	Length	PN	Price
1	2"	CBSF1	\$47
3	2 1/2"	CBSF3	\$69
5	2 3/4"	CBSF5	\$94

Pointed Tree Burrs

Size	Length	PN	Price
1	2"	CBSG1	\$47
3	2 1/2"	CBSG3	\$69
5	2 3/4"	CBSG5	\$94

Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSA1	\$47
3	2 1/2"	CBSA3	\$69
5	2 3/4"	CBSA5	\$94

End Cut Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSB1	\$47
3	2 1/2"	CBSB3	\$69
5	2 3/4"	CBSB5	\$94

Radiused Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSC1	\$47
3	2 1/2"	CBSC3	\$69
5	2 3/4"	CBSC5	\$94

Ball Burrs

Size	Length	PN	Price
1	2"	CBSD1	\$47
3	2 1/8"	CBSD3	\$69
5	2 1/4"	v	\$94

Flame Burrs

Size	Length	PN	Price
1	2 3/4"	CBSH1	\$47
3	2 1/2"	CBSH3	\$69
5	3"	CBSH5	\$94

Radiused Cone Burrs

Size	Length	PN	Price
1	2"	CBSL1	\$47
3	3"	CBSL3	\$69
5	3"	CBSL4	\$94

Cone Burrs

Size	Length	PN	Price
1	1 7/8"	CBSM1	\$47
3	2 1/2"	CBSM4	\$69
5	2 3/4"	CBSM5	\$94

Inverted Cone Burrs

Size	Length	PN	Price
1	2"	CBSN1	\$47
3	2 1/8"	CBSN3	\$69
5	2 1/4"	CBSN5	\$94

60° Countersink Burrs

Size	Length	PN	Price
1	2"	CBSJ1	\$47
3	2 1/4"	CBSJ3	\$69
5	2 3/8"	CBSJ5	\$94

90° Countersink Burrs

Size	Length	PN	Price
1	2"	CBSK1	\$47
3	2 1/8"	CBSK3	\$69
5	2 1/8"	CBSK5	\$94

1/4" Extended Carbide Burrs

6" Extended Size 3 Double-Cut Burrs

Shape	PN	Price
Cylinder	CBSA3L6	\$115
End Cut Cylinder	CBSB3L6	\$115
Radiused Cylinder	CBSC3L6	\$115
Ball	CBSD3L6	\$115
Oval	CBSE3L6	\$115
Radiused Tree	CBSF3L6	\$115
Pointed Tree	CBSG3L6	\$115
Radiused Cone	CBSL3L6	\$115

6" Extended Size 3 Non-ferrous Burrs

Shape	PN	Price
Radiused Cylinder	CBSC3L6NF	\$115
Ball	CBSD3L6NF	\$115
Oval	CBSE3L6NF	\$115
Radiused Tree	CBSF3L6NF	\$115
Flame	CBSH3L6NF	\$115

Carbide Burr Sets

1/8" Head Carbide Burr 10 Piece Set

Shank Dia: 1/8"



3/8" Head Carbide Burr 3 Piece Set

Shank Dia: 1/4"



1/4" & 3/8" Head Burr 8 Piece Set

Shank Dia: 1/4"



1/2" Head Carbide Burr 5 Piece Set

Shank Dia: 1/4"



3/8" Head Non-ferrous Burr 3 Piece Set

Shank Dia: 1/4"



3/8" Head Stainless Burr 3 Piece Set

Shank Dia: 1/4"




Bolt Removal Kits

The four step extraction kit that enables safe & clean removal of broken studs or screws in confined spaces.



1. Flatten top of screw or stud



2. Form a countersink



3. Drill into stud



4. Extract stud



Size	PN	Price
M6	CBSETBRM6	\$119
M8	CBSETBRM8	\$129
M10	CBSETBRM10	\$139
M12	CBSETBRM12	\$149
M14	CBSETBRM14	\$189

morrisflex

NG6 NEXT GENERATION ACCELERATOR



Patent pending geometry and **ACCELERATOR** Coating has shown up to double the rate of stock removal over conventional burrs.*

Cylinder Burrs

Size	Length	PN	Price
3	2 1/2"	CBSA3NG6C	\$95
5	2 3/4"	CBSA5NG6C	\$129

Radiused Tree Burrs

Size	Length	PN	Price
3	2 1/2"	CBSF3NG6C	\$95
5	2 3/4"	CBSF5NG6C	\$129

Radiused Cylinder Burrs

Size	Length	PN	Price
3	2 1/2"	CBSC3NG6C	\$95
5	2 3/4"	CBSC5NG6C	\$129

Ball Burrs

Size	Length	PN	Price
3	2 1/8"	CBSD3NG6C	\$95

* NG6 Coated Burrs should be operated at a minimum of 25,000 RPM.

1/4" Shank Non-ferrous Carbide Burrs

Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSA1NF	\$69
3	2 1/2"	CBSA3NF	\$87
5	2 3/4"	CBSA5NF	\$110

Radiused Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSC1NF	\$69
3	2 1/2"	CBSC3NF	\$87
5	2 3/4"	CBSC5NF	\$110

Ball Burrs

Size	Length	PN	Price
1	2"	CBSD1NF	\$69
3	2 1/8"	CBSD3NF	\$87
5	2 1/4"	CBSD5NF	\$110

Oval Burrs

Size	Length	PN	Price
1	2"	CBSE1NF	\$69
3	2 3/8"	CBSE3NF	\$87
5	2 5/8"	CBSE5NF	\$110

Radiused Cone Burrs

Size	Length	PN	Price
1	2"	CBSL1NF	\$69
3	3"	CBSL3NF	\$87
5	3"	CBSL4NF	\$110

Cone Burrs

Size	Length	PN	Price
3	2 1/2"	CBSM4NF	\$110

Pointed Tree Burrs

Size	Length	PN	Price
1	2"	CBSG1NF	\$69
3	2 1/2"	CBSG3NF	\$87
5	2 3/4"	CBSG5NF	\$110

Radiused Tree Burrs


Size	Length	PN	Price
1	2"	CBSF1NF	\$69
3	2 1/4"	CBSF3NF	\$87
5	2 3/8"	CBSF5NF	\$110

1/8" Carbide Burrs

1/8" Shank Carbide Burrs are available in the following head diameters:

Size 00 3/32" Head


Size 0 1/8" Head



Shape	Size	PN	Price
Cylinder	0	CBSA43	\$34
Cylinder	00	CBSA42	\$34
Radiused Cylinder	0	CBSC41	\$34
Radiused Cylinder	00	CBSC42	\$34
Ball	0	CBSD42	\$35
Oval	0	CBSE41	\$35
Radiused Tree	0	CBSF42	\$35
Pointed Tree	0	CBSG43	\$35
Radiused Cone	0	CBSL42	\$35
Cone Burr	0	CBSM42	\$36

Carbide Burr Operating Guide


These are recommended speeds for **Standard Length Burrs** with no more than a 1/2" overhang from the die-grinder collet. **NG6 Coated Burrs** should be operated at a minimum of 25K. **Extended Burrs** are generally subject to much lower maximum safe speeds.





Coated Micro-Grain Carbide Turning Inserts

• Sold in packs of 10



	Shape	Point Radius	Cutting Width	Thickness	
CCMT060204	80° Rhomboid	0.4 mm	6 mm	2.38 mm	\$99
CCMT09T304	80° Rhomboid	0.4 mm	9 mm	3.97 mm	\$129
CCMT120408	80° Rhomboid	0.8 mm	12 mm	4.76 mm	\$149
CNMG120404	80° Rhomboid	0.4 mm	12 mm	4.76 mm	\$139
CNMG120408	80° Rhomboid	0.8 mm	12 mm	4.76 mm	\$140
DCMT070204	55° Rhomboid	0.4 mm	7 mm	2.38 mm	\$129
DCMT11T304	55° Rhomboid	0.4 mm	11 mm	3.97 mm	\$149
DNMG150404	55° Rhomboid	0.4 mm	15 mm	4.76 mm	\$149
DNMG150408	55° Rhomboid	0.8 mm	15 mm	4.76 mm	\$149
RCMT0803MO	Circle	N/A	8 mm	3.18 mm	\$119
RCMT10T3MO	Circle	N/A	10 mm	3.97 mm	\$119
TCMT090204	Triangle	0.4 mm	9 mm	2.38 mm	\$119
TCMT110204	Triangle	0.4 mm	11 mm	2.38 mm	\$129
TCMT110208	Triangle	0.8 mm	11 mm	2.38 mm	\$129
TCMT16T304	Triangle	0.4 mm	16 mm	3.97 mm	\$119
TCMT16T308	Triangle	0.8 mm	16 mm	3.97 mm	\$119
TNMG160404	Triangle	0.4 mm	16 mm	4.76 mm	\$119
TNMG160408	Triangle	0.8 mm	16 mm	4.76 mm	\$119
SNMG120404	Square	0.4 mm	12 mm	4.76 mm	\$139
SNMG120408	Square	0.8 mm	12 mm	4.76 mm	\$139
TPMR110304	Triangle	0.4 mm	11 mm	3.18 mm	\$119
TPMR110308	Triangle	0.8 mm	11 mm	3.18 mm	\$119
TPMR160304	Triangle	0.4 mm	16 mm	3.18 mm	\$119
TPMR160308	Triangle	0.8 mm	16 mm	3.18 mm	\$119
TPMT110304	Triangle	0.4 mm	11 mm	3.18 mm	\$119
TPMT110308	Triangle	0.8 mm	11 mm	3.18 mm	\$119
WCMT050308	Trigon	0.8 mm	5 mm	3.18 mm	\$139
WCMT06T304	Trigon	0.4 mm	6 mm	3.97 mm	\$129
WNMG060404	Trigon	0.4 mm	6 mm	4.76 mm	\$112
WNMG060408	Trigon	0.8 mm	6 mm	4.76 mm	\$112
WNMG080404	Trigon	0.4 mm	8 mm	4.76 mm	\$139
WNMG080408	Trigon	0.8 mm	8 mm	4.76 mm	\$139

Coated Micro-Grain Carbide Milling Inserts

• Sold in packs of 10



PN	Shape	Point Radius	Cutting Width	Thickness	
APKT1003	Parallelogram	0.4 mm	10 mm	3.53 mm	\$119
APKT160408	Parallelogram	0.8 mm	16 mm	4.76 mm	\$139
TPKN160308	Triangle	0.8 mm	16 mm	3.18 mm	\$129
SEMT1204	Square	N/A	12 mm	4.76 mm	\$139

TiN Coated Carbide GTN Parting & Grooving Inserts

• Suited to general purpose steel
• Sold in packs of 10



Cutting Width	PN	
2 mm	GTN-2	\$89
3 mm	GTN-3	\$89
4 mm	GTN-4	\$119
5 mm	GTN-5	\$139


TiAlN Micro-Grain Carbide MGMN Parting & Grooving Inserts

• Suited to general purpose steel and stainless steel
• Sold in packs of 10



Cutting Width	PN	
2 mm	MGMN200	\$149
3 mm	MGMN300	\$159

TiAlN Micro-Grain Carbide Right Handed Threading Inserts




• Made of micro-grain carbide with TiAlN coating
• Suited to cast iron, general purpose steel and stainless steel
• Sold in packs of 10

Thread Profile	Thread Range	Insert Size	PN	
60° External	0.5 - 1.5 mm	IC 6.35 mm	11ERA60	\$159
60° External	0.5 - 3.0 mm	IC 9.525 mm	16ERAG60	\$159
55° Internal	48 - 8 TPI	IC 9.525 mm	16IRAG55	\$159
60° Internal	0.5 - 3.0 mm	IC 9.525 mm	16IRAG60	\$159
55° External	48 - 16 TPI	IC 6.35 mm	11ERA55	\$159
55° External	48 - 8 TPI	IC 9.525 mm	16ERAG55	\$159

45° SEMT Indexable Carbide Face Mills

- High precision and stock removal rates.
- Swiss SFS high strength insert screws.
- High grade alloy steel (HRC45-HRC48).
- Suitable for light to medium machining of steel and stainless steel.
- Less than 0.02 mm radial & axial run-out.



Diameter	Height	Hole dia.	Included Inserts	PN	
50 mm	40 mm	22 mm	4 x SEMT1204	H-231-56-001	\$339
80 mm	50 mm	27 mm	5 x SEMT1204	H-231-56-003	\$429
100 mm	50 mm	32 mm	7 x SEMT1204	H-231-56-004	\$499

90° APKT Indexable Carbide Nickel Plated Face Mill Sets

- Fitted with coated micro-grain APKT inserts allows high depth of cut and feed. Suitable for square shoulder and face milling of steel, steel alloys, heat resistant steel, stainless steel and as well as cast iron.

Cutter height: 40 mm



Diameter	Pockets	Hole dia.	Included Inserts	PN	
40 mm	4	16 mm	10 x APKT1604	H-11-374-S40-1	\$229
50 mm	5	22 mm	10 x APKT1604	H-11-374-S40-2	\$229
50 mm	5	22 mm	20 x APKT1604	H-11-374-S40	\$349
80 mm	6	27 mm	10 x APKT1604	H-11-374-S40-3	\$499
100 mm	7	32 mm	10 x APKT1604	H-11-374-S40-4	\$529

90° TCMT Indexable Nickel Plated Countersink Set

- Set includes two TCMT tool holders and ten TiAIN micro-grain carbide inserts
- Suited to semi-finishing of steel and stainless steel

Cutting Dia: 16 & 21 mm
Shank Dia: 12 & 20 mm
Length: 85 & 90 mm



\$465
PN: H-11-374-S10

90° TCMT Indexable Nickel Plated Countersinks



- Cut 5 times faster than HSS tools
- Includes TiAIN TCMT carbide inserts
- Suited to semi-finishing of steel & stainless steel

Range: 1-16 mm
Shank: 12 mm
\$129
PN: H-11-132-T10

Range: 6-21 mm
Shank: 20 mm
\$159
PN: H-11-132-T20

Range: 12-32.5 mm
Shank: 25 mm
\$169
PN: H-11-132-T30

TiN Coated Two & Four Flute HSS End Mills

- Weldon shank
- DIN844 Standard



Flutes	Size	Shank Dia.	Flute	Length	PN	
2	3 mm	6 mm	5 mm	49 mm	H-11-048-T001	\$11
2	4 mm	6 mm	7 mm	51 mm	H-11-048-T002	\$11
2	5 mm	6 mm	8 mm	52 mm	H-11-048-T003	\$11
2	6 mm	6 mm	8 mm	52 mm	H-11-048-T004	\$11
2	8 mm	10 mm	11 mm	61 mm	H-11-048-T006	\$15
2	10 mm	10 mm	13 mm	63 mm	H-11-048-T008	\$15
2	12 mm	12 mm	16 mm	73 mm	H-11-048-T010	\$15
2	14 mm	12 mm	16 mm	73 mm	H-11-048-T011	\$27
2	16 mm	16 mm	19 mm	79 mm	H-11-048-T012	\$31
2	20 mm	20 mm	22 mm	88 mm	H-11-048-T014	\$46
4	3 mm	6 mm	8 mm	52 mm	H-11-047-T001	\$11
4	4 mm	6 mm	11 mm	55 mm	H-11-047-T002	\$11
4	5 mm	6 mm	13 mm	57 mm	H-11-047-T003	\$11
4	6 mm	6 mm	13 mm	57 mm	H-11-047-T004	\$11
4	8 mm	10 mm	19 mm	69 mm	H-11-047-T006	\$17
4	10 mm	10 mm	22 mm	72 mm	H-11-047-T008	\$17
4	12 mm	12 mm	26 mm	83 mm	H-11-047-T010	\$22
4	14 mm	12 mm	26 mm	83 mm	H-11-047-T011	\$30
4	16 mm	16 mm	32 mm	92 mm	H-11-047-T012	\$36
4	20 mm	20 mm	38 mm	104 mm	H-11-047-T014	\$52

20 Piece Two & Four Flute TiN Coated HSS End Mill Set

- High speed steel with TiN coating suited to cast iron, general purpose steel and stainless steel
- Center cut geometry
- Weldon shank
- Regular length
- DIN844 Standard

20 Piece set includes two & four flute TiN coated end mills in the following sizes:
3, 4, 5, 6, 8, 10, 12, 14, 16 & 20 mm



\$299
PN: H-522-51-2S1

6 Piece Four Flute TiAIN Coated Solid Carbide End Mill Set

- Made of micrograin carbide with TiAIN coating for general-purpose applications in cast iron, steel, and stainless steel
- Four flute with centre cut
- 30° flute pitch
- H6-6535HA DIN standard.


6 Piece set includes four flute TiAIN coated carbide endmills in the following sizes:
3, 4, 6, 8, 10 & 12 mm
\$249
PN: H-11-190-S07





90° APKT Indexable End Mill Set

- Set includes an APKT tool holder and TiAlN micro-grain carbide inserts
- Suited to semi-finishing of steel and stainless steel



PN: H-11-373-S40

Cutting Dia	Shank Dia	Length	Included Inserts	PN	
14 mm	16 mm	80 mm	20 x APKT1604	H-11-373-S40-1	\$219
16 mm	16 mm	85 mm	20 x APKT1604	H-11-373-S40	\$289
20 mm	20 mm	90 mm	10 x APKT1604	H-11-373-S40-2	\$249
25 mm	25 mm	95 mm	10 x APKT1604	H-11-373-S40-3	\$269

Precision Angle Lock Milling Machine Vices with Swivel Base

- Thrust ball bearing spindle for higher clamping forces
- Angle-lock designed to prevent jaw lift
- Vice body made of high grade cast iron
- Hardened and ground guide surfaces
- Replaceable hardened and ground clamping jaws
- Shielded spindle



Jaw Face	Jaw Opening	Weight	PN	
100 x 32 mm	140 mm	19 Kg	H-40-085-002	\$299
125 x 40 mm	145 mm	23 Kg	H-40-085-004	\$369
160 x 45 mm	160 mm	39 Kg	H-40-085-006	\$469
200 x 50 mm	235 mm	60 Kg	H-40-085-010	\$899

Clamping Kits

- Kits manufactured from high quality quenched and tempered steel with black oxide finish

58 piece Kit includes 24 stud bolts (4 each in length), 75, 100, 125, 150, 175, 200 mm, 4 extension nuts, 6 stepped finger clamps (3 pairs), 6 T-slot nuts, 6 flange nuts, 3 pairs of stepped blocks



150 mm / 6" Tilting Machine Vice

- This machine vice features great rigidity & clamping force and has engraved quadrants on the tilt and swivel axes.

Jaw Face: 160 x 50 mm
Jaw opening: 125 mm
Weight: 39 Kg




\$769

PN: H-40-083-003

150 mm High Precision Modular Vice

- High precision accuracy to 0.01 mm
- Angle-lock designed to prevent jaw lift
- Made of high grade steel alloy
- Height matched

Jaw Face: 150 x 50 mm
Jaw Opening: 200 mm
Overall Length: 420 mm
Hardness: HRC 58-62



\$1499

PN: H-41-089-003

Precision Angle Lock Milling Machine Vices

- Thrust ball bearing spindle for higher clamping forces
- Angle-lock designed to prevent jaw lift
- Vice body made of high grade cast iron
- Hardened and ground guide surfaces
- Replaceable hardened and ground clamping jaws
- Shielded spindle

Jaw Face: 152 x 45 mm
Jaw opening: 230 mm
Weight: 33 Kg



\$989

PN: H-40-085-007H

T-Slot	Stud	PN	
12 mm	M10	H-41-061-001	\$169
7/16"	3/8"	H-42-061-001	\$179
14 mm	M12	H-41-061-002	\$189
15.7 mm	M12	H-41-061-002-1	\$189
16 mm	M14	H-41-061-003	\$199
18 mm	M16	H-41-061-004	\$329
20 mm	M18	H-41-061-005	\$579

3/8" Shank Brake Disc Lathe Tool Holder

Insert: TCMT090204
Shank: 9.525 mm
Length: 50 mm

- Insert sold separately (PN: TCMT090204 see page 10)
- Corrosion resistant Nickel Plating



NEW!

\$79
PN: STECN06-2

Nickel Plated 7 Piece Indexable Negative Rake Lathe Tool Set

- Corrosion resistant Nickel Plating

Set includes the following 25 mm tool holders, inserts, torx and hex wrenches:

Left & Right Handed CNMG Tool Holders, Right Handed WNMG Tool Holder, Neutral & Right Handed DNMG Tool Holders, 4 mm Groove Tool Holder and Threading Tool Holder



\$695

PN: H-11-126-T35-1

Nickel Plated CCMT Boring Bar Set

- Set includes boring bars with TiN Micro-Grain Carbide Semi-Finishing CCMT Inserts
- Suited to cast iron, general purpose steel and stainless steel

4 Piece set includes:
8 x 100mm Boring Bar
10 x 125mm Boring Bar
12 x 150mm Boring Bar
16 x 200mm Boring Bar

\$279

PN: H-11-383-T19



High Precision Live Center

- Max concentricity deviation 0.005 mm
- Needle & thrust bearing design
- Hardened & ground body



High Precision Live Centers

Mount	Max Speed	Max load	Accuracy	PN	
MT2	7000 RPM	200 Kg	0.005 mm	H-41-323-002	\$229
MT3	5000 RPM	500 Kg	0.005 mm	H-41-323-003	\$269
MT4	3800 RPM	800 Kg	0.005 mm	H-41-323-004	\$309
MT5	3000 RPM	2000 Kg	0.01 mm	H-41-323-005	\$459
MT6	2600 RPM	3500 Kg	0.01 mm	H-41-323-006	\$859

High Precision Extended Point Live Centers

Mount	Max Speed	Max load	Accuracy	PN	
MT2	7000 RPM	140 Kg	0.005 mm	H-41-023-002	\$249
MT3	5000 RPM	400 Kg	0.005 mm	H-41-023-003	\$299
MT4	3800 RPM	500 Kg	0.005 mm	H-41-023-004	\$359
MT5	3000 RPM	1200 Kg	0.01 mm	H-41-023-005	\$479

Nickel Plated WNMG Indexable Turning & Boring Tool Set

- Set includes tool holders with TiN coated Micro-Grain Carbide Inserts
- Suited to cast iron, steel and stainless steel

Set includes:
Left & right handed WNMG tool holder, right handed boring bar and 10 x WNMG080404 inserts

20 MM Shank

\$479

PN: H-212-13-S02

25 MM Shank

\$569

PN: H-212-06-S02



Nickel Plated 7 Piece Indexable Lathe Tool Sets

- Corrosion resistant Nickel Plating

Each set includes the following tool holders, inserts, torx and hex wrenches:

Left & Right Handed CCMT Tool Holders
Neutral & Right Handed DCMT Tool Holders
Right Handed WCMT Tool Holder
Grooving Tool Holder & Threading Tool Holder

10 MM Shank 12 MM Shank 16 MM Shank 20 MM Shank

\$299

PN: H-11-126-T15

\$299

PN: H-11-126-T20

\$339

PN: H-11-126-T25


\$399

PN: H-11-126-T30



Nickel Plated Threading Tool Holder Set

- Set includes tool holders and four ti-nite coated tungsten carbide inserts for right-handed, internal & external thread cutting
- Suited to cast iron, steel and stainless steel



PN: H-11-300-A45

Ext. Shank	Int. Shank	Thread Pitch	PN	
16 mm	16 mm	60°	H-11-300-A30	\$249
20 mm	20 mm	60°	H-11-300-A40	\$289
25 mm	25 mm	60°	H-11-300-A45	\$329
25 mm	16 mm	55° & 60°	H-11-300-A45-1	\$289



Nickel Plated TCMT Indexable Turning & Boring Tool Set

- Set includes tool holders with TiN coated micro-grain carbide inserts
- Suited to cast iron, steel and stainless steel

Set includes:
Left & Right Handed Positive Rake Tool Holders
Positive Rake Boring Bar
10 x TCMT110204 inserts



12 mm Shank

\$289

PN: H-212-06-S01

16 mm Shank

\$299

PN: H-212-13-S01

Cut-Off & Grooving Lathe Tool Sets

- Corrosion resistant Nickel Plating

Kit includes the following range of tool block, blades and 10 inserts



PN: H-11-262-T30

Block	Blades	Parting Inserts	PN	
12 mm	19 x 2 & 3 mm	GTN-2, GTN-3	H-11-262-T15	\$269
16 mm	26 x 2 & 3 mm	GTN-2, GTN-3	H-11-262-T20	\$299
20 mm	26 x 2 & 3 mm	GTN-2, GTN-3	H-11-262-T30	\$319
25 mm	32 x 4 mm x 2	GTN-4	H-11-262-T35-1	\$399
25 mm	32 x 3, 4 & 5 mm	GTN-3, GTN-4, GTN-5	H-11-262-T35	\$489

Nickel Plated Cut-Off Tool Blades & Blocks

- Corrosion resistant Nickel Plating



Parting Blades


Size	PN	
19 x 2 mm	NCIH19-2	\$59
19 x 3 mm	NCIH19-3	\$59
26 x 2 mm	NCIH26-2	\$59
26 x 3 mm	NCIH26-3	\$59
32 x 3 mm	NCIH32-3	\$99
32 x 4 mm	NCIH32-4	\$99
32 x 5 mm	NCIH32-5	\$99

Parting Blocks

Length	Blade Width	Blade Height	Shank	PN	
56 mm	2-3 mm	19 mm	12 mm	SLTBN12-02	\$89
75 mm	2-3 mm	26 mm	16 mm	SLTBN16-05	\$99
75 mm	2-3 mm	26 mm	20 mm	SLTBN20-05	\$99
75 mm	2-5 mm	32 mm	25 mm	SLTBN25-06	\$129

90° HSS Three Flute Countersinks

- Achieve consistent high quality results and chatterless burr-free operation with unequally spaced flutes
- CBN ground deep flutes for significantly smoother & sharper cutting edges
- Suitable for metal, plastics & non-ferrous materials.



Individual 90° HSS Three Flute Countersinks



Size	PN	
6.3 mm	H-11-039-005	\$19
8.3 mm	H-11-039-009	\$19
10.4 mm	H-11-039-012	\$19
12.4 mm	H-11-039-014	\$22
16.5 mm	H-11-039-017	\$29
20.5 mm	H-11-039-019	\$32

90° HSS Three Flute Countersink Set

- Achieve consistent high quality results and chatterless burr-free operation with the latest unequally spaced geometry
- CBN ground deep flutes for significantly smoother & sharper cutting edges
- Suitable for metal, plastics & non-ferrous materials.

6 Piece set includes the following sizes: 6.3, 8.3, 10.4, 12.4, 16.5, 20.5 mm




\$119

PN: H-11-040-S01

90° TiAlN Coated HSS-Cobalt Helical Flute Countersinks Set

- The latest unequally spaced helical flute geometry delivers consistent high quality results and chatterless, burr-free operation on stainless steel and a wide range of other materials
- CBN ground deep flutes for significantly smoother & sharper cutting edges
- Helical flutes further reduce vibration and improve surface finish



Unequally spaced flutes
A ≠ B ≠ C

6 Piece set includes the following sizes: 6.3, 8.3, 10.4, 12.4, 16.5, 20.5 mm

\$229

PN: H-552-14-4S1

Drill Press Vices

- Replaceable precision hardened & ground prisma jaws
- High quality cast iron body
- Rolled trapezoidal spindle thread



Jaw Face	Jaw Opening	Weight	PN	
100 x 27 mm	75 mm	3.5 Kg	H-41-074-002	\$99
150 x 34 mm	125 mm	7.0 Kg	H-41-074-004	\$169
200 x 40 mm	175 mm	10.0 Kg	H-41-074-005	\$289

150 mm / 6" Fabricated Offset Steel Bench Vice

- Fabricated steel construction for heavy duty metal working applications.

Jaw Face: 150 x 25 mm
 Jaw Range: 190 mm
 Width: 280 mm
 Height: 190 mm
 Weight: 22 Kg



\$499
 PN: H-732-33-015

Metric HSS Cap Screw Counter-bore Set



6 piece set includes the following sizes:
 M3, M4, M5, M6, M8 & M10
 Material: HSS

\$189
 PN: H-562-12-1S1

1-13mm HSS Stepped Head Drill Set

- Stepped head with 135° split point
- 25 piece set includes drill bits from 1 to 13 mm in 0.5 mm increments
- Material: M2-HSS



\$249
 PN: H-512-96-8S2

Welders Vices

- High quality cast iron body
- Quick-Release spindle nut
- Copper plated spindle for spatter protection



Jaw Face	Size	PN	
105 x 35 mm	85 mm	H-40-076-008	\$129
135 x 61.5 mm	120 mm	H-40-076-009	\$169

TiN Coated HSS-Cobalt Spiral Flute Step Drill Set

- HSS, Cobalt 5% (M35)
- Faceted shanks



Set of 3 includes:
 4-12, 4-20, 4-30 mm
 Steps: 2 mm

\$169
 PN: H-11-001B-S03

Individual TiN Coated HSS Spiral Flute Step Drills

- HSS-M2
- Faceted shanks



Range	Steps	PN	
4-12 mm	1	H-11-001B-T01	\$21
4-20 mm	2	H-11-001B-T02	\$29
4-32 mm	2	H-11-001B-T06	\$79

HSS Reduced Shank Drill Set

8 piece set includes
 13, 14, 15, 16, 18,
 20, 22 & 25 mm drills
 Drill length: 150 mm
 Shank: 13 mm
 Material: HSS



\$199
 PN: H-11-030-S01

10 Piece Damaged Bolt Removal Kit



- Removes damaged, stripped or rusted screws, nuts or bolts
- Ideal in tight spaces

Sizes: 9, 10, 11, 12, 13,
 14, 15, 16, 17 & 19 mm

\$59
 PN: H-60-015-001



1-10mm HSS-Cobalt Left Hand Drill Set

- For broken bolt removal
- HSS, Cobalt 5% (M35)
- 135° split point
- 10 piece set includes drill bits from 1 to 10 mm

Material: HSS,
 Cobalt 5% (M35)

\$69
 PN: H-11-012-S05



HSS Intermediate Tap & Twist Drill Set

15 piece set includes
 Tapping Wrench and
 the following
 drills and taps:
 M3 x 0.50 mm
 M4 x 0.70 mm
 M5 x 0.80 mm
 M6 x 1.00 mm
 M8 x 1.25 mm
 M10 x 1.50 mm
 M12 x 1.75 mm



\$99
 PN: H-542-36-S01



Master Thread Repair Kits



- The most reliable and effective tool for thread repair.
- Quickly and permanently restore stripped, worn or damaged threads to their original size, condition and strength.
- Increase the strength and durability of threads in soft materials.

M5 to M12 Master Thread Repair Kit

Set includes: HSS STI taps & drill bits 1.5D Stainless steel wire inserts in the following sizes:
25 x M5 x 0.8, 25 x M6 x 1.0
25 x M8 x 1.25, 25 x M10 x 1.5
10 x M12 x 1.75

\$179

PN: H-11-303-A01

1/4" to 1/2" UNC Master Thread Repair Kit

Set includes: HSS STI taps & drill bits 1.5D Stainless steel wire inserts in the following sizes:
25 x 1/4"-20 UNC, 25 x 5/16"-18 UNC
25 x 3/8"-16 UNC, 25 x 7/16"-14 UNC
10 x 1/2"-13 UNC

\$189

PN: H-12-303-A01UNC

1/4" to 1/2" UNF Master Thread Repair Kit

Set includes: HSS STI taps & drill bits 1.5D Stainless steel wire inserts in the following sizes:
25 x 1/4"-28 UNF, 25 x 5/16"-24 UNF
25 x 3/8"-24 UNF, 25 x 7/16"-20 UNF
10 x 1/2"-20 UNF

\$189

PN: H-12-303-A02UNF

1-13mm HSS Drill Set

- M2-HSS
- 135° split point

25 piece set includes drill bits from 1 to 13 mm in 0.5 mm increments
Material: HSS



\$115

PN: H-512-11-1S1

1-13mm HSS-Cobalt Drill Set

- HSS, Cobalt 5% (M35)
- 135° split point

25 piece set includes drill bits from 1 to 13 mm in 0.5 mm increments.
Material: HSS, Cobalt 5% (M35)



\$169

PN: H-512-11-4S1

Stainless Steel Threaded 1.5D Inserts



Thread Profile	Thread Length	Quantity	PN	
M5 x 0.8	7.5 mm	25	H-11-303-310	\$19
M6 x 1.0	9 mm	25	H-11-303-315	\$19
M8 x 1.0	12 mm	25	H-11-303-321	\$19
M8 x 1.25	12 mm	25	H-11-303-320	\$19
M10 x 1.0	15 mm	25	H-11-303-327	\$19
M10 x 1.25	15 mm	25	H-11-303-326	\$19
M10 x 1.5	15 mm	25	H-11-303-325	\$19
M12 x 1.75	18 mm	10	H-11-303-330	\$19
M12 x 1.25	18 mm	10	H-11-303-331	\$19
M12 x 1.5	18 mm	10	H-11-303-332	\$19
M14 x 2.0	21 mm	10	H-11-303-337	\$19
M14 x 1.5	21 mm	10	H-11-303-340	\$19
M16 x 2.0	24 mm	10	H-11-303-342	\$19
1/4"-20 UNC	0.375"	25	H-12-303-310	\$19
5/16"-18 UNC	0.46875"	25	H-12-303-315	\$19
3/8"-16 UNC	0.5625"	25	H-12-303-320	\$19
7/16"-14 UNC	0.65625"	25	H-12-303-325	\$29
1/2"-13 UNC	0.75"	10	H-12-303-330	\$19
1/4"-28 UNF	0.375"	25	H-12-303-350	\$19
5/16"-24 UNF	0.46875"	25	H-12-303-355	\$19
3/8"-24 UNF	0.5625"	25	H-12-303-360	\$19
7/16"-20 UNF	0.65625"	25	H-12-303-365	\$29
1/2"-20 UNF	0.75"	10	H-12-303-370	\$19

170 Piece HSS-Cobalt Twist Drill Set

- HSS, Cobalt 5% (M35)
- 135° split point

170 piece set includes ten sets of:
1.0 to 8.0 mm drill bits in 0.5 mm increments
Five sets of 8.5 to 10.0 mm drill bits in 0.5 mm increments.



\$479

PN: H-11-275-003

Inner & Outer Deburrers

- Suitable for stainless steel, copper, PPR & PVC pipes

6-35 mm Deburrer

\$69

PN: H-10-176-A02

12-54 mm Deburrer

\$89

PN: H-10-170-A01



Bulk-Buy HSS-Cobalt Jobber Drill Packs

NEW Bulk-Buy Packs!



- HSS, Cobalt 5% (M35)
- 135° split point for sizes above 3 mm
- Also available Individually

Size	Qty	PN	PN
1 mm	10	H-11-008-LC025-P	\$25
1.5 mm	10	H-11-008-LC035-P	\$25
1.6 mm	10	H-11-008-LC037-P	\$25
2 mm	10	H-11-008-LC045-P	\$28
2.5 mm	10	H-11-008-LC055-P	\$28
2.9 mm	10	H-11-008-LC063-P	\$28
3 mm	10	H-11-008-LC065-P	\$28
3.3 mm	10	H-11-008-LC068-P	\$28
3.5 mm	10	H-11-008-LC070-P	\$28
4 mm	10	H-11-008-LC075-P	\$35
4.2 mm	10	H-11-008-LC077-P	\$35
4.5 mm	10	H-11-008-LC080-P	\$35
5 mm	10	H-11-008-LC085-P	\$40
5.3 mm	10	H-11-008-LC088-P	\$40
5.5 mm	10	H-11-008-LC090-P	\$45
6 mm	10	H-11-008-LC095-P	\$45
6.5 mm	10	H-11-008-LC100-P	\$45
6.8 mm	10	H-11-008-LC103-P	\$56
7 mm	10	H-11-008-LC105-P	\$56
7.5 mm	10	H-11-008-LC110-P	\$69
8 mm	10	H-11-008-LC115-P	\$75
8.5 mm	10	H-11-008-LC120-P	\$85
8.8 mm	5	H-11-008-LC123-P	\$55
9 mm	5	H-11-008-LC125-P	\$59
9.5 mm	5	H-11-008-LC130-P	\$62
10 mm	5	H-11-008-LC135-P	\$69
10.2 mm	5	H-11-008-LC137-P	\$70
10.5 mm	5	H-11-008-LC140-P	\$70
10.8 mm	5	H-11-008-LC143-P	\$76
11 mm	5	H-11-008-LC145-P	\$76
11.5 mm	5	H-11-008-LC150-P	\$76
12 mm	5	H-11-008-LC155-P	\$96
12.5 mm	5	H-11-008-LC160-P	\$99
12.8 mm	5	H-11-008-LC163-P	\$110
13 mm	5	H-11-008-LC165-P	\$110

45 Piece Metric HSS Tap & Die Set

45 Piece M2-HSS set includes long handle & T-handle tap wrenches, long handle die wrench, die adapter, screwdriver and tap & dies in the following sizes:

Fine	Course
M6 x 0.75 mm	M6 x 1.0 mm
M8 x 1.0 mm	M8 x 1.25 mm
M10 x 1.25 mm	M10 x 1.5 mm
M12 x 1.5 mm	M12 x 1.75 mm
M14 x 1.5 mm	M14 x 2.0 mm
M16 x 1.5 mm	M16 x 2.0 mm
M18 x 1.5 mm	M18 x 2.5 mm
M20 x 1.5 mm	M20 x 2.5 mm
M22 x 1.5 mm	M22 x 2.5 mm
M24 x 1.5 mm	M24 x 3.0 mm



HSS!

\$999

PN: H-11-115-001-M2

Adjustable Tap & Reamer Wrenches

Meets DIN1814 standards



Range	Length	PN	
M1-M12	200 mm	H-11-102-003	\$19
M5-M20	380 mm	H-11-102-005	\$39
M13-M32	720 mm	H-11-102-007	\$109

T-Handle Tap Wrenches



- Forward, Locked & Reverse Ratchet
- Slidable T-handle

Range	Length	PN	
M5-M12	110 mm	H-11-104-004	\$33
M3-M10	250 mm	H-11-104-005	\$39
M5-M12	300 mm	H-11-104-006	\$39

Round Die Wrenches



- Meets DIN EN22568 & ISO529 standards.

Size	PN	
1" / 25 mm	H-12-103-003	\$11
1-1/2" / 38 mm	H-12-103-004	\$21
2" / 50 mm	H-12-103-005	\$29

Metric Round Die Wrench

NEW!

- Meets DIN EN 22568 standard



Size		PN	
16 x 5 mm	#1	H-11-103-001	\$11
20 x 5 mm	#2	H-11-103-002	\$13
20 x 7 mm	#3	H-11-103-003	\$13
25 x 9 mm	#4	H-11-103-004	\$16
30 x 11 mm	#5	H-11-103-005	\$18
38 x 10 mm	#6	H-11-103-010	\$24
38 x 14 mm	#7	H-11-103-006	\$24
45 x 14 mm	#8	H-11-103-011	\$32
45 x 18 mm	#9	H-11-103-007	\$32
55 x 16 mm	#10	H-11-103-012	\$39
55 x 22 mm	#11	H-11-103-008	\$39
65 x 18 mm	#12	H-11-103-013	\$69
65 x 25 mm	#13	H-11-103-009	\$69
75 x 20 mm	#14	H-11-103-014	\$179
75 x 30 mm	#15	H-11-103-015	\$189
90 x 22 mm	#16	H-11-103-016	\$229
90 x 36 mm	#17	H-11-103-017	\$249
105 x 22 mm	#18	H-11-103-018	\$269
105 x 36 mm	#19	H-11-103-019	\$289



Intermediate HSS ISO Hand Taps

- Suitable for use with steel, stainless steel, cast iron, non-ferrous materials.
- Can be used for machine and hand tapping
- ISO529 standard. M2-HSS



HSS!

Metric ISO Taps

Size	PN	
M3 x 0.5mm	H-541-76-P002	\$13
M4 x 0.7mm	H-541-76-P007	\$13
M5 x 0.8mm	H-541-76-P013	\$19
M6 x 1.0mm	H-541-76-P018	\$19
M6 x 0.75mm	H-541-76-P019	\$19
M7 x 1.0mm	H-541-76-P020	\$24
M8 x 1.25mm	H-541-76-P022	\$24
M8 x 1.0mm	H-541-76-P023	\$24
M9 x 1.25mm	H-541-76-P025	\$24

Metric ISO Taps (Continued)

Size	PN	
M10 x 1.5mm	H-541-76-P028	\$24
M10 x 1.25mm	H-541-76-P029	\$24
M10 x 1.0mm	H-541-76-P030	\$24
M12 x 1.75mm	H-541-76-P035	\$29
M12 x 1.5mm	H-541-76-P036	\$29
M12 x 1.25mm	H-541-76-P037	\$29
M14 x 2.0mm	H-541-76-P040	\$39
M14 x 1.5mm	H-541-76-P041	\$39
M16 x 2.0mm	H-541-76-P044	\$39
M16 x 1.5mm	H-541-76-P045	\$39
M18 x 2.5mm	H-541-76-P046	\$42
M18 x 1.5mm	H-541-76-P048	\$42
M20 x 2.5mm	H-541-76-P049	\$47
M20 x 1.5mm	H-541-76-P051	\$47
M22 x 2.5mm	H-541-76-P052	\$58
M22 x 1.5mm	H-541-76-P054	\$58
M24 x 3.0mm	H-541-76-P055	\$74
M24 x 1.5mm	H-541-76-P057	\$74

Imperial ISO Taps

Size	PN	
#4 x 40 UNC	H-541-76-P209	\$13
#6 x 32 UNC	H-541-76-P213	\$13
#8 x 32 UNC	H-541-76-P215	\$13
#10 x 24 UNC	H-541-76-P217	\$15
#10 x 32 UNF	H-541-76-P218	\$15
#12 x 24 UNC	H-541-76-P219	\$15
1/4" x 20 UNC	H-541-76-P221	\$19
1/4" x 28 UNF	H-541-76-P222	\$19
5/16" x 18 UNC	H-541-76-P223	\$19
5/16" x 24 UNF	H-541-76-P224	\$19
3/8" x 16 UNC	H-541-76-P225	\$19
3/8" x 24 UNF	H-541-76-P226	\$19
7/16" x 14 UNC	H-541-76-P227	\$22
7/16" x 20 UNF	H-541-76-P228	\$22
1/2" x 13 UNC	H-541-76-P229	\$25
1/2" x 20 UNF	H-541-76-P230	\$25

National ISO Taps

Size	PN	
1/8" - 27 NPT	H-12-097-A003	\$19

HSS ISO Round Dies

- Suitable for use with steel, stainless steel, cast iron, nonferrous materials.
- Can be used with machine threading or die holder for hand threading.
- M2-HSS



HSS!

Metric ISO Dies

Size	PN	
M3 x 0.5mm	H-11-098-A012	\$14
M4 x 0.7mm	H-11-098-A016	\$14
M5 x 0.8mm	H-11-098-A020	\$14
M6 x 0.75mm	H-11-098-A076	\$16
M6 x 1.0mm	H-11-098-A022	\$16
M7 x 1.0mm	H-11-098-A024	\$16
M8 x 1.0mm	H-11-098-A082	\$20
M8 x 1.25mm	H-11-098-A026	\$20
M9 x 1.25mm	H-11-098-A028	\$20

Metric ISO Dies (Continued)

Size	PN	
M10 x 1.0mm	H-11-098-A084	\$24
M10 x 1.25mm	H-11-098-A088	\$24
M10 x 1.5mm	H-11-098-A030	\$27
M12 x 1.25mm	H-11-098-A092	\$29
M12 x 1.5mm	H-11-098-A094	\$29
M12 x 1.75mm	H-11-098-A034	\$33
M14 x 1.5mm	H-11-098-A100	\$38
M14 x 2.0mm	H-11-098-A036	\$42
M16 x 1.5mm	H-11-098-A104	\$55
M16 x 2.0mm	H-11-098-A038	\$58
M18 x 1.5mm	H-11-098-A108	\$55
M18 x 2.5mm	H-11-098-A040	\$58
M20 x 1.5mm	H-11-098-A112	\$55
M20 x 2.5mm	H-11-098-A042	\$64
M22 x 1.5mm	H-11-098-A116	\$79
M22 x 2.5mm	H-11-098-A044	\$64
M24 x 1.5mm	H-11-098-A120	\$89
M24 x 3.0mm	H-11-098-A046	\$99

Imperial ISO Dies


Size	PN	
#4 x 40 UNC	H-581-22-108	\$16
#6 x 32 UNC	H-581-22-112	\$16
#8 x 32 UNC	H-581-22-114	\$16
#10 x 24 UNC	H-581-22-116	\$16
#10 x 32 UNF	H-581-22-117	\$16
#12 x 24 UNC	H-581-22-118	\$16
1/4" x 20 UNC	H-581-22-120	\$16
1/4" x 28 UNF	H-581-22-121	\$16
5/16" x 18 UNC	H-581-22-122	\$19
5/16" x 24 UNF	H-581-22-123	\$19
3/8" x 16 UNC	H-581-22-124	\$22
3/8" x 24 UNF	H-581-22-125	\$22
7/16" x 14 UNC	H-581-22-126	\$26
7/16" x 20 UNF	H-581-22-127	\$26
1/2" x 13 UNC	H-581-22-128	\$32
1/2" x 20 UNF	H-581-22-129	\$32

National ISO Dies

Size	PN	
1/8" - 27 NPT	H-12-100-A012	\$16

Cross Vices

- Gibbed slide ways for slack adjustment
- Travel locks for repetitive work



100 MM Cross Vice

Base: 223 x 130 mm
Overall height: 133 mm
Jaw Size: 103 x 34 mm

\$149

PN: TV144-4


150 MM Cross Vice

Base: 280 x 160 mm
Overall height: 160 mm
Jaw Size: 154 x 44 mm

\$249

PN: TV144-6

Drill Press Vices



100 MM Drill Press Vice

Base: 177 x 161 mm
Jaw Size: 101 x 23 mm
Jaw opening: 100 mm

\$52

PN: TV102-4

150 MM Drill Press Vice

Base: 238 x 210 mm
Jaw Size: 150 X 28 mm
Jaw opening: 150 mm

\$89

PN: TV102-6

- General purpose drill press vice
- Cast body with zinc plated screw

Metal Working Bench Vices

- Integrated anvil & pipe jaws
- Lockable 360° Swivel base



150 MM Bench Vice

Jaw face: 155 x 85 mm
Jaw opening: 150 mm
Weight: 14 Kg

\$399

PN: GBV6

200 MM Bench Vice

Jaw face: 205 x 85 mm
Jaw opening: 200 mm
Weight: 18 Kg


\$499

PN: GBV8

HEAVY DUTY CAST STEEL!

Magnetic Soft Jaws

- Horizontal & vertical vee grooves
- Integrated magnets firmly hold soft jaws in position.



100 MM

\$19

PN: GMSJ4



Vice not included.

125 MM

\$20

PN: GMSJ5

150 MM

\$24

PN: GMSJ6

200 MM

\$29

PN: GMSJ8

Deburring Tools

Deburring Hex Body Handle with Pocket Clip

Aluminium 8 mm Hex body handle with pocket clip & non-replaceable C-10 blade.



\$9

PN: GD86110

6 MM Heavy Duty Quick Release Deburrer



HEAVY DUTY MSS HSS BLADE!

\$37

PN: GDSRSDMKK

- Ideal for stainless & mild steel
 - Removable cap for blade storage
- 6 mm Heavy Duty Quick Release Handle (GDSRSDMK) with 6 mm heavy duty blade (GDSR10S).

Double Deburrer

- Deburrs both sides of workpiece at same time
- Perfect for sheet metal finishing
- Finger guard



REPLACEABLE BLADES

\$32

PN: GDDB

Quick Release Handle with 3.2 MM MC-blades

- Includes 3.2 mm Quick Release Handle (GDSDSMDK) with the following Multi-cutting Edge blades:

GDSMC10, GDSMC20, (steel, aluminium, copper, zinc)

GDSMC101 (cast iron, brass)

Letter Stamp Sets

27 piece set includes A-Z plus "&" character
Made from CRV (6150).



- 10 mm Stamp Set
PN: GYC601-10 **\$119**
- 12 mm Stamp Set
PN: GYC601-12 **\$149**
- 16 mm Stamp Set
PN: GYC601-16 **\$269**
- 19 mm Stamp Set
PN: GYC601-19 **\$309**

Alphanumeric Stamp Sets

36 piece set includes 27 "A" to "Z",
"&", and 9 Piece 0-8 (6 is used as 9)
Hardness: HRC 58-62°



- 3 mm Stamp Set
PN: GYC607-3 **\$60**
- 4 mm Stamp Set
PN: GYC607-4 **\$69**
- 5 mm Stamp Set
PN: GYC607-5 **\$86**
- 6 mm Stamp Set
PN: GYC607-6 **\$99**
- 8 mm Stamp Set
PN: GYC607-8 **\$179**

Thread Repair Kit

- Includes 1.5D long Stainless Steel threaded inserts
- HSS tap and twist drill



Replacement Thread Inserts on page 16.

- | | | | |
|---|-------------|--|-------------|
| M6 x 1.0 Metric Course
Includes 25 inserts
PN: GTRKM6 | \$29 | M12 x 1.25 Metric Extra Fine
Includes 10 inserts
PN: GTRKM12EF | \$42 |
| M8 x 1.0 Metric Fine
Includes 25 inserts
PN: GTRKM8F | \$34 | M12 x 1.5 Metric Fine
Includes 10 inserts
PN: GTRKM12F | \$42 |
| M8 x 1.25 Metric Course
Includes 25 inserts
PN: GTRKM8 | \$34 | M12 x 1.75 Metric Course
Includes 10 inserts
PN: GTRKM12 | \$42 |
| M10 x 1.0 Metric Extra Fine
Includes 25 inserts
PN: GTRKM10EF | \$36 | M14 x 1.5 Metric Fine
Includes 10 inserts
PN: GTRKM14F | \$45 |
| M10 x 1.25 Metric Fine
Includes 25 inserts
PN: GTRKM10F | \$36 | M14 x 2.0 Metric Course
Includes 10 inserts
PN: GTRKM14 | \$45 |
| M10 x 1.5 Metric Course
Includes 25 inserts
PN: GTRKM10 | \$36 | M16 x 2.0 Metric Course
Includes 10 inserts
PN: GTRKM16 | \$49 |

Symbol Stamp Sets

27 piece 6 mm set includes:



\$99
PN: GYC612-6

Number Stamp Sets

9 piece set includes 0 to 8 (6 is used as 9)
Made from CRV (6150).




- | | |
|--|---|
| 3 mm Stamp Set
PN: GYC602-3 \$30 | 10 mm Stamp Set
PN: GYC602-10 \$62 |
| 4 mm Stamp Set
PN: GYC602-4 \$32 | 12 mm Stamp Set
PN: GYC602-12 \$89 |
| 5 mm Stamp Set
PN: GYC602-5 \$39 | 16 mm Stamp Set
PN: GYC602-16 \$99 |
| 6 mm Stamp Set
PN: GYC602-6 \$42 | 19 mm Stamp Set
PN: GYC602-19 \$129 |
| 8 mm Stamp Set
PN: GYC602-8 \$52 | |

Single Line Alphanumeric Stamp Sets

Made from S55C High carbon steel, HRC 58-60°.
100 Piece set includes:
9 Character Type Holder,
hex wrench, A-Z, 0-9,
&, /, - and blank space.

- 3 mm Stamp Set
\$499
PN: GYC610-3
- 6 mm Stamp Set
\$609
PN: GYC610-6



3 Piece Step Drill Set

- TiN coated HSS
- Helical flute

Includes:
4-12 MM,
4-20 MM,
4-32 MM



\$189
PN: G3SD

Screw Extractor Set



5 piece set is suitable for extracting screws or bolts from 4M to M20.

\$20
PN: GSES

Soluble Cutting Oil

Contains emulsifiers and bactericides specifically formulated to provide excellent stability and rust prevention characteristics in hard water up to 400 ppm (expressed as calcium carbonate).

Mix between 5% to 10% with clean tap water.

- | | | |
|-------------|--------------|--------------|
| 1 Litre | 5 Litres | 20 Litres |
| \$34 | \$125 | \$419 |
| PN: SOLOIL1 | PN: SOLOIL5 | PN: SOLOIL20 |



Diamond Knurling Tool Holders

3-1 Diamond Knurling Tool Holder

Shank: 20 x 20 x 140 mm
Knurling Pitches:
Fine - 0.8 mm
Medium - 1.2 mm
Coarse - 1.8 mm

\$129
PN: H-11-285-001



Diamond Knurling Tool Holder

Shank: 20 x 12.7 x 100 mm
Knurling Pitch: 1 mm

\$59
PN: H-11-161-003

Metric TiN Coated Tungsten Tap & Die Set

Set Includes Tap & Die Wrenches and the following fine & course metric tap & dies:

M6 x 0.75	M6 x 1.0
M8 x 1.0	M8 x 1.25
M10 x 1.25	M10 x 1.5
M12 x 1.5	M12 x 1.75
M14 x 1.5	M14 x 2.0
M16 x 1.5	M16 x 2.0
M18 x 1.5	M18 x 2.5
M20 x 1.5	M20 x 2.5
M22 x 1.5	M22 x 2.5
M24 x 1.5	M24 x 3.0

\$229
PN: GTDS45



Imperial TiN Coated Tungsten Steel Tap & Die Set

Set Includes Tap & Die Wrenches and the following fine & course Imperial tap & dies:

Imperial UNF Tap & Dies:	Imperial UNC Tap & Dies:
1/4"-28 UNF	1/4"-20 UNC
5/16"-24 UNF	5/16"-18 UNC
3/8"-24 UNF	3/8"-16 UNC
7/16"-20 UNF	7/16"-14 UNC
1/2"-20 UNF	1/2"-13 UNC
9/16"-18 UNF	9/16"-12 UNC
5/8"-18 UNF	5/8"-11 UNC
3/4"-16 UNF	3/4"-10 UNC
7/8"-14 UNF	7/8"-9 UNC
1"-14 UNF	1"-8 UNC

\$249
PN: GTDS45I



Tungsten Steel Tap & Die Sets

39 Piece Metric / Imperial Tungsten Steel Tap & Die Set

Set Includes: Long Handle & T-Handle Tap Wrench, Long Handle Die Wrench, Metric & Imperial Screw Pitch Gauge

Metric Tap & Dies:	Imperial Tap & Dies:
M3 x 0.5	#4-40 UNC
M4 x 0.7	#6-32 UNC
M5 x 0.8	#8-32 UNC
M6 x 1.0	1/4"-20 UNC
M7 x 1.0	5/16"-18 UNC
M8 x 1.25	3/8"-16 UNC
M10 x 1.5	7/16"-14 UNC
M12 x 1.75	1/2"-13 UNC

NPT Tap & Dies: 1/8"-27 NPT



60 Piece Metric / Imperial Tungsten Steel Tap & Die Set

Set Includes: T-Handle Tap Wrench, Long Handle Tap Wrench, Long Handle Die Wrench, Metric Screw Pitch Gauge, Imperial Screw Pitch Gauge

Metric Tap & Dies:	Imperial Tap & Dies:			
M3 x 0.5	M8 x 1.25	#4-40 UNC	1/4"-28 UNF	7/16"-20 UNC
M4 x 0.7	M9 x 1.25	#6-32 UNC	1/4"-20 UNC	7/16"-14 UNC
M5 x 0.8	M10 x 1.0	#8-32 UNC	5/16"-24 UNF	1/2"-20 UNC
M6 x 1.0	M10 x 1.5	#10-32 UNF	5/16"-18 UNC	1/2"-13 UNC
M7 x 1.0	M12 x 1.75	#10-24 UNC	3/8"-24 UNF	
		#12-24 UNC	3/8"-16 UNC	

NPT Tap & Dies: 1/8"-27 NPT

\$149
PN: GTDS60



Screw Extractor Kits

Kit includes left handed HSS-M35 (Cobalt 5%) drill bit & Screw Extractor

M4 PN: GSESM4	\$12
M5 PN: GSESM5	\$14
M6 PN: GSESM6	\$15
M8 PN: GSESM8	\$16
M10-M12 PN: GSESM10-12	\$19



Drill Tap & Countersink Bits

Drill

Tap

Deburr

Drive: 1/4" Hex
Sizes: M4 x 0.7, M5 x 0.8, M6 x 1.0, M8 x 1.25, M10 x 1.5
Material: HSS M2
Max. Workpiece Thickness: 5 mm

CAN BE USED WITH IMPACT DRIVERS

5-Piece Set

\$59

PN: GDTDS5



Metric Course Drill & Tap Kits

Kits include HSS Drill and HSS intermediate tap.

M4 x 0.7 PN: GDTKM4	\$15
M5 x 0.8 PN: GDTKM5	\$16
M6 x 1.0 PN: GDTKM6	\$18
M8 x 1.25 PN: GDTKM8	\$20
M10 x 1.5 PN: GDTKM10	\$22
M12 x 1.75 PN: GDTKM12	\$24



VERTEX Drill Tooling



Keyed Drill Chuck

Suitable for milling machines, lathes, drilling machines and woodworking machines.

Capacity: 1-13 mm

\$79

Mount: JT6 PN: CH13JT6

Capacity: 1-16 mm

\$99

Mount: JT6 PN: CH16JT6



Precision Keyless Chucks

Especially suited to CNC machining centre and milling machine use.

Keyless 13 MM / JT6 Drill Chuck

Accuracy: 0.05 / 50 mm
Length: 105.3 mm (closed)

\$199
PN: VKD102

Keyless 3-16 MM Drill Chuck

Accuracy: 0.05 / 50 mm
Length: 110.3 mm (closed)

\$209
PN: VKD104

Drill Chuck Arbors



Other sizes available.

MT2 x JT6 Arbor PN: DCAMT2J6 **\$29**

MT3 x JT6 Arbor PN: DCAMT3J6 **\$29**

MT4 x JT6 Arbor PN: DCAMT4J6 **\$49**

Drift Slide Hammer

• Made from carbon steel

Length: 375 mm
Weight: 1.3 Kg
HRC: 44-48°



\$99
PN: VHD1

NICRON®

LED TORCHES & HEADLAMPS

nicronlight.com.au

TWIST Light

The head of a Twist Light can be swiveled anywhere from 0 to 90 degrees, offering extreme versatility.

Applicable to PN: B73R, B71pro, B75 & B70PLUS



Mini Twin-Beam Headlamp



Brightness: 700 Lm
Intensity: 4000 Cd

\$89
PN: H11

- High-quality anodised aluminium body
- Primary Beam: **LOW** (50Lm) **MED** (250Lm) **HIGH** (500Lm)
- Flood Light: **LOW** (35Lm) **HIGH** (100Lm)
- Weight: 59g



Mini Rechargeable Headlamp



Brightness: 500 Lm
Intensity: 160 Cd

\$59
PN: H17

- Anodised aluminium body
- Angle head vertically up to 180°
- USB-C Charge Port



USB Rechargeable Utility Work Lamp




\$89
PN: WL86

Brightness: 1000 Lm
Intensity: 4000 Cd

- USB-A power bank functionality
- USB-C Charge Port
- Battery State Indicator
- Magnetic 360° swivel base with interlocking lamp hangers
- 1/4 UNC tripod mount

Primary Beam: **LOW** (20Lm) **MED** (500Lm) **HIGH** (750Lm) **MAX** (1000Lm)

Weight: 333g



Twin-Beam Headlamp

- Anti-slip belt for mounting directly to helmets.
- Both lamps combined output 1600 Lm
- Headlamp vertical range of motion 120°
- Includes li-ion battery



\$129
PN: H35

Brightness: 1600 Lm
Intensity: 4000 Cd

Primary Beam: **LOW** (50Lm) **MED** (250Lm) **HIGH** (500Lm) **MAX** (1000Lm)

Flood Light: **LOW** (50Lm) **MED** (200Lm) **HIGH** (400Lm) **MAX** (800Lm)

Weight: 69g



2 in 1 Utility Work Lamp




Integrated Flashlight

- Foldout stand with integrated hook
- Primary Beam: **LOW** (12 Lm) **MED** (160 Lm) **HIGH** (450 Lm)



While Stocks Last!

\$110
PN: WL85



Spot Light: **LOW** (60 Lm) **HIGH** (280 Lm)

Size: 123 x 55 x 32 mm
Weight: 180 g

TWIST Pen Light



- Includes USB rechargeable battery
- Illuminated Multi-function Switch with Battery State Indicator

Brightness: 150 Lm
Intensity: 650 Cd

Primary Beam: **LOW** (60Lm) **HIGH** (150Lm)

Size: 152 x 18 x 15 mm
Weight: 75g

\$99
PN: B73R



UV PRO TWIST Light



- Illuminated Multi-function Switch with Battery State Indicator
- Pen Clip


Brightness: 1000 Lm
Intensity: 3000 Cd

Primary Beam: **LOW** (100Lm) **MED** (500Lm) **HIGH** (1000Lm)

UV Light: **HIGH** (395nm)

Size: 160 x 28 mm
Weight: 220g

\$119
PN: B75



Camo TWIST Light




- Illuminated Multi-function Switch with Battery State Indicator
- Pen Clip

Brightness: 950 Lm
Intensity: 10000 Cd

Primary Beam: **LOW** (10Lm) **MED** (70Lm) **HIGH** (300Lm) **MAX** (950Lm) **STROBE** (950Lm)

Size: 160 x 28 mm
Weight: 220g

\$119
PN: B70PLUS





Magnetic Base

Mount to any ferrous surface. Ideal for wheel wells and engine bays or other tight spaces.

Applicable to PN: B70PLUS, B71pro, B73R, B75, WL15, WL81, WL83, WL85, WL86 & N1pro



Integrated Battery Indicator

A dedicated built-in LED battery indicator. Applicable to PN: B400 & WL83



Multifunction Indicator Button

Illuminated multi-function switch with Battery State Indicator. Displays battery state with back-lit multi-colour LED button.

Applicable to PN: B200, B73R, B71pro, B75 & B70PLUS & WL81



Dual Fuel Capability

Able to accept high capacity rechargeable and standard A series batteries.

Applicable to PN: B73R, B74BLUE, B74RED & F51



Integrated Charging Port

Recharge without the need to remove the battery with an integrated charge port.


Applicable to PN: B10, B200, B400, B71PRO, B75, B70PLUS, F81, H11, H17, H35, WL15, WL81-83-85

Rechargeable Bicycle Lamp

Brightness: 500 Lm
Intensity: 160 Cd

Primary Beam:
LOW (100 Lm)
MED (300 Lm)
HIGH (500 Lm)

Size: 72 x 47 x 45 mm
Weight: 168 g



Handlebar mountable thumb controller
Detachable Lamp Head
Swivel Mount

\$125
PN: BK10

High Performance Pocket Flashlight


\$99
PN: C1



Brightness: 1200 Lm
Intensity: 5500 Cd

Primary Beam:
LOW (25Lm)
MED (70Lm)
HIGH (200Lm)
MAX (1200Lm)
STROBE: (1200Lm)
Size: 65 x 20 mm
Weight: 45g

• Two-way clip mounts to caps or pockets




Mini Key Chain Flashlight

\$49
PN: N1pro



Brightness: 1000 Lm
Intensity: 1440 Cd

Primary Beam:
LOW (120Lm)
MED (400Lm)
HIGH (1000Lm)
STROBE: (1000Lm)
Size: 85 x 16 mm
Weight: 34 g



Utility Flashlight

\$65
PN: WL15



Brightness: 500 Lm
Intensity: 800 Cd

Primary Beam:
LOW (80Lm)
HIGH (200Lm)
Flood Light:
LOW (100Lm)
MED (300Lm)
HIGH (500Lm)

Size: 164 x 22 mm
Weight: 140g



Mini Focusable Flashlight

\$89
PN: F51



- Focusable Beam
- Includes USB rechargeable battery
- AA batteries NOT included
- Pen Clip

Brightness: 600 Lm
Intensity: 3800 Cd

Primary Beam:
LOW (100 Lm)
MED (250 Lm)
HIGH (600 Lm)
Size: 103 x 26 mm
Weight: 80g

Rechargeable Mini Focusable Flashlight

\$59
PN: F72R



- USB-C Concealed Charge Port
- Focusable Beam
- Pen Clip

Brightness: 450 Lm
Intensity: 4000 Cd

Spot Light:
LOW (20Lm)
MED (130Lm)
HIGH (450Lm)
STROBE: (450Lm)
Size: 153 x 18.4 mm
Weight: 64g

Long Range Tactical Flashlight


\$179
PN: B200



Brightness: 1,600 Lm
Intensity: 250,000 Cd

Primary Beam:
LOW (100Lm)
MED (750Lm)
HIGH (1600Lm)
STROBE: (1000Lm)
Size: 235 x 59 mm
Weight: 550g

1000m RANGE!



Extreme Tactical Flashlight


\$489
PN: B400



- Flood & Spot functions
- Fast Charging Li-ion
- Beam proximity sensor
- USB-A power bank functionality

Brightness: 16,000 Lm
Intensity: 19,360 Cd

Primary Beam:
LOW (7Lm)
MED (170Lm)
HIGH (3,450Lm)
MAX (12,300Lm)
EXTREME (16,000Lm)
STROBE: (6,000Lm)
Size: 175 x 82 mm
Weight: 880g



Focusable Flashlight

\$119
PN: F81



- USB-C Charge Port
- Pen Clip
- Strong magnetic base

Brightness: 1000 Lm
Intensity: 6500 Cd

Primary Beam:
LOW (50Lm)
MED (150Lm)
HIGH (500Lm)
MAX (1000Lm)
STROBE (1000Lm)
Size: 170 x 35mm
Weight: 200g

MICHAELPRO® RED HOT RUNOUT SPECIALS

Metric Two-Way T-Handle Ball End Hex Key Set

Sizes: 2, 2.5, 3, 4, 5, 6, 8, 10 mm.

Hardened CR-V

8-Piece Set

Was \$89
\$59

PN: MP001044



Imperial T-Handle Ball End Hex Key Set

Sizes: 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16" & 3/8".

Hardened CR-V

8-Piece Set

Was \$89
\$59

PN: MP001045



3/4" Dr Extended Impact Sockets

6 POINT

• One-Piece Chrome Molybdenum Steel



• 200 MM Overall Length

32 MM Socket

Was \$139
\$59

PN: MP005055

33 MM Socket

Was \$142
\$59

PN: MP005056


41 MM Socket

Was \$146
\$59

PN: MP005057

Folding Imperial & Metric Hex Key Set

Metric set includes 1.5, 2, 2.5, 3, 4, 5, 6, 8 mm
Imperial set includes 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 17 sizes in total.
Length: 200 mm



Pack of 2

Was \$39
\$25

PN: MP001007

Combination Wrenches

- Combination Wrenches with patented super comfortable spiral grip design
- The 12-Point closed end doubles the access angle compared to 6-point
- 0 & 15 degree taper at the open end allows better accessibility

Super Comfortable Wide Body Grip

15° Angled Closed End

Tapered Open End



Metric Combination Wrenches

8 piece set includes 8, 10, 11, 12, 13, 14, 17 & 19 mm

Was \$119
\$89

PN: MP001015

Portable Socket Organizer

Size: 332 x 154 x 25 mm
80 socket organizer holds:
20 x 1/4" Dr per rail
20 x 3/8" Dr per rail
20 x 1/2" Dr per rail
10 x 3/8" Dr &
10 x 1/2" Dr per rail

Was \$72
\$49

PN: MP014006



Sockets not included.

11-in-1 Ratchet Wrench with Interchangeable Gear Rings

- Our gear ring spanner replaces the need to carry a full range of wrenches. Simply insert the desired gear ring and start using it!

Includes 90 Tooth Double End Ratchet Wrench, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17 & 19 mm gear rings and a durable storage case.

Quick-Release Button



12-Piece Set

Was \$115
\$89

PN: MP001204



1/4" & 3/8" 2 Way T-Handle Spinner Wrench Set

- Second square drive on handle
- 3 position adjustable spinner grip

2-Piece Set

Was \$149
\$99

PN: MP009015



3 Piece Aluminium Socket Rails

Capacity: 16 x 1/4" clips, 16 x 3/8" clips and 14 x 1/2" clips, 46 sockets total
Size: 395 x 26 mm



Sockets not included.

Was \$59
\$39

PN: MP014001

Auto Adjusting Crowsfoot Wrenches & Adapters

This spring-loaded, self adjusting design tightens it's grip as force is applied.



Set of 3 Auto Adjusting Crowfoot Wrench Adapters

- Multiple square drive attachment point make ideal for confined spaces.

Range: 5-32 mm

Was \$99
\$79

PN: MP001205



Impact Adapter & Reducer Set

- Made from Chrome Molybdenum Steel
- Meets or exceeds DIN & ANSI standards.

4-piece set includes:
1/4"(F) to 3/8"(M)
3/8"(F) to 1/4"(M)
3/8"(F) to 1/2"(M)
1/2"(F) to 3/8"(M)



4-Piece Set

Was \$26
\$19

PN: MP005023

MICHAELPRO® RED HOT RUNOUT SPECIALS

Magnetic Parts Trays

- Specially designed swiveling rim keeps non-magnetic parts from falling out when hung vertically.

Set includes 150 mm circular magnetic tray & 240 x 150 mm magnetic tray

Weight capacity: 2 Kg (magnetic)

2-Piece Set

Was \$75
\$49

PN: MP009014



Curved Jaw Locking Pliers

Jaw grip range: 25 mm
Length: 250 mm

Was \$28
\$19

PN: MP003002



Straight Jaw Locking Pliers

Jaw grip range: 25 mm
Length: 250 mm

Was \$28
\$19

PN: MP003062



Roll Head Pry Bar Set

- Heavy duty forged steel alloy
- Supplied in foam tray
- Black oxide finish



4-Piece Set

Was \$139
\$89

PN: MP009105

4-Piece pry bar set includes 150, 300, 405 & 510 mm sizes

Locking Sheet Metal Clamp Pliers

Jaw grip range: 25 mm
Jaw face: 80 x 40 mm
Length: 200 mm

Was \$37
\$25

PN: MP003064



Locking C-Clamp

- Swivel Pads

Jaw Face: 30 x 30 mm
Internal Jaw Size: 90W x 70L mm
Length: 290 mm

Was \$46
\$29

PN: MP003063



16 Oz Claw Hammer

- Fibreglass handle with soft anti-slip vibration absorbing TPR grip
- Drop-forged steel head with sand-blasted finish



Was \$39
\$26

PN: MP004005

22 Oz / 30 cm Soft Hammer

- Shock & Spark Resistant Head
- Non-marring, Double ended Soft Mallet



Was \$49
\$35

PN: MP004026

Ball Peen Hammers

- Drop-forged steel head with sand-blasted finish
- Soft anti-slip vibration absorbing TPR grip



16 Oz / 325 mm

24 Oz / 380 mm

Was \$39
\$26

Was \$49
\$35

PN: MP004007

PN: MP004008



Deep Impact Sockets



3/8" Drive Deep Impact Socket

Size	PN	Price
8 mm	GXLS3808	\$13
10 mm	GXLS3810	\$13
12 mm	GXLS3812	\$13
13 mm	GXLS3813	\$13
14 mm	GXLS3814	\$13
15 mm	GXLS3815	\$13
16 mm	GXLS3816	\$15
17 mm	GXLS3817	\$15
18 mm	GXLS3818	\$15
19 mm	GXLS3819	\$15
21 mm	GXLS3821	\$18
22 mm	GXLS3822	\$18
24 mm	GXLS3824	\$18

1/2" Drive Deep Impact Socket

Size	PN	Price
10 mm	GXLS1210	\$14
12 mm	GXLS1212	\$14
13 mm	GXLS1213	\$14
14 mm	GXLS1214	\$14
15 mm	GXLS1215	\$15
16 mm	GXLS1216	\$15
17 mm	GXLS1217	\$15
18 mm	GXLS1218	\$15
19 mm	GXLS1219	\$15
21 mm	GXLS1221	\$17
22 mm	GXLS1222	\$17
24 mm	GXLS1224	\$18
27 mm	GXLS1227	\$19
30 mm	GXLS1230	\$26
32 mm	GXLS1232	\$28

3/4" Drive Deep Impact Socket

Size	PN	Price
17 mm	GXLS3417	\$35
18 mm	GXLS3418	\$35
19 mm	GXLS3419	\$35
21 mm	GXLS3421	\$35
22 mm	GXLS3422	\$35
24 mm	GXLS3424	\$35
27 mm	GXLS3427	\$35
30 mm	GXLS3430	\$35
32 mm	GXLS3432	\$35
33 mm	GXLS3433	\$39
34 mm	GXLS3434	\$39
36 mm	GXLS3436	\$41
38 mm	GXLS3438	\$44

BUY ANY 5, GET 25% OFF!
BUY ANY 10, GET 40% OFF!
BUY ANY 20, GET 50% OFF!

- Made from Chrome Molybdenum Steel CR-MO.
- Meets or exceeds DIN & ANSI standards
- Suitable for use with Impact wrenches
- Socket size stamped on shank
- 6 point drive

MICHAELPRO® RED HOT RUNOUT SPECIALS

Precision Screwdriver Set

- Chrome Vanadium Steel Alloy.
- Permanent magnetic tips
- Soft PP+TPV Rubber Grip

Phillips Sizes: 00, 0 & 1
Slotted Sizes:
1.6, 2, 2.4 & 3.15 mm
Shank: 60 mm



7-Piece Set

Was \$59
\$39

PN: MP002007

7-in-1 Ratcheting Nut & Screwdriver Driver

Includes 25-Tooth Ratchet Screwdriver with storage for two double ended bits: Phillips #1 / 5 mm slot & Phillips #2 / 6mm slot. It also features a Stainless Steel Collar with magnetised 1/4 & 5/16 Hex tips tips.



Was \$35
\$19

PN: MP002025

Precision Hook & Pick Set

Includes full hook, right angled hook, angled hook and straight pick.



4-Piece Set

Was \$29
\$19

PN: MP002006

Precision Two-Way Ratcheting Screwdriver Set

Set Includes 30-Tooth Full Aluminium Ratcheting Screwdriver, H4 mm x 50 mm L Bits in Torx: T5 / T6 / T7 / T8 / T9 / T10 / T15 / T20 / T25 Slotted: 1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 4.0 / 6mm Phillips: #000 / #00 / #0 / #1 / #2 / #3 Hex: H1.5 / H2.0 / H2.5 Square: S1/S2



31-Piece Set

Was \$69
\$45

PN: MP002026

Extendable Flex-Head Ratchet Set

- Push-Button socket release
- 72 tooth ratchet mechanism
- 180° Flex-Head
- Drop-forged and heat treated chrome vanadium (CR-V)
- Satin Chrome finish
- Supplied in foam tray

1/4" ratchet length: 140 to 185 mm
3/8" ratchet length: 185 to 245 mm
1/2" ratchet length: 225 to 310 mm
Ratcheting mechanism:
72 teeth (5° swing)
Ratchet head range;
180° (5° detents)



3-Piece Set

Was \$189
\$120

PN: MP001210

Extendable Handle

Torx Screwdriver Set

- Permanent magnetic tips.
- PP+TPV Rubber Soft Grips.
- Satin Chrome finish.
- Meets and even exceeds ANSI standards for performance and quality.

7-Piece Set

Was \$65
\$39

PN: MP002010



Set Includes: T10, T15, T20, T25, T27, T30, T40
Shank: 100 mm

3/8" Drive Flex Head Ratchet Wrench & Socket Set

- 72 tooth ratchet mechanism
- Standard & deep sockets
- Can be used as breaker bar by engaging ratchet lockout
- Lockable flex-head
- Quick Release socket button
- Meets ASME standards.
- Set supplied in foam tray.



19-Piece Set

Was \$119
\$79

PN: MP001228

Set includes:
1 x 3/8" Drive Flex Head Ratchet, standard & deep sockets in 8, 10, 12, 13, 14, 15, 17, 19 & 21 mm sizes

P2 RESPIRATORS



Compact enough to fit underneath welding helmets.

Was \$39
\$19

PN: MPLR-P2B

P2 Filter Twin Pack



Was \$29
\$19

PN: MPRF-P2-4

Extension Breaker Bars



Square Drive Socket End
Functions as a breaker bar and extension bar.



3/8" Drive x 300 mm Extension Breaker Bar

Was \$29
\$19

PN: MP007001

Set of 3 Extension Breaker Bars

Set includes:
1/4" drive 150 mm long breaker bar
3/8" drive 300 mm long breaker bar
1/2" drive 450 mm long breaker bar

Was \$129
\$89

PN: MP007004

Quick Release Ratchet Set

- 90 teeth ratcheting mechanism
- Ratchets supplied in foam tray.
- Chrome Vanadium steel
- Meets and exceeds ASME standards.



Set includes:
1/4", 3/8", and 1/2" drive ratchets.
Ratcheting mechanism:
90 teeth (4° swing)


3-Piece Set

Was \$89
\$59

PN: MP006009

FUJI TOOL RED HOT RUNOUT SPECIALS

Thread Gauges



60° Unified Thread Gauge

- 30 Leaves, all SPCC steel construction, including the lock screw.

Increments: 4, 4-1/2, 5, 5-1/2, 6, 7, 8, 9, 10, 11, 11-1/2, 12, 13, 14, 15, 16, 18, 20, 22, 24, 26, 27, 28, 30, 32, 34, 36, 38, 40 & 42

Was \$49
\$39
PN: FT006

60° Metric Thread Gauge

- 30 Leaves, all SPCC steel construction, including the lock screw.

Increments: 0.25, 0.3, 0.35, 0.4, 0.45, 0.5, 0.55, 0.6, 0.65, 0.7, 0.75, 0.8, 0.85, 0.9, 1, 1.1, 1.2, 1.25, 1.3, 1.4, 1.5, 1.6, 1.7, 1.75, 1.8, 1.9, 2, 2.5 mm
Made in Japan.

Was \$49
\$39
PN: FT156

Radius Gauges



0.75-5 MM Radius Gauge

- 18 Metric Leaves, all steel construction including the lock screw.

Increments: 0.75, 1, 1.25, 1.75, 2, 2.25, 2.5, 2.75, 2.75, 3, 3.25, 3.75, 4, 4.25, 4.5, 4.75 & 5 mm.

Was \$62
\$49
PN: FT272MA

5.5-13 MM Radius Gauge

- All Stainless Steel Construction, including the lock screw.

Increments: 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5 & 13 mm
Made in Japan

Was \$72
\$57
PN: FT272MB

0.5-13 MM 180° Radius Gauge Set

- Measures convex curves down to 45°
- Set includes 26 Metric stainless steel gauges, quick-release gauge holder and carry case.

Increments: 0.5, 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5 & 13 mm



Was \$239
\$191
PN: FTL300MX

Metric Pocket Depth Gauge

- Used for depth measurement of holes, slots, projections etc.
- All Stainless Steel Construction, Including the lock screw.
- It's compact in size for work pieces that are set on machine tools.

Range: 50 mm
Vernier Scale: 1/20 mm
Accuracy: ±0.05 mm



Was \$109
\$87
PN: FTPDG50



2-20 MM ISO 30° Trapezoidal Screw Pitch Gauge

Increments: 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 16 & 20 mm

Was \$259
\$207
PN: FT30720

1-12 TPI Acme 29° Trapezoidal Screw Pitch Gauge

Increments: 1, 1-1/3, 1-1/2, 1-3/4, 2, 2-1/2, 3, 3-1/2, 4, 5, 6, 7, 8, 9, 10, 12 inch

Was \$259
\$207
PN: FT29730

- All Stainless Steel Construction, Including the lock screw.
- Accuracy: ± 0.02 to 0.05 MM



14.50 Gear Metric Tooth Gauge

13 Imperial Leaves
Increments: 0.5, 0.75, 1.0, 1.25, 1.5, 1.75, 2.0, 2.25, 2.5, 2.75, 3.0, 3.25, 3.5, 3.75, 4.0, 4.5 & 5.0 mm
Accuracy: ±0.05 mm

Was \$149
\$119
PN: FTMP514

20° Imperial Gear Tooth Gauge

8 Metric Leaves
Increments: 6, 7, 8, 9, 10, 11, 12, 14, 16 & 18"
Accuracy: ±0.05 mm

Was \$169
\$135
PN: FTDPS20

20° Metric Gear Tooth Gauge

17 Imperial Leaves
Increments: 0.5, 0.75, 1, 1.25, 1.5, 1.75, 2, 2.25, 2.5, 2.75, 3, 3.25, 3.5, 3.75, 4, 4.5 & 5 mm
Accuracy: ±0.05 mm

Was \$189
\$151
PN: FTMP520



Was \$289
\$199
PN: KP2219

Through Ratchet Wrench



Free Speed: 450 RPM
Max. Torque: 30 Ft/lbs
Weight: 0.60 Kg

Included socket sizes:
8, 10, 12, 13, & 14 mm
5/16, 3/8, 7/16, 1/2 & 9/16"
1/4" & 3/8" anvils



Halogen Lamp

- Dust and splash proof
 - Single joint, full Swivel Base with mounting holes
 - **Requires External 24V Transformer, recommended: AL24024 or equivalent
- Bulb: 24V 70W



Was \$189
\$89
PN: AL101C



16 MM Keyless Drill Chuck

- Free MT2, MT3 or MT4 arbor with each chuck
- Capacity: 3-16 mm
Mount: J3
Length: 110 mm



Was \$175
\$129
PN: POR40J3

Automotive & Hardware Assortment Kits

NEW RANGE!

Automotive Retainers

Cotter Pins

325 piece kit includes cotter pins in 6 sizes ranging from 25 mm x 1.6 mm OD to 64 mm x 4.0 mm OD.



325
Piece Kit

\$29

PN: GAK04

Zinc Plated Steel Hitch Pins

150 piece kit includes hitch pins in 6 sizes ranging from 31mm x 2.0mm OD to 75 mm x 3.7 mm OD.



150
Piece Kit

\$29

PN: GAK05

External Circlips

300 piece kit includes external retaining rings in 18 sizes ranging from 3mm to 32mm.



300
Piece Kit

\$29

PN: GAK10

Internal Circlips

300 piece kit includes internal circlips in 18 sizes ranging from 3mm to 32mm.



300
Piece Kit

\$29

PN: GAK11

E Clips

300 piece kit includes E-clips in 18 sizes ranging from 1.5mm to 22mm.




300
Piece Kit

\$32

PN: GAK12

50 MM Clevis & Hitch Pins

74 piece kit includes 50 mm clevis pins in 6 sizes ranging from 6.35 mm (1/4") OD to 12.7 mm (1/2") OD and 37 hitch pin clips.



74
Piece Kit

\$59

PN: GAK36

Zinc Plated Springs

200 piece kit includes compression and tension springs in 12 sizes ranging from 20.5 mm x 5mm OD to 36.5 mm x 8.5mm OD.



200
Piece Kit

\$29

PN: GAK30

Automotive Electrical Kits

Fork, Ring, Butt & Spade Terminals

520 piece kit includes 18 types of pre-insulated butt, fork, ring and male & female spade terminals, in 22-16 AWG (Red), 16-14 AWG (Blue) and 12-10 AWG (Yellow) sizes.



520
Piece Kit

\$55

PN: GAK29

Heat-shrink Tubing

171 piece kit includes tubing in standard colours & lengths of 30, 60, 90 mm & 1m, diameters between 2.0 & 10.0 mm, a thermal rating of -55 to 125°C, voltage rating up to 600V, a shrink ratio of 2:1.



171
Piece Kit

\$39

PN: GAK39

Automotive Screws

Socket Head Cap Screws (Grade 12.9)

135 piece kit includes (grade 12.9) Allen head cap screws in 9 sizes ranging from M4 x 12 mm to M10 x 40mm.



135
Piece Kit

\$39

PN: GAK07

Socket Head Grub Screws

200 piece kit includes (grade 10.9) Allen head grub screws in 12 sizes ranging from M3 x 3mm to M10 x 12mm in fine and coarse pitches.



200
Piece Kit

\$29

PN: GAK21

Automotive Grease Nipples

Metric Grease Fittings

110 piece kit includes straight, 45° and 90° grease fittings in 6 sizes ranging from M6 to M10.



110
Piece Kit

\$46

PN: GAK20

Imperial Grease Fittings

100 piece kit includes straight, 45° and 90° grease fittings in 6 sizes ranging from 1/8"-27 and 1/4"-28 threads.



100
Piece Kit

\$46

PN: GAK34

Automotive Seals & Grommets

Stainless Steel Hose Clamps

26 piece kit includes hose clamps in 6 sizes ranging from 16 mm to 38 mm.



26
Piece Kit

\$29

PN: GAK16

Annealed Copper Washers

110 piece kit includes copper washers in 6 sizes ranging from 1/4" (6.4 mm) to 5/8" (15.9 mm).



110
Piece Kit

\$39

PN: GAK25

Metric NBR-70 O-Rings

386 piece kit includes O-rings in 30 sizes ranging from 3 mm to 44 mm ID.



386
Piece Kit

\$40

PN: GAK32

Imperial NBR-70 O-Rings

225 piece kit includes O-rings in 18 sizes ranging from 3/32" (2.38 mm) ID to 13/16" (20.64 mm) ID.



225
Piece Kit

\$29

PN: GAK31

Blind & Through Hole Grommets

125 piece kit includes through hole grommets in 11 sizes ranging from 1/8" x 1/4" to 3/4" x 15/16" and blind grommets in 7 sizes ranging from 9/32" to 1".



125
Piece Kit

\$32

PN: GAK37

Through Hole Grommets

180 piece kit includes through hole grommets in 8 sizes ranging from 1/8" x 1/4" to 3/4" x 15/16".



180
Piece Kit

\$29

PN: GAK38

Nut & Bolt Kits

Metric Nylon Locking Nuts

200 piece kit includes nylon lock nuts in 6 sizes ranging from M4 to M12.



200
Piece Kit
\$29
PN: GAK08

Zinc Plated Hex Nuts

350 piece kit includes hex nuts in 6 sizes ranging from M3 to M10.



350
Piece Kit
\$29
PN: GAK14

Hex & Nylon Lock Nuts

180 piece kit includes hex nuts and nylon lock nuts in 6 sizes each from M4 to M12.



180
Piece Kit
\$29
PN: GAK19

Nuts, Bolts & Washers

450 piece kit includes screws in 5 sizes from M4 x 16 mm to M6 x 20 mm, lock washers, flat washers and hex nuts in 3 sizes each from M4 to M6.



450
Piece Kit
\$29
PN: GAK18

Zinc Plated Nuts, Bolts & Washers (Grade 8.8)

240 piece kit includes hex bolts in 10 sizes from M4 x 12 mm to M10 x 40 mm, hex nuts in 5 sizes from M4 to M10 and flat washers in 5 sizes from M4 to M10.



240
Piece Kit
\$39
PN: GAK33

Wall Fasteners

Toggle Bolts

18 piece kit includes toggle bolts in 3.2 mm (1/8") x 75 mm, 4.75 mm (3/16") x 75 mm and 6.35 mm (1/4") x 75 mm.



18
Piece Kit
\$29
PN: GAK22

Round Cable Clips

390 piece kit includes black and white cable clips in 6 sizes each from 4 mm to 12 mm.



390
Piece Kit
\$29
PN: GAK23

Hook & Eye Bolts

151 piece kit includes eye bolts in 3 sizes from 25 mm x 2.0mm OD to 50 mm x 4.0mm OD and hooks in 3 sizes from 40 mm x 2.5mm OD to 75 mm x 5.0mm OD.



151
Piece Kit
\$29
PN: GAK26

Bradded, Standard & Concrete Nails

550 piece kit includes wire nails in 4 sizes from 20 x 1.3 mm to 38 x 2.0 mm, brad nails in 3 sizes from 30 x 1.6 mm to 31 x 2.3 mm and 38 x 2.0 mm brass plated wire nails.



550
Piece Kit
\$29
PN: GAK28

Washer Kits

Internal & External Lock Washers

550 piece kit includes internal and external lock washers in 6 sizes each ranging from M3 to M10.



550
Piece Kit
\$25
PN: GAK03

Zinc Plated Lock Washers

600 piece kit includes lock washers in 6 sizes from M4 to M12.



600
Piece Kit
\$29
PN: GAK09

Heavy Duty Zinc Plated Flat Washers

725 piece kit includes flat washers in 6 sizes from M3 to M10.



725
Piece Kit
\$29
PN: GAK13

Zinc Plated Fender (Penny) Washers

240 piece kit includes fender washers in 6 sizes from 4 x 12 mm to 12 x 30 mm



240
Piece Kit
\$29
PN: GAK35

Screw Kits

Self Tapping Metal Screws

525 piece kit includes screws in 13 sizes from 3 x 12 mm to 5 x 30 mm.



525
Piece Kit
\$29
PN: GAK01

Countersunk Tapping Metal Screws

525 piece kit includes countersunk screws in 6 sizes from 3 x 12 mm to 5 x 30 mm.



525
Piece Kit
\$29
PN: GAK02

Hex Drive Self Tapping Screws

200 piece kit includes hex head self tapping screws in 8 sizes from 4.2 x 13 mm to 4.8 x 25 mm.



200
Piece Kit
\$29
PN: GAK06

Countersunk Self Tapping Wood Screws

390 piece kit includes countersunk self tapping wood screws in 12 sizes from 3.5 x 12 mm to 5 x 40 mm.



390
Piece Kit
\$29
PN: GAK17

Countersunk Pozidriv Chipboard Screws

270 piece kit includes chipboard screws in 6 sizes from 3.5 x 25 mm to 5.0 x 50 mm.



270
Piece Kit
\$29
PN: GAK24

Rivet & Nutserts

Blind Aluminium Rivets

320 piece kit includes blind rivets in 6 sizes from 2.4 x 5.5 mm to 4.8 x 8 mm.



320
Piece Kit
\$29
PN: GAK15

Zinc Plated Steel Nutserts

150 piece kit includes nutserts in 6 sizes from M3 to M10.



150
Piece Kit
\$29
PN: GAK27

Rivet & Nutsert Tool

A 2-in-1 fastening tool that sets nutserts as well as blind rivets.



- Sets steel & aluminium rivets up to 4.8 mm & Nutserts up to M6
- Sets stainless rivets up to 4.0 mm & Nutserts up to M5
- Includes a range of M3 to M6 nutserts

INCLUDES NUTSERTS!



\$139

PN: GHTJ703A

Sets 2.4, 3.2, 4.0 & 4.8 mm Rivets AND M3, M4, M5 & M6 Nutserts

Heavy Duty Rivet & Nutsert Tool

- Sets steel & aluminium rivets up to 6.4 mm (1/4") AND nutserts up to M10
- Sets stainless steel rivets up to 4.8 mm (3/16") AND nutserts up to M8
- Space-Saving Foldable Handles
- Forged Main Arms



Sets 3.2 (1/8"), 4.0 (5/32"), 4.8 (3/16") & 6.4 mm (1/4") Rivets and M4, M5, M6, M8 & M10 Nutserts



\$259

PN: GHTH3

Riveting Tools

Medium Duty Riveting Tool

- Sets steel & aluminium rivets up to 4.8 mm (3/16")
- Sets Stainless Steel Rivets up to 4.0 mm (5/32")

Sets 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8 mm (3/16") rivets



\$59

PN: GHTJ701

Heavy Duty Riveting Tool

- Sets steel, aluminium & stainless rivets up to 4.8 mm (3/16")

Sets 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8 mm (3/16") rivets



\$119

PN: GHTTC20

Hex Key Sets

13 Piece Torx® Wrench Set

Sizes: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45 & T50



\$52

PN: GXTX13

13 Piece Tamperproof Torx® Wrench Set

Sizes: T6H, T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H & T50H



\$52

PN: GXTP13

Pistol Grip Nutsert Tools

- Average cycle time of 3 seconds
- Quick & simple to operate
- Fwd. / Rev. Toggle Switch
- Not suitable for mass production

POWERED FORWARD + REVERSE



M6 Nutsert Tool

M3, M4, M5, M8 & M10 mandrels available (sold separately)

\$789

PN: GP400B

M8 Nutsert Tool

M10 & M12 mandrels available (sold separately)
Weight: 1.3 Kg

\$799

PN: GP200B

Steel & Aluminium Nutserts

4 mm Max. sheet thickness



PACKS OF 50

M4 Aluminium PN: NM4RNA	\$35	M4 Steel PN: NM4PNS	\$19
M5 Aluminium PN: NM5RNA	\$39	M5 Steel PN: NM5PNS	\$25
M6 Aluminium PN: NM6RNA	\$46	M6 Steel PN: NM6PNS	\$29
M8 Aluminium PN: NM8RNA	\$49	M8 Steel PN: NM8PNS	\$32
M10 Aluminium PN: NM10RNA	\$59	M10 Steel PN: NM10PNS	\$39
		M12 Steel PN: NM12PNS	\$65

Automotive Nutsert Gun

- Sets M4, M5, M6, M8, M10 nutserts in steel & aluminium
- Sets Stainless Steel nutserts up to M8
- Optional M3 anvil set
- Not suitable mass production applications

Traction Power: 3,640 Ft/lbs
Stroke: 6 mm
Weight: 1.55 kg



HOT PRICE!



\$995

PN: KP4258

Hook & Pick Set

Includes Straight, Right-Angle, Curved & Hooked Picks.

\$36

PN: GXHP4



Helping Hand Magnifier

• Sturdy cast iron base

Main Beam: 115 mm
Arm Reach: 75 mm
Lens Dia.: 60 mm

\$33

PN: GHHM



Gasket Punch Set

14 Piece set includes:

- 3/16" (4.76 mm)
- 1/4" (6.35 mm)
- 5/16" (7.94 mm)
- 3/8" (9.53 mm)
- 7/16" (11.11 mm)
- 1/2" (12.7 mm)
- 5/8" (15.88 mm)
- 3/4" (19.05 mm)
- 7/8" (22.23 mm)
- 1" (25.4 mm)
- 1-1/8" (28.58 mm)
- 1-1/4" (31.75 mm)
- 1-3/8" (34.93 mm)

\$110

PN: GGPS



- Hand guard integrated into handle
- Spring loaded driver point for accurate alignment

Socket Sets

1/4" Socket Set

• Chrome Vanadium Steel

Set includes Ratchet Wrench, Driver Handle, 50 mm Extension, Tee Bar & Universal Joint.

Standard Socket sizes:

4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, & 14 mm

Hex Bits: 3, 4, 5 & 6 mm

Philips Bits: #1, #2, & #3

Pozidriv Bits: #1, #2 & #3

Slotted Bits: 3, 4 & 6 mm

Torx® Bits: T8, T9, T10 T15, T20, T25, T27, T30, & T40

\$89

PN: GXSS1440



3/8" Socket Set

• Chrome Vanadium Steel

Set includes Ratchet Wrench, 75 & 150 mm Extension Bars and Universal Joint.

Standard Socket sizes:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 & 22 mm

Deep Socket sizes:

10, 11, 12, 13, 14, 15, 17 & 19 mm

Spark Plug Socket: 16 & 21 mm

\$99

PN: GXSS3329



Magnetic Clean-Up Tools

Magnetic Clean-Up Wand

Capacity: 6.30 Kg
Length 400 mm
Weight 0.470 Kg

\$89

PN: MW001



Magnetic Reach Extender

Head size: 96 MM
Length: 960 MM
Capacity: 4.5 Kg

\$115

PN: MRE001



Magnetic Broom

- Side mounted wheels for easy use over wide areas
- Telescopic main shaft
- Easy release trigger on main shaft
- Wide section magnetic pickup

Handle Length: 720-1035 mm
Head width: 377mm

\$155

PN: MB001



Gear & Bearing Splitting Combination Set

\$249

PN: GBTK

Small Bearing Separator

Jaw Range: 30-50 MM
Working Range: 0-135 MM

Large Bearing Separator

Jaw Range: 50-75 MM
Working Range: 0-180 MM

Includes Centre Adapter.

S45C Drop Forged hardened Main Beam and Bearing Separators.



Multi-Hydraulic Gear Puller Kit

\$599

PN: GHPK

Bearing Separator

S45C Drop Forged hardened Bearing Separator.

Working Range: 0-370 MM
Jaw Range: 75-105 MM

Gear Puller

Working Range: 25-185 MM

Set includes: Twin & Triple Leg Heads
Hydraulic Ram (12 Ton capacity)
Carbon Steel Beam
200 MM, 150 MM, & 100 MM arms
85 MM, 35 MM, Spacers,
25 MM Centre Adapter



HB-Series Storage Bins

Geiger Small Short Bin

Size: 105W x 137D x 76H mm



\$6 ea

- PN: HB210B
- PN: HB210R

Geiger Small Bin

Size: 105W x 187D x 76H mm



\$7 ea

- PN: HB220B
- PN: HB220R

Geiger Medium Bin

Size: 140W x 276D x 127H mm



\$13 ea

- PN: HB230B
- PN: HB230R

Geiger Large Short Bin

Size: 210W x 273D x 178H mm



\$22 ea

- PN: HB239B
- PN: HB239R

Geiger Medium Duplex Bin

- Includes duplex divider

Size: 279W x 276D x 127H mm



\$19 ea

- PN: HB235B
- PN: HB235R

Geiger Large Duplex Bin

- Includes duplex divider

Size: 420W x 375D x 178H mm



\$32 ea

- PN: HB250B
- PN: HB250R

Wall Storage Kit

Includes 2 Panels, 40 x HB210 Bins, screws & wall plugs.

- PN: HP1KITB
- PN: HP1KITR

\$249 ea



Mobile HB Storage Cart

Make your HB bins mobile with this hanging display unit with caster wheels (2 with brakes). This is an excellent time and space saver for any workshop.

HB Bins are easily detached from the storage cart, making it easy to take only what you need to the work area, while keeping items organized.

Includes Heavy Duty Galvanized Steel Cart with 72 x HB220 and 32 x HB230 bins, in combination of ● Blue or ● Red. Overall Size: 740W x 560D x 1460H mm

CUSTOM LOAD-OUTS ALSO AVAILABLE!

Additional freight charges may apply.

\$1199

PN: MS20020K



Wall Mountable

All HB series bins can be wall mounted when combined with HP Hanging Panels (see HP1 & HP1KITB/R). HP Panels can be tiled together and mounted horizontally or vertically.



Free Standing Bench Storage

Included with all HB bins are four interlocking legs which create free-standing versatile bench storage.

Set of 2 HB-Series Hanging Panels

Includes 2 Panels, screws & wall plugs. Panel size: 605W x 455H x 8D mm



\$85

PN: HP1

Heavy Duty A-Series Parts Cabinets

ST2



Drawer Size: 120W x 210D x 55H mm

60 Drawer Parts Cabinet

\$669

PN: ST2460

Size: 586W x 222D x 937H mm

A5



Drawer Size: 163W x 289D x 69H mm

36 Drawer Parts Cabinet

\$629

PN: A5336

Size: 586W x 290D x 937H mm

24 Drawer Parts Cabinet

\$489

PN: A5324

586W x 290D x 640H mm

A7



Drawer Size: 120W x 218D x 69H mm

48 Drawer Parts Cabinet

\$499

PN: A7448

Size: 586W x 222D x 937H mm

24 Drawer Parts Cabinet

\$339

PN: A7324

Size: 444W x 222D x 642H mm

16 Drawer Parts Cabinet

\$249

PN: A7416

Size: 586W x 222D x 350H mm

A8



Drawer Size: 90W x 218D x 70H mm

60 Drawer Parts Cabinet

\$599

PN: A8560

Size: 586W x 222D x 937H mm

32 Drawer Parts Cabinet

\$359

PN: A8432

Size: 466W x 222D x 642H mm

15 Drawer Parts Cabinet

\$239

PN: A8315

Size: 355W x 222D x 415H mm

Workshop Stools

Gas Lift Workshop Stool

- Heavy duty metal sub-frame with plastic cover
- Oil and stain resistant faux leather seat cushions with comfortable PU foam-padding
- Height adjustable gas lift seat
- Repositionable and removable tool trays
- Ball bearing casters (2 with brakes)



Seat Height: 400-540 mm
Wheel Base: 500 mm
Wheel size: 25 x 75 mm
Load capacity: 136 Kg

\$259
PN: GS001

Heavy Duty Gas Lift Workshop Stool



- Durable and lightweight power-coated aluminium construction
- Oil and stain resistant faux leather seat cushions with comfortable PU foam-padding
- Height adjustable gas lift seat
- Ball bearing casters (2 with brakes)
- Wide and stable wheel base, ideal for uneven ground

Seat Height: 530-660 mm
Wheel Base: 600 mm
Wheel Size: 25 x 100 mm
Load capacity: 180 Kg

\$499
PN: GS002

Heavy Duty Workshop Stool

- Durable and lightweight power-coated aluminium construction
- Oil and stain resistant faux leather seat cushions with comfortable PU foam-padding
- Ball bearing swivel mounted seat cushion
- 180 kg load capacity

Size: 600 mm x 600 mm x 710 mm
Load capacity: 180 Kg



\$379
PN: GS004

Heavy Duty Gas Lift Workshop Stool with Backrest



- Durable and lightweight power-coated aluminium construction
- Oil and stain resistant faux leather seat cushions with comfortable PU foam-padding
- Wide and stable wheel base, ideal for uneven ground
- Height adjustable gas lift seat
- Ball bearing casters (2 with brakes)

Seat Height: 660 - 760 mm
Overall Height: 930-1030 mm
Wheel Base: 600 mm
Wheel Size 25 x 100 mm
Load capacity: 180 Kg

\$549
PN: GS003

Workshop Trolleys

Compact Heavy Duty Parts Trolley

- 1.6 mm steel uprights.
- 3 Shelves



Size: 410W x 760D x 885H mm (including handle)

\$299
PN: GT3S

Heavy Duty Parts Trolley

- 3 Shelves, side container and drawer
- 1.6 mm steel uprights.



Size: 470W x 785D x 825H mm (including handle)

\$359
PN: GT3SD

Heavy Duty Parts Trolley

- Takes up to 100 kg per shelf, max total weight 200 kg per unit.
- 3 Shelves, side container and drawer
- Enclosed front & rear for extra rigidity.



Size: 500W x 873D x 880H mm (including handle)

\$599
PN: CTH5086

Workshop Stools & Creepers

Rolling Workshop Parts Tray

- 15 socket holders from 19 to 32 mm Dia.
- Four tray compartments (2 magnetised)
- Nine screwdriver pockets
- Ball Bearing Casters
- Carry handle



Size: 735 mm x 460 mm x 130 mm
Load capacity: 60 Kg
Wheel Size: 25 x 50 mm

\$119
PN: GS005

Mechanics Creeper

- Thick wall injection blow moulded deck
 - Integrated side trays
 - Made in Taiwan
- Size: 1005 x 470 x 135 mm
Wheel Size: 75 x 25 mm



**STEEL REINFORCED
CASTER MOUNTS**

**MAX RATING
150KG**

\$189
PN: GCR40

Heavy Duty Lockable A7 Parts Cabinets

Each cabinet comes with 2 movable dividers.
The front face of each drawer features a window.

Lockable 48 Drawer Parts Cabinet

Size: 586W x 270D x 970H mm

\$799

PN: A7448D

Lockable 24 Drawer Parts Cabinet

Size: 444W x 270D x 677H mm

\$689

PN: A7324D



LOCKABLE DOORS

Steel HD Series Parts Cabinets

HD cabinets take up to 100 kg per shelf. Each drawer comes with 2 movable dividers and is acid and oil resistant. The front face of each drawer features a window which makes it easy to identify the contents.

15 Drawer Steel Parts Cabinet

Size: 880W x 400D x 440H mm

Drawer size: 160W x 110H x 410D mm

\$579

PN: HD515



18 Drawer Steel Parts Cabinet

Size: 550W x 400D x 880H mm

External Size: 160W x 110H x 410D mm

30 Drawer Steel Parts Cabinet

880W x 400D mm x 880H mm

External size: 160W x 110H x 410D mm

HD-Series Storage Bins

The 60 drawer NHD560 takes up to 600 kg total weight and up to 100 kg per shelf. Each drawer comes with 2 movable dividers and is acid and oil resistant. The window front makes it easy to identify the contents.
Size: 880W x 400D x 1725H mm



The HD drawers are designed to be fully opened and not fall out, even at the 10 kg maximum weight limit and feature transparent windows for easy parts identification.

Each drawer comes with 2 movable dividers and can take up to 7 Dividers. All is acid and oil resistant.

HD Drawer

External Size: 160W x 410D x 110H mm

Internal size: 140W x 370D x 100H mm



\$20

PN: HD1641

HD Drawer Dividers

Packet of 10



\$20

PN: HD1641DIV

30 Drawer Parts Cabinet

980W x 400D x 1010H mm

(Including handle and caster wheels)



\$1159

PN: NHD530

60 Drawer HD Series Steel Parts Cabinet

The 60 drawer NHD560 takes up to 600 kg total weight and up to 100 kg per shelf. Each drawer comes with 2 movable dividers and is acid and oil resistant. The window front makes it easy to identify the contents.

880W x 400D x 1725H mm



Additional freight charges may apply.

\$1799

PN: NHD560

Multi-Function Bins & Crates

Jumbo Storage Bin

Includes removable two stage folding lid. Made from impact resistant polypropylene.

Size: 395W x 635D x 335H mm

TAKES UP TO 30KG!



50 LITRE CAPACITY!

\$75

PN: HB4068B

Foldable Crates

Stackable in both collapsed and extended configuration

Size: 535W x 360D x 280H mm

Collapsed Height: 50 mm

SPACE SAVING COLLAPSIBLE DESIGN



\$49

PN: FB5336B

Wall mountable Pivot Drawers

Pivot drawers slot together vertically or horizontally, to be safely mounted to walls or benches. Windowed drawers keep all your spare parts in plain sight with reduced exposure to dust, moisture or other contaminants.

8 Compartment Pivot Drawer Set

Size: 300W x 200H x 67D mm



\$39
PN: FO308

6 Compartment Pivot Drawer Set

Size: 300W x 250H x 106D mm



\$39
PN: FO306

5 Compartment Pivot Drawer Set

Size: 600W x 150H x 123D mm



\$52
PN: FO605

4 Compartment Pivot Drawer Set

Size: 600W x 200H x 167D mm



\$69
PN: FO604

Single Sided 46 Bin Pivot Drawer Cart

Includes
2 x FO308, 2 x FO306,
2 x FO605 & 2 x FO604,
46 bins in all

\$899
PN: MSFO4568

Double Sided 92 Bin Pivot Drawer Cart

Includes 4 x FO308,
4 x FO306, 4 x FO605 &
4 x FO604, 92 bins in all

\$1399
PN: MSFO4568X2

Cart Size: 690W x 560D x 1460H mm

**UP TO
92 BINS OF
STORAGE!**



Additional freight charges may apply.

part of **starmix** **haaga** Commercial Sweepers

Haaga 375 COMMERCIAL SWEEPER

Performance: 2,900 m²/h
Cleaning Width: 750 mm
Capacity: 50 Liters
Weight: 11.1 kg

**While
Stocks
Last!**

\$1175
PN: HG375



**3 BRUSH
SYSTEM**

Haaga 497 COMMERCIAL SWEEPER

- Brush height adjustment to suit various flooring types and surfaces
- Vertical storage to save space
- Integrated filtration system with fine dirt roller brush to minimise dust
- Wall & Curb Roller to minimise cuffing
- Fine Dirt Roller

Performance: 3,600 m²/hr
Cleaning Width: 970 mm
Capacity 50 litres.
Weight: 15.7 kg

\$1919
PN: HG497



**3 BRUSH
SYSTEM**

Haaga 477 COMMERCIAL SWEEPER

- Brush height adjustment to suit various flooring types and surfaces
- Wall & curb roller to minimise cuffing
- Integrated filtration system with fine dirt roller brush to minimise dust
- Stores vertically in most closets (1550H x 780W x 300 mm)

Performance: 3,000 m²/h
Cleaning Width: 770 mm
Capacity: 50 Liters
Weight: 15 kg

\$1559
PN: HG477



**3 BRUSH
SYSTEM**

Haaga 677 COMMERCIAL SWEEPER

Performance: 3,600 m²/hr
Sweeping Width: 770 mm
Capacity 50 litres.
Run Time: 90 mins
Charge Time: 7 hrs
Weight: 20.2 kg

Brush height adjustment to suit various flooring types and surfaces

Wall & Curb Roller to minimise cuffing



**ELECTRIC DRIVE
3 BRUSH
SYSTEM**

Integrated filtration system with fine dirt roller brush

Twin electrically driven brush heads

Stores vertically in most closets (1550H x 780W x 300 mm)

\$2399
PN: HG677

New!

1 Year Commercial Warranty

2 Year Domestic Warranty

MADE IN GERMANY.

Air-Hydraulic Riveters

3/16" Industrial Rivet Gun



Rivet Capacity:
1/8, 5/32 & 3/16"
Traction Power:
1980 lbs
Weight: 1.45 Kg

\$399
PN: GP6302

9/32" Industrial Rivet Gun



**SUITABLE
FOR STAINLESS
RIVETS!**

- Interchangeable nose-pieces
- Safety cap collects spent rivets
- Swivel inlet for easier positioning

Rivet Capacity:
3/16", 1/4", 5/32" & 9/32"
Traction Power: 3,120 lbs
Weight: 3.4 Kg

\$799
PN: GP6304

Engine Cleaner Gun

- Siphon type, designed to connect to an external degreaser supply
- Flow rate control with adjustable nozzle
- 1.2m hose with built in filter

Length: 405 mm



\$59
PN: GPA1565

Impact Wrenches

1/2" Impact Wrench

Max Torque: 500 Ft/lbs
Weight: 2.0 Kg



\$299
PN: GP260T

3/4" Impact Wrench

Max Torque: 1100 Ft/lbs
Weight: 3.48 Kg



\$699
PN: GP3125

Engine Cleaner with Bowl

- Ideal for cleaning cars, trucks, bikes and marine

Bowl capacity: 700 cc
Length: 410 mm



\$119
PN: GPA034

Reversible Drills

Reversible 3/8" Drill

Free Speed: 1,800 RPM
Chuck Size: 10 mm
Weight: 1.36 Kg



\$189 Keyless Model
PN: GP41013K \$210
PN: GP41013

1/2" Reversible Drill

Free Speed: 800 RPM
Drilling Capacity: 13 mm
Weight: 1.76kg



\$269 Keyless Model
PN: GP4204K \$349
PN: GP4204

3/8" Reversible Angle Drill

- Forward / Reverse Toggle Switch
- Rear exhaust



\$299
PN: GP4209

Die Grinders

1/4" Medium Die Grinder

Free Speed: 22,000 RPM
Weight: 0.675 Kg



\$99
PN: GP2202

1/4" Medium Die Grinder

- Polymer sleeved for comfort

Free Speed: 21,000 RPM
Weight: 0.833 Kg



FREE!
Radiused Cylinder Burr
Valued over \$40

\$129
GP2202RK

1/4" Angle Die Grinder

Free Speed: 18,000 RPM
Weight: 0.833 Kg



\$199
PN: GP2203R

Tyre Inflators

0-60psi Tyre Pressure Gauge

Range: 0-60 psi
Metering: Analogue
Units: PSI & Bar
Output: Schrader valve



\$42
PN: GPATPG60

Deluxe Tyre Inflator

Range: 0-160 PSI
Units: PSI, KPA



\$149
PN: GPA6200

Digital Tyre Inflator

Range: 5-60 PSI
Hose Length: 30 cm
Units: PSI, Bar, kPa

\$159
PN: GP1558-4



Surface Preparation

10 MM Belt Sander

Belt Size: 10 x 330 MM

\$289

PN: GP1264A



20 MM Belt Sander

Belt Size: 20 x 520 MM

\$459

PN: GP1265A

7" Sander



\$369

PN: GP1206A

Free Speed: 4,500 RPM Avg Air Cons.: 12 CFM
Spindle: Male 5/8-11UNC Weight: 2.6 kg

7" Polisher



\$369

PN: GP1206P

Free Speed: 2,500 RPM Avg Air Cons.: 12 CFM
Spindle: Male 5/8-11UNC Weight: 2.6 kg

Needle Scaler

- Two part construction for fast dismantling and replacement of worn needles
- Nineteen 3 x 180 MM needles

Stroke Length: 33 mm
Impact Rate: 4,600 BPM
Length: 420 mm
Weight: 2.8 kg



\$399

PN: GP201

Air Rust & Paint Removal Tool Kit (Non-vacuum)

Versatile support handle can be set to any position within it's 180° range.

Kit includes:
five 105 mm (4 inch) stripping wheels, Spare disc hub & carry case.



\$735

PN: GP2001A

Stripping Wheels

- 1 0.5 mm Straight Wire PN: GPA2001A-1
- 2 0.55 mm Hooked Wire PN: GPA2001A-2
- 3 Abrasive Striping PN: GPA2001A-5
- 4 Caramel Stripping PN: GPA2001A-4
- 5 0.7mm Hooked Wire PN: GPA2001A-3

\$49 ea

Sandblasters

Sand Blasting Kit

Includes 3 extra nozzles, hose and tube.
Siphon feed
Weight: 0.9 kg



\$69

PN: GP909

All-In-One Sandblaster

- Light weight all in one design
- Ideal for spot and rust removal on small areas

Nozzle Size: 5.2 MM
Capacity: 266cc



\$79

PN: GPASB100

3" In-Line Cut Off Grinder

- Includes 3" cut off disc.
- Adjustable guard
- Spindle lock
- Rubber grip
- Rear exhaust



\$239

PN: GP3203

Disc Size: 3" (75 mm)
Free Speed: 18,000 RPM
Weight: 0.8 kg

75 MM Cut Off Discs

Disc Size: 75 x 0.8 mm
Bore: 9.53 mm
Max Speed: 25,000 RPM



Packs of 5

\$25

PN: CO007K

Air Body Saw

Free Speed: 10,000 opm
Capacity: 3 mm mild steel
Stroke length 9.5 mm



\$269

PN: GP9301

Quality Bi-metal Blades



18 TPI PN: PT301A18

24 TPI PN: PT301A24

32 TPI PN: PT301A32

Packs of 5

\$30 ea

Economical Gravity Feed Spray Guns

- Stainless steel nozzle & needle
- Brass cap
- Great atomisation
- High transfer rate

Working Pressure: 15-43 PSI
Pattern Width: 270 mm
Fluid Output: 200-220 mL/min
Capacity: 600 cc
Weight: 600 g



\$89 ea

1.4 mm PN: SG898-14

1.8 mm PN: SG898-18



- Individual nozzle kits also available

Heavy Duty Angle Grinders



4" Heavy Duty Angle Grinder

Spindle: M10 x 1.5
Free Speed: 11,000 RPM
Weight: 1.95 kg

\$359

PN: GP8102

5" Heavy Duty Angle Grinder

Spindle: M14 x 2.0
Free Speed: 11,000 RPM
Weight: 1.95 kg

\$399

PN: GP31003

Blowguns

4" Rubber Tipped Blowgun

\$20
PN: GP1562



- Integrated metal inlet thread
- Rubber Tip

Length: 110 mm
Material: POM/Steel

Extendable Blow Gun

Length: 270 to 390 mm
Material: POM/Steel



- Metal inlet for increased durability
- Adjustable length & angle
- Locking ring

\$36
PN: GP1562E

Integrated Blow Gun

- Light weight Polymer body with 1/4" steel inlet & 2 metre fitted hose



\$69
PN: GPB90K

3/8" High Flow Blow Gun Kit

Kit includes:
High Flow Duster,
Easily Adjustable High Flow Nozzle, Heavy Duty High Flow Nozzle & Standard Nozzle.



\$69
PN: GHF60AS

Long Nose Air Duster

- Cast aluminium body, metal trigger & nozzle.
- Inlet: 1/4" Nitto fitting
Nozzle size: 4.5 x 70 mm



\$29
PN: GPA9025

ALL METAL BODY!

1 Metre Blow Gun

Overall Length: 1050 mm
Inlet: 1/4" metal
Material: POM / Aluminum

- Durable all metal construction
- Foam grip



ALL METAL BODY!

\$79
PN: GP1561

Filter Cleaning Nozzle

Suitable for cleaning cylindrical filters or pipes.
SOLD SEPARATELY
Size: 15.5 dia. x 40 mm
Nozzles: 12 x 2mm



\$29
PN: GP1561FN

Wonder Gun Kit

- Quickly change between vacuum & blow with an integrated switch
- Heavy duty metal body

Kit includes: Blow Gun, Vacuum Hose, brush, extended small & flat nozzles, Extendable Hose (30 to 80cm) & Dust Bag



\$129
PN: GPA0310KB

Economical Random Orbit Sanders

6" / 150 MM Random Orbit Sander

Free Speed:
12,000 RPM
Orbit Dia.: 5 mm
Weight: 830 g

\$110
PN: GP6151-6

6" / 150 MM Random Orbit Dust Free Sander

Free Speed:
12,000 RPM
Orbit Dia.: 5 mm
Weight: 930 g

\$129
PN: GP6151-6-S



Economical 6" Backing Pads

Spindle Size: 5/16" x 24 UNF Ext.
Max Speed: 12,000 RPM
Pad Thickness: 10 mm



\$20 ea

Standard PN: E6505
Dust Free PN: E6565

Percussive Engraving Tool

- Medium point stylus included
- Fine & wide point stylus also available

Inlet: 1/4" Male thread
Hose Length: 1.43 m
Weight: 0.40 kg



\$329
PN: GP110

1/8" Micro Die Grinder Kit

- Includes 10 grinding stones



Free Speed : 55,000 RPM
Collet Size: 1/8"
Hose length: 1.5m

\$249
PN: GP2204K

Fritzfurt

Rotary Tool Kit

- Comprehensive 276 Piece Kit
- Shank Size: 1/8"



See front cover!

\$59
PN: RTK276

Hammering Tools

Air Hammer Kit

Kit includes 5 Chisels, Spring Retainer, Oiler & Case.
 Free Speed: 3,000 BPM
 Stroke Length: 19.05 mm
 Shank Size: 10.2 mm
 Weight: 1.70 Kg



\$139
 PN: GP102KD

Set of 2 Spring Retainers

• Suits 10.2 mm round chisels



\$19
 PN: GPA70X2

Heavy Duty Quick Change Spring Retainer

• Fits most standard air hammers & chisels



\$39
 PN: GPA2311

38 MM Flattening Hammer



\$59
 PN: HAC-100

OTHER TYPES ALSO AVAILABLE!

Needle Scaler Attachment

• Mounts to most standard air hammers
 • Replacement needles available



Needle Array: 19 Needles
 Needle size: 3 x 180 mm

\$110
 PN: GP60012

7" Chisel Set

• 5 piece set includes 20 mm Cold Chisel, Single Blade Cutter, Tapered Punch, Panel Cutter & Rivet Cutter



Shank Dia.: 10.2 mm

\$59
 PN: GPA57

KUANI PNEUMATIC TOOLS

Gear up your world™

Compact Needle Scaler

\$299
 PN: KP4714



Impact Rate: 3,700 BPM
 Overall Length: 290 mm
 12 Needles Ø3 x 125 mm

Pistol Grip Needle Scaler



Impact Rate: 3,700 BPM
 Overall Length: 350 mm
 19 Needles Ø3 x 180 mm

\$449
 PN: KP4722P

Heavy Duty Air Scaling Hammer

Impact Rate: 2,400 BPM
 Stroke: 26 mm
 Length: 550 mm
 Weight: 4.45 Kg



• Replaceable carbide tips

\$979
 PN: KP4733

Heavy Duty Chipping Hammer

• Moil Point & Flat Chisels available
 • Side Exhaust



Includes 2 Chisels

Stroke: 102 mm
 Impact Rate: 1500 BPM
 Length: 350 mm
 Weight: 9 Kg

\$979
 PN: KP4735S3H

Manual Grease Gun

• Re-grease any air tool transmission case fitted with a micro grease nipple.
 • Easy to use, spring loaded trigger



Capacity: 80 cc
 Working Pressure: 1000 PSI
 Net Weight: 0.28 Kg

\$42
 PN: KPAC050

Pittsburgh Air Hammer

• 360° Adjustable Anvil Guide

Impact Rate: 4,200 RPM
 Stroke: 50 mm
 Weight: 2.20 Kg



\$299
 PN: KP4711PH

4" Heavy Duty Extended Cut Off Tool

• 90° adjustable swivel guard with detented quick release & spindle lock
 • Extended reach & ultra compact 39 mm head

Free Speed: 14,000 RPM
 Length: 345 mm
 Output: 745 Watt
 Weight: 1.40 Kg



HOT PRICE! \$399
 PN: KP4413

1" Super Duty Impact Wrench



Free Speed: 5,000 RPM
 Max. Torque: 1,800 Ft/lbs
 Weight: 7.10 Kg

\$1439
 PN: KP1838A-P

1" Super Duty Impact Wrenches

Free Speed: 5,500 RPM Length: 325 mm
 Max. Torque: 1,600 Ft/lbs Weight: 5.8 Kg
 Air Inlet: 1/2"



\$1339
 PN: KP1835

1" HD Impact Wrench

• 4 power settings with forward & reverse selector
 • Rubber body protection
 • Side handle

Free Speed: 3,500 RPM
 Max. Torque: 2,500 Ft/lbs
 Length: 436 mm
 Air Inlet: 1/2"
 Weight: 15.55 Kg



1.5" Variant
 PN: KP1050 \$2999

\$2679
 PN: KP1045

2,500 Ft/lbs

1/2" Twin Hammer Impact Wrench



- Light weight composite housing
- 4 speed air regulator
- Exhausts through handle, away from the work area

Free Speed: 8,000 RPM
Max Torque: 685 Ft/lbs (928 Nm)
Weight: 1.98kg

\$369

PN: BIT260M1

6" Random Orbital Sander



Orbit Diameter: 5 mm
Spindle: 5/16"x24 UNF
Free Speed: 12,000 RPM
Weight: 0.99 Kg

\$289
PN: BOS156A2

6" Random Orbital Dust-Free Sander



Orbit Diameter: 5 mm
Free Speed: 12,000 RPM
Spindle: 5/16 x 24 UNF
Weight: 0.99 kg

\$299
PN: BOS156SA2

1/4" Die Grinder

Free Speed: 20,000 RPM
Length: 165 mm
Weight : 0.55Kg



\$189
PN: BG210R

1/4" 115° Angle Die Grinder

Free Speed: 18,000 RPM
Output: 0.45 hp
Weight : 0.75 Kg



\$229
PN: BG230RA1

1/4" Right Angle Die Grinder

• Light weight composite housing
Free Speed: 18,000 RPM
Length: 183 mm
Weight: 0.8 Kg



\$199
PN: BG220RA1

Extended 1/4" Die Grinder

Free Speed: 21,000 RPM
Length: 280 mm
Weight: 0.80 Kg



\$199
PN: BG215RA1

2" Angle Grinder

Free Speed: 15,000 RPM
Output : 0.45 hp
Weight: 0.8 Kg



\$199
PN: BG222RA1

2" Grinder Disc
Thickness: 4 mm
Max Speed: 23,500 RPM



\$13
PN: 3510232

8" Geared Sanders

Orbit Diameter: 5 mm
Pad mount: 5 hole
Free Speed: 900 RPM
Weight: 1.88 kg



Standard
\$579
PN: BOS258GR-D1

Dust Free
\$589
PN: BOS258GRC-D1

1/2" Reversible Keyless Drill



Free speed: 800 RPM
Weight: 1.95 Kg

HOT PRICE!

\$279
PN: BDR208KLA1

Heavy Duty Air Hammer Kit

- Integrated piston cushion for lower vibration and less operator fatigue
- T handle design for better tool balance
- Includes Air Hammer, 5 chisels & Quick Change Spring Retainer in blow-mount case

Impact Rate: 2,900 bpm
Chisel shank: 10.2 mm
Weight: 1.73 Kg

\$289
PN: BHA67A1



3" Cut Off Tool



Free Speed: 21,000 RPM
Length: 188 mm
Weight: 0.8 Kg

Cutting Disc not included.

\$149
PN: BCTA1

3" Cutting Discs

Ø75 x 0.8 x Ø9.53 mm
Speed Rated to 25,000 RPM



Pack of 5
\$25
PN: CO007K

80 Series Stapler

\$199

PN: BN8016E



Staple Crown: 12.8 mm (80 Series)
Staple Length: 6-16 mm
Capacity: 100 Staples
Weight: 0.90 Kg

Heavy Duty Coil Nailer

HOT PRICE!

Only While Stocks Last!



Shank: 2.03-2.8 mm
Nail Length: 32-65 mm
Capacity: 200-400 nails
Weight: 2.3 Kg

0° Angle PN: BC2865F1

15° Angle PN: BC2865D1

\$369 ea

Heavy Duty C Brad Nailer



Shank: 1.4x1.6 mm (16 Gauge)
Nail Length: 19-50 mm
Capacity: 100 nails
Weight: 1.9 Kg

\$399

PN: B1650B1

6000/L Series Stapler



Staple Crown: 5.8 mm (6000 Series)
Staple Length: 13-40 mm
Capacity: 100 Staples
Weight: 1.18 Kg

\$299

PN: BS9040LA1

Countersink & Nail Remover

**GREAT FOR
TIMBER FRAME
DEMOLITION!**



Pin Dia.: 4.8 mm
Nail Dia.: 2-4 mm
Weight: 0.80 Kg

\$349

PN: BPULLER

**REMOVE
ASBESTOS
SHEETS IN
ONE PIECE!**

50 MM C1 Series Bradder



Shank: 1x1.25 mm (18 Gauge)
Nail Length: 15-50 mm
Capacity: 100 brads
Weight: 1.25 Kg

\$259

PN: B1850A1



3/16" Medium Duty Riveter

- Suitable for Aluminium & Mild Steel rivets

Capacity:
2.4 mm (3/32") to
4.8 mm (3/16")
Traction power: 1045 Kg
Stroke: 16 mm
Weight: 1.56 Kg



Includes an Assortment of Aluminium Rivets & Spares

\$269

PN: FP4821AK

3/16" Compact Riveter with Vacuum Extraction

- Suitable for Aluminium & Mild Steel rivets
- Vacuum Mandrel collection

- Low Recoil Technology

Capacity: 2.4 mm (3/32") to 4.8 mm (3/16")
Traction power: 908 Kg
Stroke: 15 mm
Weight: 1.39 Kg



Ideal for the Aluminium Window Industry

\$859

PN: FP4032CVK

3/16" Heavy Duty Composite Riveter

- Suitable rivets of all materials
- Low Recoil Technology

Capacity: 2.4 mm (3/32") to 4.8 mm (3/16")
Traction power: 908 Kg
Stroke: 23.5 mm
Weight: 1.55 Kg

\$699

PN: FP4831C

1/4" Riveter with Vacuum Extraction

- Automatic mandrel collection
- Sets steel and stainless ONLY
- Swivel air inlet

Capacity: 4.8mm (3/16"), 5.6mm (7/32") & 6.4mm (1/4")
Traction power: 1645 Kg
Stroke: 15 mm
Weight: 1.8 Kg

\$739

PN: FP6431CVK

5/16" Heavy Duty Composite Riveter

- Vacuum mandrel collection
- Suitable rivets of all materials
- Swivel air inlet

Capacity: 3/16", 7/32", 1/4" & 5/16"
Traction power: 1723 Kg
Stroke: 22.5 mm
Weight: 1.8 Kg



Also Sets 1/4" Monobolt® Structural Rivets FP51631CVK ONLY

\$1279

PN: FP51631CVK

Premium Compressor Oil

- Specially formulated additives give superior protection against wear and corrosion
- Excellent water & air separation, to ensure reliable operation with minimal foaming and emulsification



\$33

PN: COMPOIL1

1/4" Mini Filter Regulator

Max Press.: 280 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 38.85 CFM
Drain Capacity: 15 mL
Filter Element: 5 µm



\$89

PN: THBFR212

1/4" Mini Filter Regulator & Lubricator

Max Press.: 150 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 38.85 CFM
Drain Capacity: 15 mL
Oil Capacity: 30 mL
Filter Element: 5 µm



SUPER COMPACT!
140W x 135H mm

\$89

PN: THBC202

Filter Regulators

Max Press.: 215 PSI
Output Press.: 7-150 PSI
Units: PSI, kg/cm²
Drain Capacity: 80 mL
Filter Element: 5 µm

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBFR802

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBFR803

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBFR804



\$75 ea

3/4" Hi-Flow Filter Regulator

Max Press.: 250 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 162.45 CFM
Drain Capacity: 300 mL

PN: THBFR926A

1" Hi-Flow Filter Regulator

Max Press.: 250 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 183.64 CFM
Drain Capacity: 300 mL

PN: THBFR928A

\$299 ea



Filter Regulator + Lubricators

Max Press.: 215 PSI
Output Press.: 7-150 PSI
Units: PSI, kg/cm²
Oil Capacity: 125 mL
Filter Element: 5 µm

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBFLR802

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBFLR803

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBFLR804



\$139 ea

Regulators



1/4" Regulator

Max Press.: 150 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 38.85 CFM

\$52

PN: THBR202

1/2" Regulator

Max Press.: 215 PSI
Output Press.: 7-150 PSI
Units: PSI, kg/cm²
Max Flow: 105.94 CFM

\$62

PN: THBR804

3/4" Regulator

Max Press.: 250 PSI
Output Press.: 7-225 PSI
Units: PSI, kg/cm²
Max Flow: 162.45 CFM

\$179

PN: THBR906

1" Regulator

Max Press.: 250 PSI
Output Press.: 7-225 PSI
Units: PSI, kg/cm²
Max Flow: 183.64 CFM

\$179

PN: THBR908

Filters

1/2" Filter

Port Size: 1/2" NPT
Max Press.: 215 PSI
Max Flow: 105.94 CFM



\$69

PN: THBF804

1/2" Auto Drain Filter

Port Size: 1/2" NPT
Max Press.: 225 PSI



\$99

PN: THBD704A

Lubricators

Max Press.: 215 PSI
Oil Capacity: 125 mL

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBL802

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBL803

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBL804

\$79 ea



Filter / Regulator / Dryers

- Includes desiccant

Max Press.: 250 PSI
Output Press.: 7-150 PSI
Units: PSI, kg/cm²
Filter Element: 5µ-0.01µ

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBFR-FLM862

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBFR-FLM863

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBFR-FLM864

\$269 ea

IDEAL FOR SPRAY PAINTING!



Replacement dryer desiccant pack of 2 PN: THBDES \$20

SG420 Gravity Feed Air Brush



\$149
PN: SG420A

Nozzle: 0.2 MM
Working Pressure: 14-50 PSI
Fluid Capacity: 7 cc
Weight: 280 g

KH818 Gravity Feed Spray Guns



\$285 ea

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI
Fluid Capacity: 600 cc
Weight: 280 g

1.3 MM Nozzle PN: K818M13
1.4 MM Nozzle PN: K818M14
1.8 MM Nozzle PN: K818M18
2.5 MM Nozzle PN: K818M25

KH818 HVLP Gravity Feed Spray Guns



\$299 ea

- Forged aluminum body and Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20-28 PSI
Fluid Capacity: 600 cc
Weight: 514 g

1.3 MM Nozzle PN: KH818M13
1.4 MM Nozzle PN: KH818M14
1.8 MM Nozzle PN: KH818M18

K818 Suction Feed Spray Guns



\$289 ea

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI
Fluid Capacity: 1000 cc
Weight: 514 g

1.3 MM Nozzle PN: K818S13
1.8 MM Nozzle PN: K818S18
2.0 MM Nozzle PN: K818S20
2.5 MM Nozzle PN: K818S25

KH818 HVLP Suction Feed Spray Guns



\$325
PN: KH818S18

- Forged aluminum body & Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20-28 PSI
Fluid Capacity: 1000 cc
Weight: 514 g
Nozzle: 1.8 MM S-Steel

K357 Mini Gravity Feed Spray Guns



Working Pressure: 30-45 PSI
Fluid Capacity: 125 cc
Weight: 280 g

0.8 MM Nozzle

\$215
PN: K357M08

1.2 MM Nozzle

\$245
PN: K357M12

K818 Pressure Feed Spray Gun Systems



2 Litre Pressure Feed Spray Gun Systems

Features:

- 3 meter hose
- Tank Pressure Regulator
- Air release valve
- Safety release valve
- Tank handle/hanger

2 Litre Pressure Feed Tank

Tank dimensions:
130L MM x 130W MM x 445H MM
Capacity: 2 Litre
Max. pressure: 60 PSI
Weight total: 2.15 Kg

1.2 MM Nozzle PN: PW2LTRK12
1.5 MM Nozzle PN: PW2LTRK15
1.8 MM Nozzle PN: PW2LTRK18
2.0 MM Nozzle PN: PW2LTRK20
2.5 MM Nozzle PN: PW2LTRK25

\$529 ea

10 Litre Pressure Feed Spray Gun Systems

Features:

- 3 meter hose
- Tank Pressure Regulator
- Air release valve
- Safety release valve
- Tank handle/hanger

10 Litre Pressure Feed Tank

Tank dimensions:
315L MM x 315W MM x 485H MM
Capacity: 10 Litre
Max. pressure: 60 PSI
Weight total: 10.1 Kg

1.2 MM Nozzle PN: PW10LTRK12
1.5 MM Nozzle PN: PW10LTRK15
1.8 MM Nozzle PN: PW10LTRK18
2.0 MM Nozzle PN: PW10LTRK20
2.5 MM Nozzle PN: PW10LTRK25

\$685 ea

20 Litre Pressure Feed Spray Tank Systems

Features:

- 10 meter hose
- Stainless Steel Liner
- Tank Pressure Regulator
- Air release valve
- Safety release valve
- Manual Agitation

K818 Pressure Feed 20 Litre Pressure Feed Tank

Tank dimensions:
400L MM x 400W MM x 780H MM
Capacity: 20 Litre
Max. pressure: 60 PSI
Weight total: 26 Kg

1.2 MM Nozzle PN: PW20LTRK12
1.5 MM Nozzle PN: PW20LTRK15
1.8 MM Nozzle PN: PW20LTRK18
2.0 MM Nozzle PN: PW20LTRK20
2.5 MM Nozzle PN: PW20LTRK25

\$1199 ea

Quick-Lock Backing Pads

Attach abrasive pads to tool. Includes 1/4" shank adapter.

50 MM Quick-Lock Backing Pad

\$19

PN: GPA1523K



75 MM Quick-Lock Backing Pad

\$24

PN: GPA1524K



Quick-lock Abrasive Pads

Packs of 10



50 MM Abrasive Fine

Fine Blue PN: GPA1527X10

Maroon Medium PN: GPA1528X10

Brown Coarse PN: GPA1526X10

75 MM Abrasive Pads

Fine Blue PN: GPA1530X10

Maroon Medium PN: GPA1531X10

Brown Coarse PN: GPA1529X10

\$32 ea

\$49 ea

Quick-Lock Ceramic Sanding Discs

Packs of 10



50 MM Quick-Lock Ceramic Sanding Discs

36 Grit PN: AB22012S36CP

60 Grit PN: AB22012S60CP

80 Grit PN: AB22012S80CP

120 Grit PN: AB22012S120CP

75 MM Quick-Lock Ceramic Sanding Discs

36 Grit PN: AB22013S36CP

60 Grit PN: AB22013S60CP

80 Grit PN: AB22013S80CP

120 Grit PN: AB22013S120CP

\$27 ea

\$32 ea

Quick-Lock Ceramic Flap Discs

Packs of 5



50 MM Quick-Lock Ceramic Mini Flap Discs

40 Grit PN: AB22012F40CP

60 Grit PN: AB22012F60CP

80 Grit PN: AB22012F80CP

120 Grit PN: AB22012F120CP

75 MM Quick-Lock Ceramic Mini Flap Discs

40 Grit PN: AB22013F40CP

60 Grit PN: AB22013F60CP

80 Grit PN: AB22013F80CP

120 Grit PN: AB22013F120CP

\$19 ea

\$29 ea

Quick-Lock Preparation Kits

2" Quick-Lock Preparation Kit

7 Piece kit includes: 1/4" shank, 2" backing pad, 24 grit 2" disc, 36 grit 2" disc, 50 grit 2" disc, Brown (Coarse) surface prep 2" disc & Maroon (Medium) surface prep 2" disc.

\$39

PN: GPK2



3" Quick-Lock Preparation Kit

7 Piece kit includes: 1/4" shank, 3" backing pad, 24 grit 3" disc, 36 grit 3" disc, 50 grit 3" disc, Brown (Coarse) surface prep 3" disc & Maroon (Medium) surface prep 3" disc.

\$49

PN: GPK3



Abrasive & Sanding Pads made in USA.

Ceramic Sanding Belts

Pack of 10 Belts



10 MM Sanding Belts

Size: 10 mm x 330 mm


40 Grit PN: AB2700-40CP

60 Grit PN: AB2700-60CP

80 Grit PN: AB2700-80CP

120 Grit PN: AB2700-120CP

\$27 ea



20 MM Sanding Belts

Size: 20 mm x 520 mm


40 Grit PN: AB2800-40CP

60 Grit PN: AB2800-60CP

80 Grit PN: AB2800-80CP

120 Grit PN: AB2800-120CP

\$35 ea



30 MM Sanding Belts

Size: 30 mm x 540 mm

40 Grit PN: AB2830-40CP

60 Grit PN: AB2830-60CP

80 Grit PN: AB2830-80CP

\$59 ea

Quick-Lock Polishing Pads



50 MM Quick-Lock Felt Polishing Pad

\$19

PN: GPA1525



75 MM Quick-Lock Felt Polishing Pad

\$19

PN: GPA1575

Polishing Mops

1/4" Shank Tapered Spindle

Fits 50 MM Calico Polishing Mops (PN: PMC50).

50 MM Calico Polish Mop

For use with Taper Spindle (PN: TS12). Width: 20 MM



\$53

PN: TS12



\$39

PN: PMC50

Hook & Loop Backing Pads

50 MM Backing Pad

Shank Size: 1/4"



\$39

PN: GPA50

75 MM Backing Pad

Shank Size: 1/4"



\$49

PN: GPA75

Hook & Loop Polishing Pads

60 MM Polishing Pad

Suits 50 mm Hook & Loop Backing Pad



\$13

PN: OWB-60

80 MM Polishing Pad

Suits 75 mm Hook & Loop Backing Pad



\$25

PN: 119-102

3" Hook & Loop Backing Pads



Pad Density: Medium
Max Speed: 15,000 RPM

\$31 ea

1/4" Internal PN: ABCH-203-1/4N

1/4" External PN: ABCH-203-1/4S

5-16" Internal PN: ABCH-203-5/16N

5/16" External PN: ABCH-203-5/16S

M6 Internal PN: ABCH-203-6N

M6 External PN: ABCH-203-6S

2" Pads also available

6" Hook & Loop Backing Pads

Spindle Size: 5/16" x 24 UNF Ext.
Max Speed: 12,000 RPM
Pad Thickness: 10 mm
Made in Taiwan.



Dust Free Pad PN: F6505

Dust Free pad PN: F6565

\$49 ea

Clean & Strip Discs

- Removals of paint & light rust
- Designed not damage the original surface



Packs of 2

10 x 50 MM

\$15

PN: ABCH902P

10 x 75 MM

\$25

PN: ABCH903P

Cut off Discs



50 MM Discs

Disc Size: 50 x 1 mm
Bore: 1/4"
Max Speed: 30,000 RPM

Packs of 10

\$39

PN: ABPCWHEELS



75 MM Discs

Disc Size: 75 x 0.8 mm
Bore: 9.53 mm
Max Speed: 25,000 RPM

Packs of 5

\$25

PN: CO007K

5" Turbo Backing Pad

- Lock Nut included
- Pad Thickness: 18 MM
Max Speed: 10,000 RPM
Thread Size: M14 x 2 Int.




\$39

PN: GTP162214

5" Clean & Strip Disc

- Removes paint & light rust
- Designed not to damage the original surface

New!



Disc Size: 125 mm
Bore: 22 mm
Max Speed: 16,500 RPM

\$17

PN: ABCH2205

8 Piece Flap Wheel Kit

- Kit includes:
- 25 x 12 mm, 120 Grit, x 1
 - 25 x 25 mm, 40 Grit, x 1
 - 25 x 25 mm, 80 Grit, x 1
 - 40 x 25 mm, 60 Grit, x 1
 - 40 x 25 mm, 80 Grit, x 1
 - 50 x 25 mm, 80 Grit, x 1
 - 50 x 25 mm, 60 Grit, x 2



\$55

PN: GFWK

Economical 6" Backing Pads



Spindle Size: 5/16" x 24 UNF Ext.
Max Speed: 12,000 RPM
Pad Thickness: 10 mm

\$20 ea

Standard PN: E6505

Dust Free PN: E6565

flexipads

WHAT QUALITY FEELS LIKE™

180 MM Nylon Backing Pads

- Medium Pad Density
- Thread Size: M14 x 2 Int.
Pad Thickness: 20 MM
Max Speed: 8,500 RPM



\$46

PN: FP20305

Heavy Duty 5" TURBO Grinding Pads



*Ultra Tough & Rigid Pads
ideal for grinding!*

Thread Size: M14 x 2 Int.
Pad Thickness: 18 MM
Max Speed: 12,250 RPM

\$45

PN: FP11723

Nylon Backing Pads

100 MM Nylon Backing Pad

- Medium Pad Density
- Thread Size: M14 x 2 Int.
Pad Thickness: 15 MM
Max Speed: 12,250 RPM

\$29

PN: FP20020

125 MM Nylon Backing Pad

- Medium Pad Density
- Thread Size: M14 x 2 Int.
Pad Thickness: 16 MM
Max Speed: 12,250 RPM

\$29

PN: FP20210

6" Dust Free Multi-Fit Hook & Loop Pad

Thread Size: M8 & 5/16" UNF
Pad Thickness: 14 MM
Max Speed: 12,000 RPM

\$89

PN: FP17099



*Suits
Festool & Makita
Sanders!*

Sheep Skin Polishing Bonnets



**100%
Merino Sheep
Skin Wool!**

Disc Size: 5" (125 MM)
Max. speed: 2,500 RPM
Thickness: 32 MM

\$39

PN: FP40005

In-line Components

1/4" In-line Water Separator

1/4" NPT Female to Male



\$39

PN: GPA1512

1/4" In-line Lubricator

1/4" NPT Female to Male
Capacity: 15 ml



\$30

PN: GPA1025

Swivel Connectors

Male thread to Japanese Style Plug
Range: 22°

1/4" Thread PN: B05

3/8" Thread PN: B07

\$20 ea



In-line Regulators

1/4" Air Flow Regulator

\$22

PN: GPA1010



1/4" Air Flow Regulator with Male plug

\$22

PN: GPA1011



Air Line Quick Coupler Manifolds

2 Way Cluster Quick Coupler



\$39

PN: GPA1513

3 Way Cluster Quick Coupler



\$49

PN: GPA1514

2 Way In-line Quick Coupler



\$39

PN: GPA1515

3 Way In-line Quick Coupler



\$49

PN: GPA1516

4 Way In-line Quick Coupler



\$49

PN: GPA1517

20m Manual Hose Reel

- High quality Polyurethane braided hose
 - Space Saving Foldable Handle
 - 360 degree swivel base
- Hose ID: 8 mm
Hose OD: 12 mm

\$299

PN: GPHR1220



20m Wall Mount Hose Reel

- 180° swivel bracket
- Sheet metal housing
- 1.5 metre inlet hose
- Adjustable recoil stopper
- High quality braided polyurethane hose
- Shrouded air line socket

Hose ID: 6.5 mm
Hose OD: 10 mm

\$299

PN: GPHR1020



Bare In-line Manifolds

2 Way In-line Bare Manifold

\$20

PN: GPATA2

3 Way In-line Bare Manifold

\$21

PN: GPATA3

4 Way In-line Bare Manifold

\$23

PN: GPATA4



One-Touch Connector Kits

- Kit includes Hose Clamps, One-Touch Socket & Plug fittings

10mm Kit
PN: AHPACK

\$32

12mm Kit
PN: AHPACK12

\$41



Bare Air Line Hose



10 MM Bare Air Hoses

20m Roll

\$59

PN: AH1020

30m Roll

\$99

PN: AH1030

100m Roll

\$279

PN: AH10100

12 MM Bare Air Hoses

20m Roll

\$99

PN: AH1220

30m Roll

\$139

PN: AH1230

100m Roll

\$419

PN: AH12100

Premium Air Tool

Add only a couple of drops daily to prolong the performance of any air operated tool
Formulated to greatly reduce internal wear and maintain the integrity of gaskets and seals



250 ML

\$13

PN: SI250

1 Litre

\$27

PN: SI1000

5 Litre

\$98

PN: SI5000

One-Touch Recoil Air Hoses



10 MM Air Hoses

6.5 MM ID x 10 MM OD

2 Metre

PN: GPH1003LBHL

\$57

5 Metre

PN: GPH1006LBHL

\$72

6 Metre

PN: GPH1008LBHL

\$78

8 Metre

PN: GPH1010LBHL

\$95

12 MM Air Hoses

8 mm ID x 12 mm OD

5 Metre

PN: GPH1206LBHL

\$78

6 Metre

PN: GPH1208LBHL

\$94

8 Metre

PN: GPH1210LBHL

\$99

10 Metre

PN: GPH1212LBHL

\$110

- One-Touch couplings
- Made from kink resistant polyurethane

One-Touch Fitted Air Hoses



Fitted with Japanese compatible One-Touch couplings.

10 MM Fitted Air Hoses

10 MM ID

10 Metre

PN: AH1010F

\$52

20 Metre

PN: AH1020F

\$83

30 Metre

PN: AH1030F

\$109

12 MM Fitted Air Hoses

12 mm ID

20 Metre

PN: AH1220F

\$119

30 Metre

PN: AH1230F

\$159



Made in Australia

Impact Socket Sets

HOT PRICES!

Made from Chrome Molybdenum Steel CR-MO.

Meet or exceed DIN & ANSI standards.

3/8" Drive Impact Socket Sets

8 Piece Metric
PN: GX838SSM

Sizes: 8, 10, 11, 12, 13,
15, 17 & 19 mm

8 Piece Imperial
PN: GX838SSI

Sizes: 5/16", 3/8",
7/16", 1/2", 9/16", 5/8",
11/16" & 3/4"



was \$62 **Now! \$49 ea**

1/2" Drive Impact Socket Sets

13 Piece Metric
PN: GX1312SSM

Sizes: 10, 12, 13, 14, 15,
17, 18, 19, 21, 22, 24,
27 & 30 mm

13 Piece Imperial
PN: GX1312SSI

Sizes 7/16, 1/2, 9/16, 5/8,
11/16, 3/4, 13/16, 7/8, 15/16,
1, 1-1/16, 1-1/8 & 1-1/4"



was \$169 **Now! \$99 ea**

3/4" Drive Impact Socket Sets

8 Piece Metric
PN: GX834SSM

Sizes: 26, 27, 29, 30, 32,
35, 36 & 38 mm

8 Piece Imperial
PN: GX834SSI

Sizes 1, 1-1/16, 1-1/8,
1-1/4, 1-5/16, 1-3/8,
1-7/16 & 1-1/2"



was \$229 **Now! \$189 ea**

Impact Hex & Torx® Bit Sets

Made from SNCM 8660 Steel which allows 20% more torque than CR-MO.

1/2" 8 Piece Imperial Hex Bit Set

Sizes: 1/4", 5/16",
3/8", 7/16", 1/2",
9/16", 5/8" & 3/4"



was \$99
Now! \$79
PN: GX12HBSI

1/2" Torx® Impact Socket Set

Sizes: T25, T27, T30, T40,
T45, T50, T55 & T60 bits



\$99
PN: GX12TX8

Impact Universal Joints

Molybdenum
Steel CR-MO.



3/8" Drive
Universal Joint

\$28
PN: GX38U

1/2" Drive
Universal Joint

\$29
PN: GX12U

3/4" Drive
Universal Joint

\$57
PN: GX34U

5 Piece Square Drive Adapter Sets



\$29
PN: GX5AS

Chrome Vanadium

1/4" Female to 3/8" Male
1/2" Female to 3/8" Male
3/8" Female to 1/4" Male
1/2" Female to 3/4" Male
3/8" Female to 1/2" Male

Wobble Impacting Bar Sets



Chrome Molybdenum Steel CR-MO.

1/4" Set of 4 Wobble
Extension Bars

Kit includes:
3", 6", 10" & 12" bars

\$59
PN: GXWEBS14

3/8" Set of 4 Wobble
Extension Bars

Kit includes:
3", 6", 10" & 18" bars

\$82
PN: GXWEBS38

1/2" Set of 4 Wobble
Extension Bars

Kit includes:
3", 5", 10" & 18" bars

\$99
PN: GXWEBS12

THE BONE™ CREEPERS & STOOLS



THE BONE LOW PROFILE

THE BONE ROUGH RIDER

1194L x 648W x 191H MM
Wheels: Ø130 MM x 25 MM
Ground Clearance: 73 MM
Weight: 9.1 Kg



\$649
PN: BONE7031

**180 KG
CAPACITY**



1194L x 648W x 160H MM
Wheels: Ø130 MM x 25 MM
Ground Clearance: 45 MM
Weight: 8 Kg

\$599
PN: BONE6031

**180 KG
CAPACITY**

THE BONESTER SUPER LOW PROFILE




1092L x 594W x 114H MM
Wheels: Ø75 MM x 22 MM
Ground Clearance: 38 MM
Weight: 6 Kg

\$479
PN: BONE4031

**180 KG
CAPACITY**



Distributed by:



HARLINGEN®

45 Piece Metric HSS Tap & Die Set

45 Piece M2-HSS set includes long handle & T-handle tap wrenches, long handle die wrench, die adapter and tap & dies from M6 to M24 in fine and coarse pitches



\$999 **M2 HSS!**

PN: H-11-115-001-M2

Full range on page 17!

HSS Reduced Shank Drill Set

8 piece set includes 13, 14, 15, 16, 18, 20, 22 & 25 mm drills
Drill length: 150 mm
Shank: 13 mm
Material: HSS



\$199

PN: H-11-030-S01

Full range on page 16!

Ezi-Shear

PROFESSIONAL SHEET METAL CUTTING ATTACHMENTS

Cam-Drive Ezi-Shear

Cam-Drive Ezi-Shear to suit Milwaukee™

- Milwaukee M18™ 14 Gauge Double Cut Shears (2636-20)
- Milwaukee M18™ 18 Gauge Single Cut Shears (2637-20)
- Milwaukee M18™ Double Cut Shears (2635-20)



\$259

PN: EZISMIL

geiger™

Twin LED Rechargeable Inspection Lamp

Ideal for automotive panel & paint inspection or any confined automotive or industrial work environments.

- Precision adjustable dimmer switch
- Multistage battery indicator light
- Magnetic ball jointed adjustable base
- Dual retractable lamp hangers
- USB rechargeable Li-ion battery
- Magnetic retrieval wand at tip
- IP54 dust & water resistant



ONLY WHILE STOCKS LAST!

SUPER BRIGHT 880 LUMENS!

HOT PRICE!

\$99

PN: GLED2CIL

ACCUD

Professional Measuring Instruments

Fractional Digital IP54 Calipers

Rechargeable!



USB DATA OUTPUT

New!

Resolution: 0.01 mm
Accuracy: ±0.03 mm

- Fractional, Metric & Imperial display
- IP54 Ingress Rating
- USB rechargeable with up to 3 months of continuous use between charges

150 mm Caliper

PN: AC-106-006-11F

\$149

200 mm Caliper

PN: AC-106-008-11F

\$199


300 mm Caliper

PN: AC-106-012-11F

\$279

100 mm Digital Protractor

- Button function: Hold/Rev, Set zero, On/Off
- Beam with integrated magnets
- Locking screw



Range: 100 mm
Resolution: 0.05°
Accuracy: ±0.2°
Length: 103 mm

PN: AC-824-004-11

\$139

Scribing Divider

- Carbon steel arms
- Hardened scriber

Range: 200 mm
Length: 200 mm



PN: AC-987-008-01

\$49

morrisflex

NG6 Burr Sets

3/8" Head NG6 Coated Burr Set



\$279

PN: CBSSET3NG6C

1/2" Head NG6 Coated Burr Set



\$397

PN: CBSSET35NG6C

1/4" & 3/8" Head NG6 Coated Burr Set



\$459

PN: CBSSET8NG6C

NG6 NEXT GENERATION ACCELERATOR

Full range on page 8.