

SHINANO

SHINANO®

QUALITY JAPANESE AIR TOOLS

June 2023 - January 2024 Prices include GST.

Impact Wrenches

- 1/2" Compact Impact Wrench**
- 3 Position forward torque selector dial beneath trigger
 - Full-time maximum torque in reverse
 - Forward/Reverse toggle switch
 - Responsive 8 vane motor
 - Feather touch trigger

112 MM HEAD LENGTH
(including Anvil)

Max Torque: 550 Ft/lbs
Free Speed: 9,000 RPM
Bolt Cap: 16 MM
Weight: 1.17 Kg



\$339
PN: S11455SR

3/8" Butterfly Wrench
Max Torque: 66 Ft/lbs
Length: 158 MM
Weight: 0.94 Kg

\$310
PN: S11305



1/2" Impact Wrench Kit
• Twin Hammer

Max Torque: 369 Ft/lbs
Free Speed: 6,000 RPM
Bolt Cap: 16 MM
Weight: 2.55 Kg



\$369
PN: S11420T

- 1/2" Impact Wrench**
- Responsive 8 vane motor
 - Forward/Reverse selector
 - 4 position speed selector
 - Feather touch trigger
 - Twin Hammer

\$479
PN: S11490B



Improved Motor!

Max Torque: 627 Ft/lbs
Free Speed: 8,500 RPM
Bolt Cap: 20 MM
Weight: 1.9 Kg



3/4" Impact Wrench
Max Torque: 1,217 Ft/lbs
Bolt Cap: 24 MM
Length: 218 MM
Weight: 3.25 Kg

\$799
PN: S11550

1" Impact Wrench
Max Torque: 1,217 Ft/lbs
Bolt Cap: 24 MM
Length: 220 MM
Weight: 3.5 Kg

\$1,155
PN: S11555SR

Angle Grinders

5" Angle Grinder
Spindle Size: M14x2
Free Speed: 12,000 RPM
Weight: 1.65 Kg

\$589
PN: S12515LA



- Governed for optimal disc RPM
- Spindle Lock

5" Angle Grinder
Spindle Size: M14x2
Free Speed: 12,000 RPM
Weight: 1.85 Kg

\$559
PN: S12520L



ERGONOMIC ANGLED HEAD

- Governed for optimal disc RPM
- Spindle lock
- Rear exhaust

7" Angle Grinder
Free Speed: 7,500 RPM
Length: 337 MM
Weight: 3.24 Kg

\$799
PN: S12600L



- Speed governed for optimal disc RPM
- Spline disc receiver and nut

Disc Sanders

Mini Dual Action Sander

- Velcro Pad
- 2 Speed
- Free Speed: 15,000 RPM
- Weight: 0.52 Kg
- Orbit Dia.: 3 MM



\$299
PN: S12110

2" Disc Sander Kit
Free Speed: 17,000 RPM
Length: 144 MM
Weight: 0.50 Kg

Includes 2 Abrasive Discs

\$249
PN: S12201



4" High Speed Disc Sander

- 3" & 4" pads, 75 MM backing pad & abrasives
- Free Speed: 19,000 RPM
- Length: 167 MM
- Weight: 0.99 Kg

\$279
PN: S12210R



6" Dual Action Sander
• Velcro Pad

\$299
PN: S13100



Free Speed: 10,000 RPM
Orbit Dia.: 7 MM
Weight: 1.82 Kg

Drills

3/8" Heavy Duty Drill

- Non-reversible
- Chuck Size: 10 MM
- Free Speed: 2,000 RPM
- Length: 133 MM
- Weight: 0.91 Kg

\$359
PN: S15300A



3/8" Straight Drill

Chuck Size: 10 MM
Free Speed: 6,000 RPM
Length: 231 MM
Weight: 1.06 Kg

\$399
PN: S12015AD



3/8" Compact Drill

- Non-reversible
- Chuck Size: 10 MM
- Free Speed: 2,600 RPM
- Length: 130 MM
- Weight: 0.79 Kg

\$268
PN: S15500



3/8" Angle Drill Reversible

Chuck Size: 10 MM
Free Speed: 1,200 RPM
Length: 202 MM
Weight: 0.94 Kg

\$459
PN: S15355



3/8" H-Duty Reversible Drill

- Chuck Size: 10 MM
- Free Speed: 2,000 RPM
- Length: 132 MM
- Weight: 1.02 Kg

\$399
PN: S15305A



1/2" Capacity Reversible Keyed Drill

Chuck Size: 13 MM
Free Speed: 800 RPM
Length: 155 MM
Weight: 1.45 Kg

\$549
PN: S15305-8A



3/8" Keyless Reversible Drill

- Chuck Size: 10 MM
- Free Speed: 1,500 RPM
- Length: 210 MM
- Weight: 1.08 Kg

\$399
PN: S15405



1/2" Keyless Reversible Drill

Chuck Size: 13 MM
Free Speed: 600 RPM
Length: 235 MM
Weight: 1.41 Kg

\$559
PN: S15405-6



Palm Grip Sanders

3" Mini Orbital Sander

Free Speed: 12,000 RPM
Orbit Dia.: 3 MM
Weight: 0.54 Kg



\$459
PN: SI3102

Orbital Mini Palm Grip Pad Sander

Free Speed: 9,000 RPM
Pad Size: 100 x 75 MM
Orbit Dia.: 4 MM
Weight: 0.94 Kg



\$449
PN: SI3003A

6" Dual Action Sander

Free Speed: 10,000 RPM
Orbit Dia.: 5 MM
Weight: 0.94 Kg



\$569
PN: SI3101-6

6" Dual Action Dust Free Sander

Free Speed: 10,000 RPM
Orbit Dia.: 5 MM
Weight: 1.29 Kg



\$689
PN: SI3111-6

Self Generating Vacuum

Belt Sanders

10 MM Belt Sander

- 160° adjustable sanding arm
- Includes 6, 10 MM sanding belts
- Includes in-line air regulator for quick speed adjustments

Belt Size: 330 x 10 or 12 MM
Free Speed: 15,000 RPM
Weight: 0.73 Kg

SWIVEL INLET WITH REGULATOR



\$449
PN: SI2740

20 MM Belt Sander

Belt Size: 520 x 20 MM
Free Speed: 15,000 RPM
Weight: 1.43 Kg



\$599
PN: SI2800

30 MM Belt Sander

Belt Size: 540 x 30 MM
Free Speed: 10,000 RPM
Weight: 2.02 Kg



\$889
PN: SI2830

Angle Head Sanders

5" Angle Head Disc Sander

Spindle: 5/8 x 11 UNC
Length: 285 MM
Free Speed: 5,500 RPM
Weight: 1.50 Kg



\$499
PN: SI2026S

7" Heavy Duty Angle Sander

Spindle: 5/8 x 11 UNC
Length: 358 MM
Free Speed: 4,500 RPM
Weight: 2.13 Kg



\$499
PN: SI2351

Polishers

75 MM Pistol Grip Polisher

- Kit includes: Wool Buff, sponge Buff, Velcro Pad & 3 Sanding Pads
- Free Speed: 4,500 RPM
Length: 147 MM
Weight: 0.64 Kg



\$399
PN: SI2221

7" Heavy Duty Angle Polisher

Spindle: 5/8 x 11 UNC
Length: 358 MM
Free Speed: 2,300 RPM
Weight: 2.13 Kg



\$499
PN: SI2451

Cutting Tools

3" Cut Off Grinder

Length: 196 MM
Free Speed: 20,000 RPM
Weight: 1.00 Kg



\$259
PN: SI2033

3" Cut Off Discs Pack of 5

PN: C0007K \$27

Multifunction Body Saw

Stroke Length: 10 MM
Free Speed: 10,000 RPM
Length: 259 MM
Weight: 0.58 Kg



\$399
PN: SI4700B

Quality Bi-metal Blades
• Sold in Pack of 5

18 TPI PN: PT301A18

24 TPI PN: PT301A24

32 TPI PN: PT301A32

\$29 EA

Air Nibbler

Free Speed: 2,600 SPM
Length: 175 MM
Weight: 1.00 Kg



\$469
PN: SI4600

Multifunction Mini Saw & File

Stroke Length: 5 MM
Free Speed: 10,500 RPM
Length: 148 MM
Weight: 0.52 Kg

5 MM Stroke



\$469
PN: SI4740

Uses Saw Blades & Files!

105 MM Files to suit SI4740
• 5 MM shank

Triangular PN: 506P-56T

Round PN: 506P-56R

Flat PN: 506P-56S

\$49 EA

Screwdrivers

All screwdrivers feature forward & reverse.

1/4" Straight Screwdriver

- Adjustable clutch
- Max Torque: 3.70 Ft/lbs
Free Speed: 1,600 RPM
Bolt Cap: 1/4"
Length: 247 MM
Weight: 1.12 Kg



\$499
PN: SI1161

1/4" Screwdriver

- Nose mounted clutch adjuster
- Free Speed: 700 RPM
Max Torque: 14.8 Ft/lbs
Length: 176 MM
Weight: 0.85 Kg



\$478
PN: SI1170

1/4" Screwdriver

- Adjustable clutch

Max Torque: 6.60 Ft/lbs
Free Speed: 800 RPM
Bolt Cap: 5/16"
Length: 229 MM
Weight: 1.35 Kg



\$629
PN: SI1166-8A

1/4" Screwdriver

- Adjustable clutch
- Max Torque: 3.70 Ft/lbs
Free Speed: 2,000 RPM
Bolt Cap: 1/4"
Length: 207 MM
Weight: 1.18 Kg



\$524
PN: SI1166A

Quick Change Sanding & Stripping Kit

- 46 Piece kit includes:
- 2" Disc Sander (SI2201 tool only)
 - Free Speed: 17,000 RPM
 - Weight: 0.49 Kg
 - 1 x 50 MM quick-lock backing pad
 - 1 x 75 MM quick-lock backing pad
 - 5 x 50 MM 36, 60 & 80 Grit Discs (Total 15)
 - 5 x 75 MM 36 & 80 Grit Discs (Total 10)
 - 2 x 50 MM 40, 60, 80 & 120 Grit Flap Discs (Total 8)
 - 2 x 75 MM 40, 60 & 80 Grit Flap Discs (Total 6)
 - 2 x 50 MM Clean & Strip Discs
 - 2 x 75 MM Clean & Strip Discs

Ceramic Sanding Abrasives



\$524
PN: SI2201KIT3

Quick Change Sanding & Abrasive Kit also available PN: SI2201KIT1 \$415
For kit contents refer to: www.gamer.com.au/SI2201KIT1

Ratchet Wrenches



1/4" Super Mini Ratchet
Max Torque: 22 Ft/lbs
Length: 125 MM
Weight: 0.39 Kg

\$279
PN: SI1107B



1/4" Mini Ratchet Wrench
Max Torque: 26 Ft/lbs
Length: 168 MM
Weight: 0.85 Kg

\$269
PN: SI1200B

3/8" Super Mini Ratchet
Max Torque: 22 Ft/lbs
Length: 125 MM
Weight: 0.40 Kg

\$279
PN: SI1108B

3/8" Mini Ratchet Wrench
Max Torque: 30 Ft/lbs
Length: 168 MM
Weight: 0.85 Kg

\$269
PN: SI1205B



1/4" Mini Ratchet Wrench
Max Torque: 31 Ft/lbs
Length: 168 MM
Weight: 0.54 Kg

\$289
PN: SI1217EX



3/8" Ratchet Wrench
Max Torque: 59 Ft/lbs
Length: 265 MM
Weight: 1.16 Kg

\$239
PN: SI1320A

3/8" Mini Ratchet Wrench
Max Torque: 35 Ft/lbs
Length: 168 MM
Weight: 0.54 Kg

\$289
PN: SI1218EX

1/2" Ratchet Wrench
Max Torque: 66 Ft/lbs
Length: 265 MM
Weight: 1.17 Kg

\$239
PN: SI1325A

3/8" Through Ratchet
Includes 8, 10, 11, 12,
13 & 14 MM sockets,
3/8" square drive.
Max Torque: 33 Ft/lbs
Length: 211 MM
Weight: 0.54 Kg



\$566
PN: SI1288S

**IDEAL FOR
HARD TO ACCESS
NUTS & BOLTS**

3/8" Ratchet Wrench
Max Torque: 85 Ft/lbs
Length: 263 MM
Weight: 1.15 Kg

\$299
PN: SI1340EX



1/2" Ratchet Wrench
Max Torque: 85 Ft/lbs
Length: 263 MM
Weight: 1.15 Kg

\$299
PN: SI1345EX

1/2" Heavy Duty Ratchet
Max Torque: 118 Ft/lbs
Length: 368 MM
Weight: 1.95 Kg



\$524
PN: SI1435

Hammering Tools

**10.2 MM Pistol Grip
Air Hammer**
Length: 208 MM
Impact Rate: 2,600 BPM
Weight: 1.60 Kg



\$289
PN: SI4120A

Spring Retainer
Suits most
hammers.



\$18
PN: GPA70X2

20 MM Flat Chisel
Shank Dia.: 10.2 MM



\$39
PN: SI1810

**60 MM Paint
Scraper Chisel**
Shank Dia.: 10.2 MM



\$73
PN: SI1823

Needle Scalers

Straight Grip Needle Scaler
Stroke: 4.5 MM
Impact Rate: 3,500 BPM
Length: 333 MM
Weight: 2.06 Kg



\$659
PN: SI4150EX

Pistol Grip Needle Scaler
Stroke: 4.5 MM
Impact Rate: 3,300 BPM
Length: 355 MM
Weight: 2.19 Kg



\$679
PN: SI4160

Heavy Duty Impact Wrenches

1" H-Duty Impact Wrench
Max Torque: 1,840 Ft/lbs
Bolt Cap: 41 MM
Length: 285 MM
Weight: 10.9 Kg

**3 Handle
Positions**



\$1550
PN: SI1860

Also available with
6" anvil (SI1866) or
8" anvil (SI1868).

**1" H-Duty D-Handle
Impact Wrench**
Max Torque: 1,770 Ft/lbs
Bolt Cap: 41 MM
Length: 350 MM
Weight: 10.6 Kg



\$1550
PN: SI1870

Also available with 6" anvil (SI1876) or 8" anvil (SI1878). Call for pricing.

1" H-Duty Impact Wrench
Max Torque: 2,430 Ft/lbs
Bolt Cap: 38 MM
Length: 420 MM
Weight: 15.4 Kg



\$1990
PN: SI1880

8" Anvil
\$2,310
PN: SI1888

2,430 Ft/lbs

1-1/2" H-Duty Impact Wrench



Max Torque: 4,060 Ft/lbs
Bolt Cap: 55 MM
Length: 510 MM
Weight: 18.0 Kg

\$3100
PN: SI1900

4,060 Ft/lbs

Air Tool Oil

Add only a couple of drops daily to greatly reduce
internal wear and maintain the integrity of the
gaskets and seals

250 ml
Air Tool Oil
\$12
PN: SI250

1 Litre
Air Tool Oil
\$26
PN: SI1000

5 Litre
Air Tool Oil
\$94
PN: SI5000



Die Grinders

**1/4" Heavy Duty Angle Head
Die Grinder**
Free Speed: 20,000 RPM
Length: 162 MM
Weight: 0.56 Kg



\$389
PN: SI2005HD

1/4" Small Die Grinder
Free Speed: 27,000 RPM
Length: 151 MM
Weight: 0.37 Kg



\$259
PN: SI2002EX

1/4" Medium Die Grinder
Free Speed: 25,000 RPM
Length: 170 MM
Weight: 0.60 Kg



\$249
PN: SI2011S

1/4" Medium Die Grinder
Free Speed: 25,000 RPM
Length: 170 MM
Weight: 0.37 Kg



\$259
PN: SI2012EX

**1/4" High Torque
Die Grinder**
Free Speed: 5,500 RPM
Length: 170 MM
Weight: 0.60 Kg



\$339
PN: SI2015A

1/4" Extended Die Grinder
Free Speed: 24,000 RPM
Length: 326 MM
Weight: 1.34 Kg



\$449
PN: SI2022S

SHINANO INDUSTRIAL TOOLS

Specifically designed for reliable operation and long service life in the harshest working environments.



2" Industrial Angle Grinder

Free Speed: 15,000 RPM
Output: 240 Watts
Spindle: 1/4" UNF x 9.5 MM
Length: 170 MM
Weight: 0.64 Kg

\$550
PN: SI-AG2-U2P

5" Industrial Angle Grinder

Free Speed: 12,000 RPM
Output: 800 Watts
Spindle: M14 x 22.2 MM
Length: 285 MM
Weight: 2.08 Kg

\$799
PN: SI-AG5-E3L

4" Industrial Angle Grinder

Free Speed: 13,500 RPM
Output: 600 Watts
Spindle: M8 x 15.8 MM
Length: 276 MM
Weight: 1.89 Kg

\$699
PN: SI-AG4-A2L

7" Industrial Angle Grinder

Free Speed: 7,600 RPM
Output: 1000 Watts
Spindle: 5/8" UNC x 22.2 MM
Length: 285 MM
Weight: 3.3 Kg

\$925
PN: SI-AG7-E5L

High Spec Collet

The High Spec Collets grips entire length of the burr shank. This reduces run-out, which improves cutting efficiency and extends the service life of the burr.

NOT included with SI-SG3-CL.



Silencer Hose

In addition to significantly reduced noise levels, the 50 cm silencer hose expels any moisture or oil that may be in exhaust air away from the work piece.

Mini Industrial Angle Die Grinder

Free Speed: 20,000 RPM
Output: 200 Watts
Collet Size: 1/4"
Length: 166 MM
Weight: 0.57 Kg

\$449
PN: SI-AG20E-6L



Industrial Angle Die Grinder

Free Speed: 15,000 RPM
Output: 240 Watts
Collet Size: 1/4"
Length: 170 MM
Weight: 0.64 Kg

• Spindle lock button for easy burr replacement



\$559
PN: SI-AG2-C2P

Mini Industrial Die Grinder

Free Speed: 28,000 RPM
Output: 180 Watts
Collet Size: 1/4"
Length: 150 MM
Weight: 0.38 Kg

\$359
PN: SI-SG20E-6L

Extended Mini Industrial Die Grinder

Free Speed: 28,000 RPM
Output: 180 Watts
Collet Size: 1/4"
Length: 284 MM
Weight: 0.68 Kg

\$469
PN: SI-SG20E-6LL

Straight Industrial Die Grinder

• High powered tool for confined work areas
• High Spec Collet NOT included.

Free Speed: 14,000 RPM
Output: 520 Watts
Collet Size: 1/4"
Length: 346 MM
Weight: 1.53 Kg



\$699
PN: SI-SG3-CL

Industrial 6" Dual Action Sander

• Powerful 485 Watt motor with adjustable power setting
• Handle exhaust
Free Speed: 11,200 RPM
Pad/Disc Size: 150 MM (6")
Spindle Size: 5/16-24 UNF
Orbit Dia: 6 MM



\$499
PN: SI-DS6-6L

Industrial Edge Profilers

- Quickly & easily machine consistent radiused edges (meets and exceeds IMO's PSPC regs.).
- 3 Carbide tips, each with 8 cutting edges for cost-effective operation.
- Suitable for use on aluminium, structural grade steel and most types of stainless steel.



Guide Plate: 100 MM
Head Height: 113 MM
Free Speed: 10,000 RPM
Output: 600 Watts
Profile Radius: 3 MM
Min. Corner Radius: 17 MM
Length: 250 MM

\$1449
PN: SI-4011L

Guide Plate: 150 MM
Head Height: 142 MM
Free Speed: 10,000 RPM
Output: 900 Watts
Profile Radius: 3 MM
Min. Corner Radius: 17 MM
Length: 250 MM

\$1449
PN: SI-4010L

5" Industrial Wet Angle Grinder

- Adjustable disc RPM & water feed

Free Speed: 12,000 RPM
Output: 800 Watts
Spindle: M14 x 22.2 MM
Length: 285 MM
Weight: 2.25 Kg

Water injection through guard



7" Version Available

\$1,155
PN: SI-AG5-E3LWS

Industrial Die Grinder

Free Speed: 25,000 RPM
Output: 650 Watts
Collet Size: 1/4"
Length: 187 MM
Weight: 0.71 Kg

\$399
PN: SI-SG60E-6L



Extended Industrial Die Grinder

Free Speed: 25,000 RPM
Output: 650 Watts
Collet Size: 1/4"
Length: 322 MM
Weight: 1.19 Kg

\$569
PN: SI-SG60E-6LL



2.5" Industrial Straight Grinder

- Accepts 65x13mm grinding wheels

Free Speed: 14,600 RPM
Output: 520 Watts
Spindle: 9.35 MM
Length: 316 MM
Weight: 1.53 Kg

\$699
PN: SI-SG3-2L

3" Industrial Straight Grinder

- Accepts 75x13mm grinding wheels

Free Speed: 12,700 RPM
Output: 520 Watts
Spindle: 9.35 MM
Length: 316 MM
Weight: 1.7 Kg

\$699
PN: SI-SG3-3L

